

INCLUDING:

ELECTRAK

ZUGCHINI

legrand

GLOBAL SPECIALIST IN
ELECTRICAL AND DIGITAL
BUILDING INFRASTRUCTURES

EFFECTIVE 01 MARCH 2011

TRADE PRICE LIST

POWER DISTRIBUTION

legrand[®]

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

Electrak 24 Power Track - Standard System

Cat no.	Description	Trade Price 2011
DA1123	1.2m Power Track 63A 2P+E 4 White Outlets/300mm. Standard	35.08
DA1243	2.4m Power Track 63A 2P+E 8 White Outlets/300mm. Standard	54.53
DA1363	3.6m Power Track 63A 2P+E 12 White Outlets/300mm. Standard	76.21
DF1010	Track Feed Unit White 63A 2P+E. Standard	16.30
DP1313	3m 13A Fused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	23.94
DP1327	3m 13A Fused White Tap Off Unit 2P+E 607, M/Flex Conduit. Standard	25.34
DP1332	3m 32A Unfused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	24.77
DP1513	5m 13A Fused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	29.47
DP1527	5m 13A Fused White Tap Off Unit 2P+E 607, M/Flex Conduit. Standard	32.36
DP1532	5m 32A Unfused White Tap Off Unit 2P+E, with M/Flex Conduit. Standard	33.55
DW1000	Flexible Interlink Set White 63A. Excluding cables and conduit. Std	33.86
DW1010	1.2m Flexible Interlink White 63A 2P+E. Standard	67.78
DW1020	2.4m Flexible Interlink White 63A 2P+E. Standard	78.30

Electrak 25 Power Track - Low Noise (Clean Earth) System

Cat no.	Description	Trade Price 2011
JA2123	1.2m Power Track 63A 2P+E+CE 4 Green Outlets/300mm. Low Noise	37.30
JA2243	2.4m Power Track 63A 2P+E+CE 8 Green Outlets/300mm. Low Noise	60.45
JA2363	3.6m Power Track 63A 2P+E+CE 12 Green Outlets/300mm. Low Noise	83.52
JF2010	Track Feed Unit Green 63A 2P+E+CE. Low Noise	17.13
JP2313	3m 13A Fused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	25.44
JP2327	3m 13A Fused Green Tap Off Unit 2P+E+CE 607, M/F Conduit. Low Noise	27.86
JP2332	3m 32A Unfused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	28.14
JP2513	5m 13A Fused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	31.57
JP2527	5m 13A Fused Green Tap Off Unit 2P+E+CE 607, M/F Conduit. Low Noise	36.52
JP2532	5m 32A Unfused Green Tap Off Unit 2P+E+CE, M/Flex Conduit. Low Noise	38.09
JW2000	Flexible Interlink Set Green 63A. Excluding conduit and cables. L.N	35.50
JW2010	1.2m Flexible Interlink Green 63A 2P+E+CE. Low Noise	76.14
JW2020	2.4m Flexible Interlink Green 63A 2P+E+CE. Low Noise	88.79

Electrak 26 Power Track - Dual System

Cat no.	Description	Trade Price 2011
KA3123	1.2m Power Track 63A 4P+E+CE 4 Dark Green Outlets/300mm. Dual	56.53
KA3243	2.4m Power Track 63A 4P+E+CE 8 Dark Green Outlets/300mm. Dual	90.36
KA3363	3.6m Power Track 63A 4P+E+CE 12 Dark Green Outlets/300mm. Dual	126.32
KF3010	Track Feed Unit Dark Green 63A 4P+E+CE. Dual	22.45
KP3328	3m 32A Unfused Dark Green Tap Off Unit 4P+E+CE, M/Flex Conduit. Dual	43.67
KP3528	5m 32A Unfused Dark Green Tap Off Unit 4P+E+CE, M/Flex Conduit. Dual	56.40
KW3000	Flexible Interlink Set D/Green 63A. Excluding conduit and cables. Dual	46.28
KW3010	1.2m Flexible Interlink Dark Green 63A 4P+E+CE. Dual	102.22
KW3020	2.4m Flexible Interlink Dark Green 63A 4P+E+CE. Dual	123.93

Electrak 27 Power Track - 3 Phase System

Cat no.	Description	Trade Price 2011
NA4123	1.2m Power Track 63A 4P+E 4 Grey outlets/300mm. 3 Phase	54.83
NA4243	2.4m Power Track 63A 4P+E 8 Grey outlets/300mm. 3 Phase	86.66
NA4363	3.6m Power Track 63A 4P+E 12 Grey outlets/300mm. 3 Phase	121.30
NF4010	Track Feed Unit Grey 63A 4P+E. 3 Phase	21.79
NP4302	3m 32A Unfused Grey Tap Off Unit 2P+E (L2) Reconfigurable. 3 Phase	26.36
NP4303	3m 32A Unfused Grey Tap Off Unit 2P+E (L3) Reconfigurable. 3 Phase	26.36
NP4332	3m 32A Unfused Grey Tap Off Unit 2P+E (L1) Reconfigurable. 3 Phase	26.36
NP4502	5m 32A Unfused Grey Tap Off Unit 2P+E (L2) Reconfigurable. 3 Phase	34.97
NP4503	5m 32A Unfused Grey Tap Off Unit 2P+E (L3) Reconfigurable. 3 Phase	34.97
NP4532	5m 32A Unfused Grey Tap Off Unit 2P+E (L1) Reconfigurable. 3 Phase	34.97
NW4000	Flexible Interlink Set Grey 63A. Excluding conduit and cables. 3 Ph	44.82
NW4010	1.2m Flexible Interlink Grey 63A 4P+E. 3 Phase	86.66
NW4020	2.4m Flexible Interlink Grey 63A 4P+E. 3 Phase	101.83
NZ4331	3m 415v Unfused Grey Tap Off Unit 4P+E, with M/Flex Conduit. 3 Phase	42.68
NZ4531	5m 415v Unfused Grey Tap Off Unit 4P+E, with M/Flex Conduit. 3 Phase	58.85

Electrak 28 Power Track - Auxilliary Earth System

Cat no.	Description	Trade Price 2011
YA5123	1.2m Power Track 63A 2P+E 4 Red Outlets/300mm. Standard	37.30
YA5243	2.4m Power Track 63A 2P+E 8 Red Outlets/300mm. Standard	60.45
YA5363	3.6m Power Track 63A 2P+E 12 Red Outlets/300mm. Standard	83.52
YF5010	Track Feed Unit Red 63A 2P+E. Standard	17.13
YP5313	3m 13A Fused Red Tap Off Unit 2P+E, with M/Flex Conduit. Standard	24.70
YP5327	3m 13A Fused Red Tap Off Unit 2P+E 607, M/Flex Conduit. Standard	26.60
YP5332	3m 32A Unfused Red Tap Off Unit 2P+E, with M/Flex Conduit. Standard	26.46
YP5513	5m 13A Fused Red Tap Off Unit 2P+E, with M/Flex Conduit. Standard	30.52
YP5527	5m 13A Fused Red Tap Off Unit 2P+E 607, M/Flex Conduit. Standard	34.44
YP5532	5m 32A Unfused Red Tap Off Unit 2P+E, with M/Flex Conduit. Standard	35.83
YW5000	Flexible Interlink Set Red 63A. Excluding cables and conduit. Std	35.50
YW5010	1.2m Flexible Interlink Red 63A 2P+E. Standard	71.96
YW5020	2.4m Flexible Interlink Red 63A 2P+E. Standard	83.55

Power Track - Special Fixing Brackets

Cat no.	Description	Trade Price 2011
DZ1210	Raised off floor fixing bracket, used under power track	3.07
DZ1230	Raised off floor fixing bracket, used under integral track connector	4.50

2 Compartment Floor Boxes

Cat no.	Description	Trade Price 2011
CR2001	2 Compartment Floor Box 75mm deep single base, uses 112mm plates	29.63
CR2002	2 Compartment Floor Box 85mm deep single base, uses 112mm plates	29.63
CR2003	2 Compartment Floor Box 110mm deep single base, uses 112mm plates	34.58
CR2004	2 Compartment Floor Box 75mm deep separate comp base, 112mm plates	32.11
CR2005	2 Compartment Floor Box 85mm deep separate comp base, 112mm plates	32.11
CR2006	2 Compartment Floor Box 110mm deep separate comp base, 112mm plates	37.04
CR2100	112mm Blank Plate	1.30
CR2101	112mm Plate c/w 2 Gang Switched Socket Outlet	5.73
CR2102	112mm Plate c/w 2 Gang Switched Socket Outlet Low Noise 607	6.79
CR2104	112mm Plate c/w 2 Gang Unswitched Socket Outlet	10.08
CR2105	112mm Plate c/w 3 Gang Unswitched Socket Outlet	19.94
CR2106	112mm Punched Plate for 2 x 1 Gang Accessories (60.3mm Fixing Centres)	1.67
CR2107	112mm Punched Plate for 2 Gang Accessories(120.6mm Fixing Centre)	1.93
CR2109	112mm Punched Plate for 4 x BNC Connectors	7.25
CR2112	112mm Plate c/w 2 Gang RCD Socket Outlet	58.71
CR2113	112mm Punched Plate for 4 x Data/ Telecom (37mm x 22mm cut outs)	1.67
CR2114	112mm Punched Plate for 6 x Data/ Telecom (37mm x 22mm cut outs)	1.67

3 Compartment Floor Boxes

Cat no.	Description	Trade Price 2011
CR011	3 Compartment Floor Box 75mm deep single base, uses 100mm plates	30.87
CR012	3 Compartment Floor Box 85mm deep single base, uses 100mm plates	30.87
CR013	3 Compartment Floor Box 110mm deep single base, uses 100mm plates	37.04
CR014	3 Compartment Floor Box 75mm deep separate comp base, 100mm plates	34.58
CR015	3 Compartment Floor Box 85mm deep separate comp base, 100mm plates	34.58
CR016	3 Compartment Floor Box 110mm deep separate comp base, 100mm plates	39.51
CR020	100mm Blank Plate	1.30
CR022	100mm Plate c/w 2 Gang Switched Socket Outlet	5.73
CR023	100mm Plate c/w 2 Gang Switched Socket Outlet Low Noise 607	6.79
CR024	100mm Punched Plate for 4 x Data/ Telecom (37mm x 22mm cut outs)	1.67
CR025	100mm Punched Plate for 6 x Data/ Telecom (37mm x 22mm cut outs)	1.67
CR026	100mm Punched Plate for 2x 1 Gang Accessories (60.3mm fixing centres)	1.67
CR028	100mm Punched Plate for 2 Gang Accessories (120.6mm fixing centre)	1.67
CR029	100mm Plate c/w 2 Gang Unswitched Socket Outlet	10.59
CR030	100mm Plate c/w 3 Gang Unswitched Socket Outlet	19.94
CR031	100mm Punched Plate for 2 x LJ2 Accessories (50mm fixing centres)	2.90
CR033	100mm Punched Plate for 4 x BNC Connectors	7.18
CR036	100mm Plate c/w 2 Gang RCD Socket Outlet	58.71
CR100	3 Compartment Floor Box c/w 2 Gang Switched Socket and DP1332 Tap Off	65.67
CR101	3 Compartment Floor Box c/w 2 Gang Switched Socket and DP1532 Tap Off	74.21
CR110	3 Compartment Floor Box c/w 2 Gang Switched Socket and JP2332 Tap Off	69.99
CR111	3 Compartment Floor Box c/w 2 Gang Switched Socket and JP2532 Tap Off	79.68

4 Compartment Floor Boxes

Cat no.	Description	Trade Price 2011
CR122	4 Compartment Floor Box c/w 2 x 2 Gang Sw Sockets and DP1332 Tap Off	72.63
CR123	4 Compartment Floor Box c/w 2 x 2 Gang Sw Sockets and DP1532 Tap Off	81.18
CR132	4 Compartment Floor Box c/w 2 x 2 Gang Sw Sockets and JP2332 Tap Off	78.03
CR133	4 Compartment Floor Box c/w 2 x 2 Gang Sw Sockets and JP2532 Tap Off	87.72
CR4001	4 Compartment Floor Box 75mm deep single base, uses 75mm plates	32.11
CR4002	4 Compartment Floor Box 85mm deep single base, uses 75mm plates	32.11
CR4003	4 Compartment Floor Box 110mm deep single base, uses 75mm plates	37.04
CR4004	4 Compartment Floor Box 75mm deep separate comp base, 75mm plates	34.58
CR4005	4 Compartment Floor Box 85mm deep separate comp base, 75mm plates	34.58
CR4006	4 Compartment Floor Box 110mm deep separate comp base, 75mm plates	39.51
CR4100	75mm Blank Plate	1.30
CR4101	75mm Plate c/w 2 Gang Switched Socket Outlet	5.73
CR4102	75mm Plate c/w 2 Gang Switched Socket Outlet Low Noise 607	6.79
CR4104	75mm Plate c/w 2 Gang Unswitched Socket Outlet	9.85
CR4105	75mm Plate c/w 3 Gang Unswitched Socket Outlet	19.94
CR4106	75mm Punched Plate for 2 x LJ2 Accessories (50mm fixing centres)	3.77
CR4108	75mm Punched Plate for 4 x BNC Connectors	6.93
CR4111	75mm Plate c/w 2 Gang RCD Socket Outlet	58.71
CR4112	75mm Punched Plate for 4 x Data/ Telecom (37mm x 22mm cut outs)	1.67
CR4113	75mm Punched Plate for 6 x Data/ Telecom (37mm x 22mm cut outs)	1.67

Floor Boxes - Spares & Additional Parts

Cat no.	Description	Trade Price 2011
CR0000	Floor Box Universal Cable Outlet Flap. Pack of 10	12.35
CR0001	2 and Small 3 Compartment Floor Box, floor tile cut out template	12.35
CR0002	Lid assembly for 2 and Small 3 Compartment Floor Box	18.52
CR0003	3 and 4 Compartment Floor Box, floor tile cut out template	21.87
CR0004	Lid assembly for 3 and 4 Compartment Floor Box	22.77
CR0005	2 and Small 3 Compartment Floor Box Mounting Frame for vinyl floors	8.64
CR0006	3 and 4 Compartment Floor Box Mounting Frame for vinyl floors	9.88
CR0010	Floor Box Cable Routers Pack of 10	6.17
CR0011	Floor Box Accessory Plate Screws Pack of 50	3.71

Grommets

Cat no.	Description	Trade Price 2011
EG0010	140mm dia Raised Access Floor Outlet Grommet	15.23
EG0020	140mm dia Cleaners Floor Grommet c/w single unswitched socket	POA
EG0055	229mm dia Raised Access Floor Outlet Grommet	22.58

Intersoc - Feed Modules

Cat no.	Description	Trade Price 2011
IAB201A	16A Rewirable Feed Module	6.34
IAB201B	16A Feed Module male GST connector	7.41
IAB201C	16A Feed Module male ST connector	7.52
IAB201D	16A Feed Module Neutrik connector	10.53
IAB301A	32A Rewirable Feed Module	6.91
IAB301E	32A Feed Module Neutrik connector	16.02
IAC201A	16A Rewirable Feed Module LN	6.08
IAC201B	16A Feed Module male GST connector LN	7.98
IAC201C	16A Feed Module male ST connector LN	7.61
IAC201D	16A Feed Module Neutrik connector LN	10.53
IAC301A	32A Rewirable Feed Module LN	7.68
IAC301E	32A Feed Module Neutrik connector LN	16.80

Intersoc - Rewired Electrical Supply

Cat no.	Description	Trade Price 2011
IAB002A	2m BS1363 13A fused plug to 16A Feed module	11.80
IAB002B	2m 13A plug to female GST connector	8.01
IAB002C	2m 13A plug to female ST connector	8.11
IAB002D	2m 13A plug to Neutrik connector	12.26
IAB003A	3m BS1363 13A fused plug to 16A Feed module	11.82
IAB003B	3m 13A plug to female GST connector	8.67
IAB003C	3m 13A plug to female ST connector	8.77

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

IAB003D	3m 13A plug to Neutrik connector	12.93
IAB004A	4m BS1363 13A fused plug to 16A Feed module	13.59
IAB004B	4m 13A plug to female GST connector	9.68
IAB004C	4m 13A plug to female ST connector	9.70
IAB004D	4m 13A plug to Neutrik connector	13.93
IAB005A	5m BS1363 13A fused plug to 16A Feed module	13.59
IAB005B	5m 13A plug to female GST connector	10.42
IAB005C	5m 13A plug to female ST connector	10.52
IAB005D	5m 13A plug to Neutrik connector	14.67
IAB311A	32A Feed Module 3m DP1332	31.27
IAB311E	3m DP1332 Tap Off 32A to Neutrik connector	28.42
IAB312A	32A Feed Module 5m DP1532	39.63
IAB312E	5m DP1532 Tap Off 32A to Neutrik connector	36.78
IAB315A	16A Feed Module 3m DP1327	31.80
IAB315E	3m DP1327 Tap Off 13A to Neutrik connector	28.96
IAB316A	16A Feed Module 5m DP1527	38.49
IAB316E	5m DP1527 Tap Off 13A to Neutrik connector	35.65
IAB340A	32A Feed Module 3m DV1332	33.25
IAB340E	3m DV1332 Tap Off 32A to Neutrik connector	28.42
IAB341A	32A Feed Module 5m DV1532	42.53
IAB341E	5m DV1532 Tap Off 32A to Neutrik connector	36.78
IAB344A	16A Feed Module 3m DV1327	31.80
IAB344E	3m DV1327 Tap Off 13A to Neutrik connector	28.96
IAB345A	16A Feed Module 5m DV1527	38.43
IAB345E	5m DV1527 Tap Off 13A to Neutrik connector	35.65
IAC311A	32A Feed Module 3m JP2332 LN	34.47
IAC311E	3m JP2332 Tap Off 32A to Neutrik connector	32.57
IAC312A	32A Feed Module 5m JP2532 LN	43.95
IAC312E	5m JP2532 Tap Off 32A to Neutrik connector	42.05
IAC315A	16A Feed Module 3m JP2327 LN	34.21
IAC315E	3m JP2327 Tap Off 13A to Neutrik connector	32.31
IAC316A	16A Feed Module 5m JP2527 LN	42.45
IAC316E	5m JP2527 Tap Off 13A to Neutrik connector	40.55
IAC340A	32A Feed Module 3m JV2332 LN	36.28
IAC340E	3m JV2332 Tap Off 32A to Neutrik connector	32.57
IAC341A	32A Feed Module 5m JV2532 LN	46.33
IAC341E	5m JV2532 Tap Off 32A to Neutrik connector	42.05
IAC344A	16A Feed Module 3m JV2327 LN	34.21
IAC344E	3m JV2327 Tap Off 13A to Neutrik connector	32.31
IAC345A	16A Feed Module 5m JV2527 LN	42.45
IAC345E	5m JV2527 Tap Off 13A to Neutrik connector	40.55
IAF311A	32A Feed Module 3m YP5332	31.27
IAF312A	32A Feed Module 5m YP5532	39.63
IAF315A	16A Feed Module 3m YP5327	31.80
IAF316A	16A Feed Module 5m YP5527	38.49

Intersoc - Protection and Switching

Cat no.	Description	Trade Price 2011
IAB401A	16A Protection Module c/w fuse	6.91
IAB402A	16A Protection Module c/w fuse & switch/neon	8.87
IAB403A	16A Protection Module c/w fuse & neon	8.78
IAB404A	32A max single Isolation Module	20.25
IAB405A	Protection Module c/w 30mA RCD	30.57
IAB408A	16A Module c/w neon	8.09
IAB410A	16A Protection Module c/w 6A MCB	13.64
IAB420A	16A Protection Module c/w 16A MCB	13.64
IAB430A	32A Protection Module c/w 20A MCB	13.64
IAB440A	32A Protection Module c/w 32A MCB	13.64
IAB450A	16A Protection Module c/w 16A RCBO	41.51
IAB460A	32A Protection Module c/w 20A RCBO	41.51
IAB470A	32A Protection Module c/w 32A RCBO	41.51

Intersoc - 2 & 4 Gang Socket Modules

Cat no.	Description	Trade Price 2011
IAB502A	2 Socket Module 90°	8.72
IAB502B	2 Socket Module 45°	8.72
IAB502C	2 Socket Module 135°	8.72
IAB504A	4 Socket Module 90°	14.91
IAB504B	4 Socket Module 45°	14.91

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

IAB504C	4 Socket Module 135°	14.91
IAB504D	4 Socket Module 45° 45° 135° 135°	14.91
IAB504E	4 Socket Module 45° 90° 90° 135°	14.91
IAB532A	2 Socket Module 3.15A indivigal fused 90°	10.58
IAB532B	2 Socket Module 3.15A indivigal fused 45°	10.58
IAB532C	2 Socket Module 3.15A indivigal fused 135°	10.58
IAB534A	4 Socket Module 3.15A indivigal fused 90°	18.59
IAB534B	4 Socket Module 3.15A indivigal fused 45°	18.59
IAB534C	4 Socket Module 3.15A indivigal fused 135°	18.59
IAB534D	4 Socket Module 3.15A i/f 45° 45° 135° 135°	18.59
IAB534E	4 Socket Module 3.15A i/f 45° 90° 90° 135°	18.59
IAB552A	2 Socket Module 5A indivigal fused 90°	10.58
IAB552B	2 Socket Module 5A indivigal fused 45°	10.58
IAB552C	2 Socket Module 5A indivigal fused 135°	10.58
IAB554A	4 Socket Module 5A indivigal fused 90°	18.59
IAB554B	4 Socket Module 5A indivigal fused 45°	18.59
IAB554C	4 Socket Module 5A indivigal fused 135°	18.59
IAB554D	4 Socket Module 5A i/f 45° 45° 135° 135°	18.59
IAB554E	4 Socket Module 5A i/f 45° 90° 90° 135°	18.59
IAC502A	2 Socket Module 90° LN	8.72
IAC502B	2 Socket Module 45° LN	8.72
IAC502C	2 Socket Module 135° LN	8.72
IAC504A	4 Socket Module 90° LN	14.91
IAC504B	4 Socket Module 45° LN	14.91
IAC504C	4 Socket Module 135° LN	14.91
IAC504D	4 Socket Module 45° 45° 135° 135° LN	14.91
IAC504E	4 Socket Module 45° 90° 90° 135° LN	14.91
IAC532A	2 Socket Module 3.15A indivigal fused 90° LN	10.58
IAC532B	2 Socket Module 3.15A indivigal fused 45° LN	10.58
IAC532C	2 Socket Module 3.15A indivigal fused 135° LN	10.58
IAC534A	4 Socket Module 3.15A indivigal fused 90° LN	18.59
IAC534B	4 Socket Module 3.15A indivigal fused 45° LN	18.59
IAC534C	4 Socket Module 3.15A indivigal fused 135° LN	18.59
IAC534D	4 Socket Module 3.15A i/f 45° 45° 135° 135° LN	18.59
IAC534E	4 Socket Module 3.15A i/f 45° 90° 90° 135° LN	18.59
IAC552A	2 Socket Module 5A indivigal fused 90° LN	10.58
IAC552B	2 Socket Module 5A indivigal fused 45° LN	10.58
IAC552C	2 Socket Module 5A indivigal fused 135° LN	10.58
IAC554A	4 Socket Module 5A indivigal fused 90° LN	18.59
IAC554B	4 Socket Module 5A indivigal fused 45° LN	18.59
IAC554C	4 Socket Module 5A indivigal fused 135° LN	18.59
IAC554D	4 Socket Module 5A i/f 45° 45° 135° 135° LN	18.59
IAC554E	4 Socket Module 5A i/f 45° 90° 90° 135° LN	18.59

Intersoc - End Cap

Cat no.	Description	Trade Price 2011
IAZ001A	Blank End Cap	1.25

Intersoc - Interconnection - Power Out

Cat no.	Description	Trade Price 2011
IAB600A	16A Rewirable male Interconnect	3.10
IAB600B	16A Male Interconnect c/w female GST connector	3.34
IAB600C	16A Male Interconnect c/w female ST connector	3.53
IAB600D	16A Male Interconnect c/w Neutrik connector	7.67
IAB700A	32A Rewirable male Interconnect	3.10

Intersoc - Interconnection - Power In

Cat no.	Description	Trade Price 2011
IAB660B	16A Female Interconnect c/w male GST connector	3.72
IAB660C	16A Female Interconnect c/w male ST connector	3.82
IAB660D	16A Female Interconnect c/w Neutrik connector	10.53

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

Intersoc - Prewired Interconnection

Cat no.	Description	Trade Price 2011
IAB603A	0.3m 16A Intersoc male and female Interconnect	10.05
IAB603B	0.3m 16A male Intersoc to female GST connector	7.70
IAB603BB	0.3m 16A male to female GST connectors	6.49
IAB603C	0.3m 16A male Intersoc to female ST connector	7.79
IAB603CC	0.3m 16A male to female ST connectors	6.63
IAB603D	0.3m 16A male Intersoc to Neutrik connector	11.97
IAB603DD	0.3m 16A Neutrik to Neutrik connectors	15.40
IAB605A	0.5m 16A Intersoc male and female Interconnect	10.27
IAB605B	0.5m 16A male Intersoc to female GST connector	7.89
IAB605BB	0.5m 16A male to female GST connectors	6.69
IAB605C	0.5m 16A male Intersoc to female ST connector	8.01
IAB605CC	0.5m 16A male to female ST connectors	6.83
IAB605D	0.5m 16A male Intersoc to Neutrik connector	12.16
IAB605DD	0.5m 16A Neutrik to Neutrik connectors	15.60
IAB610A	1.0m 16A Intersoc male and female Interconnect	10.74
IAB610B	1.0m 16A male Intersoc to female GST connector	8.38
IAB610BB	1.0m 16A male to female GST connectors	7.17
IAB610C	1.0m 16A male Intersoc to female ST connector	8.49
IAB610CC	1.0m 16A male to female ST connectors	7.28
IAB610D	1.0m 16A male Intersoc to Neutrik connector	12.65
IAB610DD	1.0m 16A Neutrik to Neutrik connectors	16.10
IAB620A	2.0m 16A Intersoc male and female Interconnect	11.78
IAB620B	2.0m 16A male Intersoc to female GST connector	9.22
IAB620BB	2.0m 16A male to female GST connectors	8.01
IAB620C	2.0m 16A male Intersoc to female ST connector	9.31
IAB620CC	2.0m 16A male to female ST connectors	8.14
IAB620D	2.0m 16A male Intersoc to Neutrik connector	13.46
IAB620DD	2.0m 16A Neutrik to Neutrik connectors	16.93
IAB630A	3.0m 16A Intersoc male and female Interconnect	12.41
IAB630B	3.0m 16A male Intersoc to female GST connector	10.03
IAB630BB	3.0m 16A male to female GST connectors	8.82
IAB630C	3.0m 16A male Intersoc to female ST connector	10.14
IAB630CC	3.0m 16A male to female ST connectors	8.97
IAB630D	3.0m 16A male Intersoc to Neutrik connector	14.30
IAB630DD	3.0m 16A Neutrik to Neutrik connectors	17.73
IAB640A	4.0m 16A Intersoc male and female Interconnect	13.22
IAB640B	4.0m 16A male Intersoc to female GST connector	10.86
IAB640BB	4.0m 16A male to female GST connectors	9.66
IAB640C	4.0m 16A male Intersoc to female ST connector	10.96
IAB640CC	4.0m 16A male to female ST connectors	9.78
IAB640D	4.0m 16A male Intersoc to Neutrik connector	15.13
IAB640DD	4.0m 16A Neutrik to Neutrik connectors	18.57
IAB650A	5.0m 16A Intersoc male and female Interconnect	14.05
IAB650B	5.0m 16A male Intersoc to female GST connector	11.68
IAB650BB	5.0m 16A male to female GST connectors	10.49
IAB650C	5.0m 16A male Intersoc to female ST connector	11.79
IAB650CC	5.0m 16A male to female ST connectors	10.62
IAB650D	5.0m 16A male Intersoc to Neutrik connector	15.95
IAB650DD	5.0m 16A Neutrik to Neutrik connectors	19.38
IAB703A	0.3m 32A Intersoc male and female Interconnect	11.92
IAB705A	0.5m 32A Intersoc male and female Interconnect	12.21
IAB710A	1.0m 32A Intersoc male and female Interconnect	13.00
IAB720A	2.0m 32A Intersoc male and female Interconnect	14.37
IAB730A	3.0m 32A Intersoc male and female Interconnect	15.74
IAB740A	4.0m 32A Intersoc male and female Interconnect	17.13
IAB750A	5.0m 32A Intersoc male and female Interconnect	18.50

Intersoc - Horizontal desk-top modules

Cat no.	Description	Trade Price 2011
H001	HDU Fixing Clamp	4.40
H002	HDU Adhesive Fixing Strips	6.03
HA1952AA	HDU 2G 90° 5A non-swd - 1m to BS1363 plug & no data	24.22
HA1952AB	HDU 2G 90° 5A non-swd - 1m to BS1363 plug & 1 RJ45 - 3m C5 lead	34.88
HA1952AC	HDU 2G 90° 5A non-swd - 1m to BS1363 plug & 2 RJ45 - 3m C5 leads	42.46
HA1953AA	HDU 3G 90° 5A non-swd - 1m to BS1363 plug & no data	29.59
HA1954AA	HDU 4G 90° 5A non-swd - 1m to BS1363 plug & no data	34.99

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

HA3952AA	HDU 2G 90° 5A non-swd - 3m to BS1363 plug & no data	26.22
HA3952AB	HDU 2G 90° 5A non-swd - 3m to BS1363 plug & 1 RJ45 - 3m C5 lead	36.87
HA3952AC	HDU 2G 90° 5A non-swd - 3m to BS1363 plug & 2 RJ45 - 3m C5 leads	44.46
HA3953AA	HDU 3G 90° 5A non-swd - 3m to BS1363 plug & no data	31.58
HA3954AA	HDU 4G 90° 5A non-swd - 3m to BS1363 plug & no data	36.97
HB1932AA	HDU 2G 90° 3.15A non-swd - 1m to GST & no data	23.18
HB1932AB	HDU 2G 90° 3.15A non-swd - 1m to GST & 1 RJ45 - 3m C5 lead	33.83
HB1932AC	HDU 2G 90° 3.15A non-swd - 1m to GST & 2 RJ45 - 3m C5 leads	41.42
HB1933AA	HDU 3G 90° 3.15A non-swd - 1m to GST & no data	28.55
HB1934AA	HDU 4G 90° 3.15A non-swd - 1m to GST & no data	33.94

Intersoc - Vertical desk-top modules

Cat no.	Description	Trade Price 2011
V001	VDU Fixing Clamp	4.40
VA1452AA	VDU 2G 45° 5A non-swd - 1m to BS1363 plug & no data	24.22
VA1452AB	VDU 2G 45° 5A non-swd - 1m to BS1363 plug & 1 RJ45 - 3m C5 lead	34.88
VA1452AC	VDU 2G 45° 5A non-swd - 1m to BS1363 plug & 2 RJ45 - 3m C5 leads	42.46
VA1453AA	VDU 3G 45° 5A non-swd - 1m to BS1363 plug & no data	29.59
VA1454AA	VDU 4G 45° 5A non-swd - 1m to BS1363 plug & no data	34.99
VA3452AA	VDU 2G 45° 5A non-swd - 3m to BS1363 plug & no data	26.22
VA3452AB	VDU 2G 45° 5A non-swd - 3m to BS1363 plug & 1 RJ45 - 3m C5 lead	36.87
VA3452AC	VDU 2G 45° 5A non-swd - 3m to BS1363 plug & 2 RJ45 - 3m C5 leads	44.46
VA3453AA	VDU 3G 45° 5A non-swd - 3m to BS1363 plug & no data	31.58
VA3454AA	VDU 4G 45° 5A non-swd - 3m to BS1363 plug & no data	36.97
VB1432AA	VDU 2G 45° 3.15A non-swd - 1m to GST & no data	23.18
VB1432AB	VDU 2G 45° 3.15A non-swd - 1m to GST & 1 RJ45 - 3m C5 lead	33.83
VB1432AC	VDU 2G 45° 3.15A non-swd - 1m to GST & 2 RJ45 - 3m C5 leads	41.42
VB1433AA	VDU 3G 45° 3.15A non-swd - 1m to GST & no data	28.55
VB1434AA	VDU 4G 45° 3.15A non-swd - 1m to GST & no data	33.94

Rotasoc - Standard (2P+E)

Cat no.	Description	Trade Price 2011
RAB002A	2m 13A BS1363 Plug to RAB201A 16A Infeed Module. Standard	11.20
RAB003A	3m 13A BS1363 Plug to RAB201A 16A Infeed Module. Standard	11.85
RAB004A	4m 13A BS1363 Plug to RAB201A 16A Infeed Module. Standard	12.83
RAB005A	5m 13A BS1363 Plug to RAB201A 16A Infeed Module. Standard	13.53
RAB006A	2m 13A BS1363 Plug to RAB202A 16A Infeed Module. Standard	13.25
RAB007A	3m 13A BS1363 Plug to RAB202A 16A Infeed Module. Standard	13.89
RAB008A	4m 13A BS1363 Plug to RAB202A 16A Infeed Module. Standard	14.87
RAB009A	5m 13A BS1363 Plug to RAB202A 16A Infeed Module. Standard	15.58
RAB010A	2m 13A BS1363 Plug to RAB203A 16A Infeed Module. Standard	12.96
RAB011A	3m 13A BS1363 plug to RAB203A 16A Infeed Module. Standard	13.66
RAB012A	4m 13A BS1363 plug to RAB203A 16A Infeed Module. Standard	14.57
RAB013A	5m 13A BS1363 plug to RAB203A 16A Infeed Module. Standard	15.29
RAB014A	2m 13A BS1363 plug to RAB204A 16A Infeed Module. Standard	16.18
RAB015A	3m 13A BS1363 plug to RAB204A 16A Infeed Module. Standard	16.82
RAB016A	4m 13A BS1363 plug to RAB204A 16A Infeed Module. Standard	17.80
RAB017A	5m 13A BS1363 plug to RAB204A 16A Infeed Module. Standard	18.50
RAB018A	2m 13A BS1363 plug to RAB205A 16A Infeed Module. Standard	13.41
RAB019A	3m 13A BS1363 plug to RAB205A 16A Infeed Module. Standard	14.04
RAB020A	4m 13A BS1363 plug to RAB205A 16A Infeed Module. Standard	15.02
RAB021A	5m 13A BS1363 plug to RAB205A 16A Infeed Module. Standard	15.72
RAB201A	16A Infeed Module Non-Switched/Non-Fused. Standard	6.02
RAB202A	16A Infeed Module Neon Power Indication. Standard	7.84
RAB203A	16A Infeed Module Master Switch Neon. Standard	7.55
RAB204A	16A Infeed Module Master Switch Neon and 6.3A Fused. Standard	10.00
RAB205A	16A Infeed Module 6.3A Fused. Standard	7.78
RAB301A	32A 2P+E Rewirable Infeed Module. Standard	9.03
RAB311A	32A Infeed Module c/w E24 3m 32A unfused metal Tap Off DP1332	32.01
RAB312A	32A Infeed Module c/w E24 5m 32A unfused metal Tap Off DP1532	40.16
RAB315A	32A Infeed Module c/w E24 3m 13A fused 607 metal Tap Off DP1327	32.53
RAB316A	32A Infeed module c/w E24 5m 13A fused 607 metal Tap Off DP1527	39.04
RAB340A	32A Infeed Module c/w E24 3m 32A unfused VO Nylon Tap Off DV1332	33.94
RAB341A	32A Infeed Module c/w E24 5m 32A unfused VO Nylon Tap Off DV1532	42.97
RAB344A	32A Infeed Module c/w E24 3m 13A fused 607 VO Nylon Tap Off DV1327	34.56
RAB345A	32A Infeed Module c/w E24 5m 13A fused 607 VO Nylon Tap Off DV1527	41.84
RAB401A	BS1362 13A Fuse Protection Module. Standard	9.64
RAB402A	BS1362 13A Fuse and Switch Neon Protection Module. Standard	11.34
RAB403A	BS1362 13A Fuse and Neon Protection Module. Standard	12.46

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

RAB404A	32A max Single Isolation Module. Standard	21.19
RAB405A	32A RCD Module 30mA. Standard	44.76
RAB410A	6A MCB Module. Standard	16.05
RAB420A	16A MCB Module. Standard	16.05
RAB430A	20A MCB Module. Standard	16.05
RAB440A	32A MCB Module. Standard	16.05
RAB450A	16A Residual Current Breaker Overload protection Type C Standard	61.58
RAB460A	20A Residual Current Breaker Overload protection Type C Standard	71.82
RAB470A	32A Residual Current Breaker Overload protection Type C Standard	60.43
RAB480A	16A RFI Filter. Standard	41.13
RAB490A	32A RFI Filter. Standard	57.34
RAB502A	2 Gang Non-Fused Socket Module Black/Grey. Standard	10.21
RAB503A	3 Gang Non-Fused Socket Module Black/Grey. Standard	13.86
RAB504A	4 Gang Non-Fused Socket Module Black/Grey. Standard	17.51
RAB532A	2 Gang Individually 3.15A Fused Socket Module Black/Grey. Standard	12.44
RAB533A	3 Gang Individually 3.15A Fused Socket Module Black/Grey. Standard	17.07
RAB534A	4 Gang Individually 3.15A Fused Socket Module Black/Grey. Standard	21.86
RAB552A	2 Gang Individually 5A Fused Socket Module Black/Grey. Standard	12.33
RAB553A	3 Gang Individually 5A Fused Socket Module Black/Grey. Standard	17.07
RAB554A	4 Gang Individually 5A Fused Socket Module Black/Grey. Standard	21.86
RAB603A	0.3m 16A Male to Female Interconnection Module. Standard	7.68
RAB605A	0.5m 16A Male to Female Interconnection Module. Standard	7.84
RAB610A	1m 16A Male to Female Interconnection Module. Standard	8.98
RAB620A	2m 16A Male to Female Interconnection Module. Standard	9.78
RAB630A	3m 16A Male to Female Interconnection Module. Standard	10.58
RAB640A	4m 16A Male to Female Interconnection Module. Standard	11.39
RAB650A	5m 16A Male to Female Interconnection Module. Standard	12.19
RAB703A	0.3m 32A Male to Female Interconnection Module. Standard	9.18
RAB705A	0.5m 32A Male to Female Interconnection Module. Standard	11.00
RAB710A	1m 32A Male to Female Interconnection Module. Standard	12.04
RAB720A	2m 32A Male to Female Interconnection Module. Standard	14.10
RAB730A	3m 32A Male to Female Interconnection Module. Standard	16.17
RAB740A	4m 32A Male to Female Interconnection Module. Standard	18.22
RAB750A	5m 32A Male to Female Interconnection Module. Standard	20.28

Rotasoc - Low Noise (16A - 2P+CE, 32A 2P+E+CE)

Cat no.	Description	Trade Price 2011
RAC002A	2m 13A BS1363 plug to RAC201A 16A Infeed Module. LN	11.20
RAC003A	3m 13A BS1363 plug to RAC201A 16A Infeed Module. LN	11.85
RAC004A	4m 13A BS1363 plug to RAC201A 16A Infeed Module. LN	12.83
RAC005A	5m 13A BS1363 plug to RAC201A 16A Infeed Module. LN	13.53
RAC006A	2m 13A BS1363 plug to RAC202A 16A Infeed Module. LN	13.25
RAC007A	3m 13A BS1363 plug to RAC202A 16A Infeed Module. LN	13.89
RAC008A	4m 13A BS1363 plug to RAC202A 16A Infeed Module. LN	14.87
RAC009A	5m 13A BS1363 plug to RAC202A 16A Infeed Module. LN	15.58
RAC010A	2m 13A BS1363 plug to RAC203A 16A Infeed Module. LN	12.96
RAC011A	3m 13A BS1363 plug to RAC203A 16A Infeed Module. LN	13.66
RAC012A	4m 13A BS1363 plug to RAC203A 16A Infeed Module. LN	14.57
RAC013A	5m 13A BS1363 plug to RAC203A 16A Infeed Module. LN	15.29
RAC014A	2m 13A BS1363 plug to RAC204A 16A Infeed Module. LN	16.18
RAC015A	3m 13A BS1363 plug to RAC204A 16A Infeed Module. LN	16.82
RAC016A	4m 13A BS1363 plug to RAC204A 16A Infeed Module. LN	17.80
RAC017A	5m 13A BS1363 plug to RAC204A 16A Infeed Module. LN	18.50
RAC018A	2m 13A BS1363 plug to RAC205A 16A Infeed Module. LN	13.41
RAC019A	3m 13A BS1363 plug to RAC205A 16A Infeed Module. LN	14.04
RAC020A	4m 13A BS1363 plug to RAC205A 16A Infeed Module. LN	15.02
RAC021A	5m 13A BS1363 plug to RAC205A 16A Infeed Module. LN	15.72
RAC201A	16A Infeed Module Non-Switched/Non-Fused. Low Noise	6.02
RAC202A	16A Infeed Module Neon Power Indication. Low Noise	7.84
RAC203A	16A Infeed Module Master Switch Neon. Low Noise	7.55
RAC204A	16A Infeed Module Master Switch Neon and 6.3A Fused. Low Noise	10.00
RAC205A	16A Infeed Module 6.3A Fused. Low Noise	7.78
RAC301A	32A 2P+E rewirable Infeed Module. Low Noise	9.03
RAC311A	32A Infeed Module c/w E25 3m 32A unfused metal Tap Off JP2332	35.12
RAC312A	32A Infeed Module c/w E25 5m 32A unfused metal Tap Off JP2532	44.37
RAC315A	32A Infeed Module c/w E25 3m 13A fused 607 metal Tap Off JP2327	34.88
RAC316A	32A Infeed Module c/w E25 5m 13A fused 607 metal Tap Off JP2527	42.90
RAC340A	32A Infeed Module c/w E25 3m 32A unfused VO Nylon Tap Off JV2332	36.89
RAC341A	32A Infeed Module c/w E25 5m 32A unfused VO Nylon Tap Off JV2532	46.67
RAC345A	32A Infeed Module c/w E25 5m 13A fused 607 VO Nylon Tap Off JV2527	32.73

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

RAC401A	BS1362 13A Fuse Protection Module. Low Noise	9.64
RAC402A	BS1362 13A Fuse and Switch Neon Protection Module. Low Noise	11.34
RAC403A	BS1362 13A Fuse and Neon Protection Module. Low Noise	12.46
RAC404A	32A max Isolation Module. Low Noise	21.19
RAC405A	32A RCD Module 30mA. Low Noise	44.76
RAC410A	6A MCB Module. Low Noise	16.05
RAC420A	16A MCB Module. Low Noise	16.05
RAC430A	20A MCB Module. Low Noise	16.05
RAC440A	32A MCB Module. Low Noise	16.05
RAC450A	16A Residual Current Breaker Overload Protection Type C. LN	61.58
RAC460A	20A Residual Current Breaker Overload Protection Type C. LN	71.82
RAC470A	32A Residual Current Breaker Overload Protection Type C. LN	60.43
RAC480A	16A RFI Filter. Low Noise	41.13
RAC490A	32A RFI Filter. Low Noise	57.34
RAC502A	2 Gang Non-Fused Socket Module Black/Red. Low Noise	10.21
RAC503A	3 Gang Non-Fused Socket Module Black/Red. Low Noise	13.86
RAC504A	4 Gang Non-Fused Socket Module Black/Red. Low Noise	17.51
RAC532A	2 Gang Individually 3.15A Fused Socket Module Black/Red. Low Noise	12.44
RAC533A	3 Gang Individually 3.15A Fused Socket Module Black/Red. Low Noise	17.07
RAC534A	4 Gang Individually 3.15A Fused Socket Module Black/Red. Low Noise	21.86
RAC552A	2 Gang Individually 5A Fused Socket Module Black/Red. Low Noise	12.33
RAC553A	3 Gang Individually 5A Fused Socket Module Black/Red. Low Noise	17.07
RAC554A	4 Gang Individually 5A Fused Socket Module Black/Red. Low Noise	21.86
RAC603A	0.3m 16A Male to Female Interconnection Module. Low Noise	7.68
RAC605A	0.5m 16A Male to Female Interconnection Module. Low Noise	7.84
RAC610A	1m 16A Male to Female Interconnection Module. Low Noise	8.98
RAC620A	2m 16A Male to Female Interconnection Module. Low Noise	9.78
RAC630A	3m 16A Male to Female Interconnection Module. Low Noise	10.58
RAC640A	4m 16A Male to Female Interconnection Module. Low Noise	11.39
RAC650A	5m 16A Male to Female Interconnection Module. Low Noise	12.19
RAC703A	0.3m 32A Male to Female Interconnection Module. Low Noise	9.18
RAC705A	0.5m 32A Male to Female Interconnection Module. Low Noise	11.00
RAC710A	1m 32A Male to Female Interconnection Module. Low Noise	12.04
RAC720A	2m 32A Male to Female Interconnection Module. Low Noise	14.10
RAC730A	3m 32A Male to Female Interconnection Module. Low Noise	16.17
RAC740A	4m 32A Male to Female Interconnection Module. Low Noise	18.22
RAC750A	5m 32A Male to Female Interconnection Module. Low Noise	20.28

Rotasoc - Dual System (4P+E+CE)

Cat no.	Description	Trade Price 2011
RAD002A	2x2m 13A BS1363 plug to RAD201A 16A Infeed Module. Dual	19.33
RAD003A	2x3m 13A BS1363 plug to RAD201A 16A Infeed Module. Dual	20.70
RAD004A	2x4m 13A BS1363 Plug to RAD201A 16A Infeed Module. Dual	22.55
RAD005A	2x5m 13A BS1363 plug to RAD201A 16A Infeed Module. Dual	23.98
RAD006A	2x2m 13A BS1363 plug to RAD202A 16A Infeed Module. Dual	22.41
RAD007A	2x3m 13A BS1363 plug to RAD202A 16A Infeed Module. Dual	23.69
RAD008A	2x4m 13A BS1363 plug to RAD202A 16A Infeed Module. Dual	25.64
RAD009A	2x5m 13A BS1363 plug to RAD202A 16A Infeed Module. Dual	27.06
RAD010A	2x2m 13A BS1363 plug to RAD203A 16A Infeed Module. Dual	21.91
RAD011A	2x3m 13A BS1363 plug to RAD203A 16A Infeed Module. Dual	23.11
RAD012A	2x4m 13A BS1363 plug to RAD203A 16A Infeed Module. Dual	25.05
RAD013A	2x5m 13A BS1363 plug to RAD203A 16A Infeed Module. Dual	26.47
RAD014A	2x2m 13A BS1363 plug to RAD204A 16A Infeed Module. Dual	24.21
RAD015A	2x3m 13A BS1363 plug to RAD204A 16A Infeed Module. Dual	25.49
RAD016A	2x4m 13A BS1363 plug to RAD204A 16A Infeed Module. Dual	27.44
RAD017A	2x5m 13A BS1363 plug to RAD204A 16A Infeed Module. Dual	28.85
RAD201A	16A Infeed Module Non-Switched / Non-Fused. Dual	8.12
RAD202A	16A Infeed Module 2 x Neon Power Indication. Dual	11.19
RAD203A	16A Infeed Module 2 x Master Switch Neon. Dual	10.61
RAD204A	16A Infeed Module 2 x 6.3A Fused. Dual	13.00
RAD301A	32A 4P+2E rewirable Infeed Module. Dual	11.42
RAD311A	32A Infeed Module c/w E26 3m unfused metal Tap-off KP3328	51.92
RAD312A	32A Infeed Module c/w E26 5m unfused metal Tap-off KP3528	63.72
RAD313A	32A Infeed Module c/w 3m unfused metal Tap-off DP1332+JP2332	60.49
RAD314A	32A Infeed Module c/w 5m unfused metal Tap-off DP1532+JP2532	77.88
RAD319A	32A In-feed Module c/w 3m fused 607 tap off DP1327 + JP2327	60.75
RAD320A	32A In-feed module c/w 5m fused 607 tap-off DP1527 + JP2527	75.29
RAD340A	32A Infeed Module c/w E26 3m unfused VO Nylon Tap-off KV3328	54.00
RAD341A	32A Infeed Module c/w E26 5m unfused VO Nylon Tap-off KV3528	65.75
RAD342A	32A Infeed Module c/w 3m unfused VO Nylon Tap-off DV1332+JV2332	64.19

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

RAD343A	32A Infeed Module c/w 5m unfused VO Nylon Tap-off DV1532+JV2532	83.00
RAD401A	2 x BS 1362 13A Fuse Protection Module Dual	14.49
RAD402A	2 x Switch Neon Module Dual	10.20
RAD403A	2 x Neon Module Dual	10.94
RAD410A	2 x 6A MCB Module Dual	27.55
RAD420A	2 x 16A MCB Module Dual	27.55
RAD430A	2 x 20A MCB Module Dual	27.55
RAD440A	2 x 32A MCB Module Dual	27.55
RAD502A	2 Gang Non-Fused Socket Module Standard/Clean Bypass Dual	12.05
RAD503A	3 Gang Non-Fused Socket Module Standard/Clean Bypass Dual	15.78
RAD504A	4 Gang Non-Fused Socket Module Standard/Clean Bypass Dual	19.62
RAD512A	2 Gang Non-Fused Socket Module Clean/Standard Bypass Dual	12.32
RAD513A	3 Gang Non-Fused Socket Module Clean/Standard Bypass Dual	16.16
RAD514A	4 Gang Non-Fused Socket Module Clean/ Standard Bypass Dual	20.25
RAD532A	2 Gang Individ Fused 3.15A Socket Module Standard / Clean Bypass Dual	14.15
RAD533A	3 Gang Individ Fused 3.15A Socket Module Standard / Clean Bypass Dual	19.04
RAD534A	4 Gang Individ Fused 3.15A Socket Module Standard / Clean Bypass Dual	23.93
RAD542A	2 Gang Individ Fused 3.15A Socket Module Clean / Standard Bypass Dual	14.41
RAD543A	3 Gang Individ Fused 3.15A Socket Module Clean / Standard Bypass Dual	19.43
RAD544A	4 Gang Individ Fused 3.15A Socket Module Clean / Standard Bypass Dual	24.43
RAD552A	2 Gang Individ Fused 5A Socket Module Standard / Clean Bypass Dual	14.15
RAD553A	3 Gang Individ Fused 5A Socket Module Standard / Clean Bypass Dual	19.04
RAD554A	4 Gang Individ Fused 5A Socket Module Standard / Clean Bypass Dual	23.93
RAD562A	2 Gang Individ Fused 5A Socket Module Clean / Standard Bypass Dual	14.41
RAD563A	3 Gang Individ Fused 5A Socket Module Clean / Standard Bypass Dual	19.43
RAD564A	4 Gang Individ Fused 5A Socket Module Clean / Standard Bypass Dual	24.43
RAD603A	16A Male to Female Interconnection Module 0.3m Dual	10.58
RAD605A	16A Male to Female Interconnection Module 0.5m Dual	11.63
RAD610A	16A Male to Female Interconnection Module 1m Dual	13.17
RAD620A	16A Male to Female Interconnection Module 2m Dual	14.78
RAD630A	16A Male to Female Interconnection Module 3m Dual	15.68
RAD640A	16A Male to Female Interconnection Module 4m Dual	16.57
RAD650A	16A Male to Female Interconnection Module 5m Dual	18.20
RAD703A	32A Male to Female Interconnection Module 0.3m Dual	12.34
RAD705A	32A Male to Female Interconnection Module 0.5m Dual	14.52
RAD710A	32A Male to Female Interconnection Module 1m Dual	14.95
RAD720A	32A Male to Female Interconnection Module 2m Dual	18.66
RAD730A	32A Male to Female Interconnection Module 3m Dual	22.39
RAD740A	32A Male to Female Interconnection Module 4m Dual	26.10
RAD750A	32A Male to Female Interconnection Module 5m Dual	29.82

Rotasoc - End Caps and Earth Kits

Cat no.	Description	Trade Price 2011
RAZ001A	End Cap	0.65
RAZ010A	250mm x 1.5mm ² Earth Cable Kit c/w fixings for 16A Infeed	0.35
RAZ020A	250mm x 4.0mm ² Earth Cable Kit c/w fixings for 32A Infeed	0.47

Rotasoc - Comms Units and Desktop Units

Cat no.	Description	Trade Price 2011
RAF101A	4 Way Communication Module 50/25mm face plate	3.51
RAF102A	4 Way Communication Module 50/25mm Face Plate conduit entry	3.42
RAF103A	4 Way Communication Module 37/22mm Face Plate	3.12
RAF104A	4 Way Communication Module 37/22mm Face Plate conduit entry	3.05
RAF107A	4 Way Communication Module 37/22mm for Cat 6 Krone Connector	3.12
RAF108A	4 Way Comms Module 37/22mm for Cat 6 Krone Connector Conduit Entry	3.05
RAF210A	Standalone 4 Way Communication Module 50/25mm Face plate	4.20
RAF211A	Standalone 4 Way Communication Module 50/25mm Face plate con/entry	4.20
RAF212A	Standalone 4 Way Communication Module 37/22mm Face plate	3.82
RAF213A	Standalone 4 Way Communication Module 37/22mm Face plate con/entry	3.84
RAF214A	Standalone 4 Way Comms Module 37/22mm for Cat 6 Krone Connector	3.82
RAF215A	Standalone 4 Way Comms Module 37/22 mm for Cat 6 Krone Conn, Conduit/E	3.75
RAK001	Desk Top Unit 2 x 3.15A Fused Sockets c/w 1m Interconnect Std	45.19
RAK002	Desk Top Unit 3 x 3.15A Fused Sockets c/w 1m Interconnect. Std	50.23
RAK003	Desk Top Unit 4 x 3.15A Fused Sockets c/w 1m Interconnect. Std	55.11
RAK010	Desk Top Unit 2 Non-Fused Sockets c/w 1m Interconnect. Standard	43.05
RAK011	Desk Top Unit 3 Non-Fused Sockets c/w 1m Interconnect. Standard	47.18
RAK012	Desk Top Unit 4 Non-Fused Sockets c/w 1m Interconnect. Standard	51.06
RAK020	Desk Top Unit 2 x 3.15A Fused Sockets c/w 3m cable & plug. Std	45.09
RAK021	Desk Top Unit 3 x 3.15A Fused Sockets c/w 3m cable & plug. Std	50.14

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

RAK022	Desk Top Unit 4 x 3.15A Fused Sockets c/w 3m cable & plug. Std	55.01
RAK030	Desk Top Unit 2 Non-Fused Sockets c/w 3m cable & plug. Standard	42.95
RAK031	Desk Top Unit 3 Non-Fused Sockets c/w 3m cable & plug. Standard	47.08
RAK032	Desk Top Unit 4 Non-Fused Sockets c/w 3m cable & plug. Standard	50.96
RAL001	Vertical Desk Top Unit 2 x 3.15A Fused Sockets 3m cable & plug. Std	43.34
RAL002	Vertical Desk Top Unit 3 x 3.15A Fused Sockets, 1m Interconnect. Std	49.16
RAL010	Vertical Desk Top Unit 2 x 3.15A Fused Sockets, 3m cable & plug. LN	43.34
RAL011	Vertical Desk Top Unit 3 x 3.15A Fused Sockets, 1m Interconnect. LN	49.16
RAL012	Vertical desktop unit 2 x 3.15A Fused Sockets, 1m interconnect. LN	42.99
RAL013	Vertical desktop unit 3 x 3.15A Fused Sockets, 3m cable & plug. LN	49.52

Electrak 30 2P+E Busbar Trunking - Power Only

Cat no.	Description	Trade Price 2011
BBA140X	25A 0.5m Flexible Length 2P+E Suspended right to left IP4X	53.08
BBA142X	25A 2m Flexible Length 2P+E Suspended right to left IP4X	60.84
BBA14LF	25A Feed Unit Left 2P+E Suspended c/w Right End Stop IP4X	24.26
BBA14RF	25A Feed Unit Right 2P+E Suspended c/w Left End Stop IP4X	24.26
BBA150X	25A 0.5m Flexible Length 2P+E Suspended right to left IP54	58.79
BBA152X	25A 2m Flexible Length 2P+E Suspended right to left IP54	68.51
BBA15LF	25A Feed Unit Left 2P+E Suspended c/w Right End Stop IP54	24.26
BBA15RF	25A Feed Unit Right 2P+E Suspended c/w Left End Stop IP54	24.26
BBA2141	25A 2m Busbar Trunking 2P+E 2 Outlets IP4X	30.30
BBA2145	25A 2m Busbar Trunking 2P+E 4 Outlets IP4X	32.78
BBA2151	25A 2m Busbar Trunking 2P+E 2 Outlets IP54	34.06
BBA2155	25A 2m Busbar Trunking 2P+E 4 Outlets IP54	37.88
BBA2241	25A 2m Busbar Trunking 2P+E Double sided 4 Outlets IP4X	51.07
BBA2245	25A 2m Busbar Trunking 2P+E Double sided 7 Outlets IP4X	55.40
BBA2251	25A 2m Busbar Trunking 2P+E Double sided 4 Outlets IP54	54.04
BBA2255	25A 2m Busbar Trunking 2P+E Double sided 7 Outlets IP54	60.45
BBA240X	25A 0.5m Flexible Length 2P+E D/S Suspended right to left IP4X	75.02
BBA242X	25A 2m Flexible Length 2P+E D/S Suspended right to left IP4X	91.47
BBA24LF	25A Feed Unit Left 2P+E D/S Suspended c/w Right End Stop IP4X	42.45
BBA24RF	25A Feed Unit Right 2P+E D/S Suspended c/w Left End Stop IP4X	42.45
BBA250X	25A 0.5m Flexible Length 2P+E D/S Suspended right to left IP54	81.73
BBA252X	25A 2m Flexible Length 2P+E D/S Suspended right to left IP54	96.85
BBA25LF	25A Feed Unit Left 2P+E D/S Suspended c/w Right End Stop IP54	42.45
BBA25RF	25A Feed Unit Right 2P+E D/S Suspended c/w Left End Stop IP54	42.45
BBA3141	25A 3m Busbar Trunking 2P+E 3 Outlets IP4X	38.76
BBA3145	25A 3m Busbar Trunking 2P+E 6 Outlets IP4X	42.28
BBA3151	25A 3m Busbar Trunking 2P+E 3 Outlets IP54	43.00
BBA3155	25A 3m Busbar Trunking 2P+E 6 Outlets IP54	48.66
BBA3241	25A 3m Busbar Trunking 2P+E Double sided 6 Outlets IP4X	65.64
BBA3245	25A 3m Busbar Trunking 2P+E Double sided 11 Outlets IP4X	73.12
BBA3251	25A 3m Busbar Trunking 2P+E Double sided 6 Outlets IP54	70.21
BBA3255	25A 3m Busbar Trunking 2P+E Double sided 11 Outlets IP54	81.27
BBA340X	25A 0.5m Flexible Length 2P+E Surface right to left IP4X	52.64
BBA342X	25A 2m Flexible Length 2P+E Surface right to left IP4X	59.77
BBA34LF	25A Feed Unit Left 2P+E Surface c/w Right End Stop IP4X	24.26
BBA34RF	25A Feed Unit Right 2P+E Surface c/w Left End Stop IP4X	24.26
BBA350X	25A 0.5m Flexible Length 2P+E Surface right to left IP54	58.34
BBA352X	25A 2m Flexible Length 2P+E Surface right to left IP54	66.10
BBA35LF	25A Feed Unit Left 2P+E Surface c/w Right End Stop IP54	24.26
BBA35RF	25A Feed Unit Right 2P+E Surface c/w Left End Stop IP54	24.26
BBA44F	25A Centre Feed Unit 2P+E c/w Left and Right End Stop IP4X	65.38
CCA140X	40A 0.5m Flexible Length 2P+E Suspended right to left IP4X	55.14
CCA142X	40A 2m Flexible Length 2P+E Suspended right to left IP4X	64.66
CCA14LF	40A Feed Unit Left 2P+E Suspended c/w Right End Stop IP4X	24.26
CCA14RF	40A Feed Unit Right 2P+E Suspended c/w Left End Stop IP4X	24.26
CCA150X	40A 0.5m Flexible Length 2P+E Suspended right to left IP54	60.86
CCA152X	40A 2m Flexible Length 2P+E Suspended right to left IP54	70.37
CCA15LF	40A Feed Unit Left 2P+E Suspended c/w Right End Stop IP54	24.26
CCA15RF	40A Feed Unit Right 2P+E Suspended c/w Left End Stop IP54	24.26
CCA2141	40A 2m Busbar Trunking 2P+E 2 Outlets IP4X	35.82
CCA2145	40A 2m Busbar Trunking 2P+E 4 Outlets IP4X	38.60
CCA2151	40A 2m Busbar Trunking 2P+E 2 Outlets IP54	39.82
CCA2155	40A 2m Busbar Trunking 2P+E 4 Outlets IP54	43.96
CCA2241	40A 2m Busbar Trunking 2P+E Double sided 4 Outlets IP4X	57.51
CCA2245	40A 2m Busbar Trunking 2P+E Double sided 7 Outlets IP4X	61.90
CCA2251	40A 2m Busbar Trunking 2P+E Double sided 4 Outlets IP54	59.63
CCA2255	40A 2m Busbar Trunking 2P+E Double sided 7 Outlets IP54	66.00

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

CCA240X	40A 0.5m Flexible length 2P+E D/S Suspended right to left IP4X	79.59
CCA242X	40A 2m Flexible Length 2P+E D/S Suspended right to left IP4X	98.66
CCA24LF	40A Feed Unit Left 2P+E D/S Suspended c/w Right End Stop IP4X	42.45
CCA24RF	40A Feed Unit Right 2P+E D/S Suspended c/w Left End Stop IP4X	42.45
CCA250X	40A 0.5m Flexible length 2P+E D/S Suspended right to left IP54	85.46
CCA252X	40A 2m Flexible Length 2P+E D/S Suspended right to left IP54	104.53
CCA25LF	40A Feed Unit Left 2P+E D/S Suspended c/w Right End Stop IP54	42.45
CCA25RF	40A Feed Unit Right 2P+E D/S Suspended c/w Left End Stop IP54	42.45
CCA3141	40A 3m Busbar Trunking 2P+E 3 Outlets IP4X	46.46
CCA3145	40A 3m Busbar Trunking 2P+E 6 Outlets IP4X	51.02
CCA3151	40A 3m Busbar Trunking 2P+E 3 Outlets IP54	50.88
CCA3155	40A 3m Busbar Trunking 2P+E 6 Outlets IP54	57.04
CCA3241	40A 3m Busbar Trunking 2P+E Double sided 6 Outlets IP4X	75.01
CCA3245	40A 3m Busbar Trunking 2P+E Double sided 11 Outlets IP4X	82.71
CCA3251	40A 3m Busbar Trunking 2P+E Double sided 6 Outlets IP54	78.68
CCA3255	40A 3m Busbar Trunking 2P+E Double sided 11 Outlets IP54	89.66
CCA340X	40A 0.5m Flexible Length 2P+E Surface right to left IP4X	54.68
CCA342X	40A 2m Flexible Length 2P+E Surface right to left IP4X	64.22
CCA34LF	40A Feed Unit Left 2P+E Surface c/w Right End Stop IP4X	24.26
CCA34RF	40A Feed Unit Right 2 P+E Surface c/w Left End Stop IP4X	24.26
CCA350X	40A 0.5m Flexible Length 2P+E Surface right to left IP54	60.40
CCA352X	40A 2m Flexible Length 2P+E Surface right to left IP54	73.02
CCA35LF	40A Feed Unit Left 2P+E Surface c/w Right End Stop IP54	24.26
CCA35RF	40A Feed Unit Right 2P+E Surface c/w Left End Stop IP54	24.26
CCA44F	40A Centre Feed Unit 2P+E c/w Left and Right End Stop IP4X	65.66

Electrak 31 3P+E Busbar Trunking - Power Only

Cat no.	Description	Trade Price 2011
BBB140X	25A 0.5m Flexible Length 3P+E Suspended right to left IP4X	59.06
BBB142X	25A 2m Flexible Length 3P+E Suspended right to left IP4X	70.74
BBB14LF	25A Feed Unit Left 3P+E Suspended c/w Right End Stop IP4X	24.86
BBB14RF	25A Feed Unit Right 3P+E Suspended c/w Left End Stop IP4X	24.86
BBB150X	25A 0.5m Flexible Length 3P+E Suspended right to left IP54	64.77
BBB152X	25A 2m Flexible Length 3P+E Suspended right to left IP54	76.45
BBB15LF	25A Feed Unit Left 3P+E Suspended c/w Right End Stop IP54	24.86
BBB15RF	25A Feed Unit Right 3P+E Suspended c/w Left End Stop IP54	24.86
BBB2141	25A 2m Busbar Trunking 3P+E 2 Outlets IP4X	34.00
BBB2145	25A 2m Busbar Trunking 3P+E 4 Outlets IP4X	36.52
BBB2151	25A 2m Busbar Trunking 3P+E 2 Outlets IP54	37.84
BBB2155	25A 2m Busbar Trunking 3P+E 4 Outlets IP54	41.65
BBB2241	25A 2m Busbar Trunking 3P+E Double sided 4 Outlets IP4X	60.25
BBB2245	25A 2m Busbar Trunking 3P+E Double sided 7 Outlets IP4X	64.68
BBB2251	25A 2m Busbar Trunking 3P+E Double sided 4 Outlets IP54	62.94
BBB2255	25A 2m Busbar Trunking 3P+E Double sided 7 Outlets IP54	69.34
BBB240X	25A 0.5m Flexible Length 3P+E D/S Suspended right to left IP4X	88.34
BBB242X	25A 2m Flexible Length 3P+E D/S Suspended right to left IP4X	111.71
BBB24LF	25A Feed Unit Left 3P+E D/S Suspended c/w Right End Stop IP4X	45.48
BBB24RF	25A Feed Unit Right 3P+E D/S Suspended c/w Left End Stop IP4X	45.48
BBB250X	25A 0.5m Flexible Length 3P+E D/S Suspended right to left IP54	93.31
BBB252X	25A 2m Flexible Length 3P+E D/S Suspended right to left IP54	116.68
BBB25LF	25A Feed Unit Left 3P+E D/S Suspended c/w Right End Stop IP54	45.48
BBB25RF	25A Feed Unit Right 3P+E D/S Suspended c/w Left End Stop IP54	45.48
BBB3141	25A 3m Busbar Trunking 3P+E 3 Outlets IP4X	43.83
BBB3145	25A 3m Busbar Trunking 3P+E 6 Outlets IP4X	47.86
BBB3151	25A 3m Busbar Trunking 3P+E 3 Outlets IP54	48.11
BBB3155	25A 3m Busbar Trunking 3P+E 6 Outlets IP54	53.79
BBB3241	25A 3m Busbar Trunking 3P+E Double sided 6 Outlets IP4X	78.10
BBB3245	25A 3m Busbar Trunking 3P+E Double sided 11 Outlets IP4X	85.86
BBB3251	25A 3m Busbar Trunking 3P+E Double sided 6 Outlets IP54	82.32
BBB3255	25A 3m Busbar Trunking 3P+E Double sided 11 Outlets IP54	93.37
BBB340X	25A 0.5m Flexible Length 3P+E Surface right to left IP4X	54.10
BBB342X	25A 2m Flexible Length 3P+E Surface right to left IP4X	70.58
BBB34LF	25A Feed Unit Left 3P+E Surface c/w Right End Stop IP4X	24.86
BBB34RF	25A Feed Unit Right 3P+E Surface c/w Left End Stop IP4X	24.86
BBB350X	25A 0.5m Flexible Length 3P+E Surface right to left IP54	59.52
BBB352X	25A 2m Flexible Length 3P+E Surface right to left IP54	68.12
BBB35LF	25A Feed Unit Left 3P+E Surface c/w Right End Stop IP54	24.86
BBB35RF	25A Feed Unit Right 3P+E Surface c/w Left End Stop IP54	24.86
BBB44F	25A Centre Feed Unit 3P+E c/w Left and Right End Stop IP4X	68.54
CCB140X	40A 0.5m Flexible Length 3P+E Suspended right to left IP4X	59.02

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

CCB142X	40A 2m Flexible Length 3P+E Suspended right to left IP4X	65.82
CCB14LF	40A Feed Unit Left 3P+E Suspended c/w Right End Stop IP4X	24.86
CCB14RF	40A Feed Unit Right 3P+E Suspended c/w Left End Stop IP4X	24.86
CCB150X	40A 0.5m Flexible Length 3P+E Suspended right to left IP54	63.84
CCB152X	40A 2m Flexible Length 3P+E Suspended right to left IP54	70.64
CCB15LF	40A Feed Unit Left 3P+E Suspended c/w Right End Stop IP54	24.86
CCB15RF	40A Feed Unit Right 3P+E Suspended c/w Left End Stop IP54	24.86
CCB2141	40A 2m Busbar Trunking 3P+E 2 Outlets IP4X	41.27
CCB2145	40A 2m Busbar Trunking 3P+E 4 Outlets IP4X	44.10
CCB2151	40A 2m Busbar Trunking 3P+E 2 Outlets IP54	45.32
CCB2155	40A 2m Busbar Trunking 3P+E 4 Outlets IP54	49.47
CCB2241	40A 2m Busbar Trunking 3P+E Double sided 4 Outlets IP4X	69.89
CCB2245	40A 2m Busbar Trunking 3P+E Double sided 7 Outlets IP4X	74.43
CCB2251	40A 2m Busbar Trunking 3P+E Double sided 4 Outlets IP54	71.52
CCB2255	40A 2m Busbar Trunking 3P+E Double sided 7 Outlets IP54	77.88
CCB240X	40A 0.5m Flexible Length 3P+E D/S Suspended right to left IP4X	91.23
CCB242X	40A 2m Flexible Length 3P+E D/S Suspended right to left IP4X	114.60
CCB24LF	40A Feed Unit Left 3P+E D/S Suspended c/w Right End Stop IP4X	45.48
CCB24RF	40A Feed Unit Right 3P+E D/S Suspended c/w Left End Stop IP4X	45.48
CCB250X	40A 0.5m Flexible Length 3P+E D/S Suspended right to left IP54	97.09
CCB252X	40A 2m Flexible Length 3P+E D/S Suspended right to left IP54	120.47
CCB25LF	40A Feed Unit Left 3P+E D/S Suspended c/w Right End Stop IP54	45.48
CCB25RF	40A Feed Unit Right 3P+E D/S Suspended c/w Left End Stop IP54	45.48
CCB3141	40A 3m Busbar Trunking 3P+E 3 Outlets IP4X	54.31
CCB3145	40A 3m Busbar Trunking 3P+E 6 Outlets IP4X	57.98
CCB3151	40A 3m Busbar Trunking 3P+E 3 Outlets IP54	58.53
CCB3155	40A 3m Busbar Trunking 3P+E 6 Outlets IP54	64.68
CCB3241	40A 3m Busbar Trunking 3P+E Double sided 6 Outlets IP4X	92.17
CCB3245	40A 3m Busbar Trunking 3P+E Double sided 11 Outlets IP4X	100.28
CCB3251	40A 3m Busbar Trunking 3P+E Double sided 6 Outlets IP54	95.19
CCB3255	40A 3m Busbar Trunking 3P+E Double sided 11 Outlets IP54	106.19
CCB340X	40A 0.5m Flexible Length 3P+E Surface right to left IP4X	61.39
CCB342X	40A 2m Flexible Length 3P+E Surface right to left IP4X	68.20
CCB34LF	40A Feed Unit Left 3P+E Surface c/w Right End Stop IP4X	24.86
CCB34RF	40A Feed Unit Right 3P+E Surface c/w Left End Stop IP4X	24.86
CCB350X	40A 0.5m Flexible Length 3P+E Surface right to left IP54	66.21
CCB352X	40A 2m Flexible Length 3P+E Surface right to left IP54	73.02
CCB35LF	40A Feed Unit Left 3P+E Surface c/w Right End Stop IP54	24.86
CCB35RF	40A Feed Unit Right 3P+E Surface c/w Left End Stop IP54	24.86
CCB44F	40A Centre Feed Unit 3P+E c/w Left and Right End Stop IP4X	69.00

Electrak 32 4P+E Dual Circuit Busbar Trunking - Power Only

Cat no.	Description	Trade Price 2011
BBC140X	25A 0.5m Flexible Length 4P+E Dual /Cir Suspended right to left IP4X	64.01
BBC142X	25A 2m Flexible Length 4P+E Dual /Cir Suspended right to left IP4X	77.85
BBC14LF	25A Feed Unit Left 4P+E Dual/Cir Suspended c/w Right End Stop IP4X	26.07
BBC14RF	25A Feed Unit Right 4P+E Dual/Cir Suspended c/w Left End Stop IP4X	26.07
BBC150X	25A 0.5m Flexible Length 4P+E Dual /Cir Suspended right to left IP54	69.73
BBC152X	25A 2m Flexible Length 4P+E Dual /Cir Suspended right to left IP54	81.42
BBC15LF	25A Feed Unit Left 4P+E Dual/Cir Suspended c/w Right End Stop IP54	26.07
BBC15RF	25A Feed Unit Right 4P+E Dual/Cir Suspended c/w Left End Stop IP54	26.07
BBC2141	25A 2m Busbar Trunking 4P+E Dual Circuit 2 Outlets IP4X	37.84
BBC2145	25A 2m Busbar Trunking 4P+E Dual Circuit 4 Outlets IP4X	40.38
BBC2151	25A 2m Busbar Trunking 4P+E Dual Circuit 2 Outlets IP54	41.72
BBC2155	25A 2m Busbar Trunking 4P+E Dual Circuit 4 Outlets IP54	45.54
BBC2241	25A 2m Busbar Trunking 4P+E Dual Circuit Double sided 4 Outlets IP4X	69.90
BBC2245	25A 2m Busbar Trunking 4P+E Dual Circuit Double sided 7 Outlets IP4X	74.48
BBC2251	25A 2m Busbar Trunking 4P+E Dual Circuit Double sided 4 Outlets IP54	72.10
BBC2255	25A 2m Busbar Trunking 4P+E Dual Circuit Double sided 7 Outlets IP54	78.50
BBC240X	25A 0.5m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP4X	97.36
BBC242X	25A 2m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP4X	125.02
BBC24LF	25A Feed Unit Left 4P+E Dual/Cir D/S Susp c/w Right End Stop IP4X	48.66
BBC24RF	25A Feed Unit Right 4P+E Dual/Cir D/S Susp c/w Left End Stop IP4X	48.66
BBC250X	25A 0.5m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP54	103.23
BBC252X	25A 2m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP54	130.89
BBC25LF	25A Feed Unit Left 4P+E Dual/Cir D/S Susp c/w Right End Stop IP54	48.66
BBC25RF	25A Feed Unit Right 4P+E Dual/Cir D/S Susp c/w Left End Stop IP54	48.66
BBC3141	25A 3m Busbar Trunking 4P+E Dual Circuit 3 Outlets IP4X	49.37
BBC3145	25A 3m Busbar Trunking 4P+E Dual Circuit 6 Outlets IP4X	52.64
BBC3151	25A 3m Busbar Trunking 4P+E Dual Circuit 3 Outlets IP54	53.35

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

BBC3155	25A 3m Busbar Trunking 4P+E Dual Circuit 6 Outlets IP54	59.01
BBC3241	25A 3m Busbar Trunking 4P+E Dual Circuit Double sided 6 Outlets IP4X	91.09
BBC3245	25A 3m Busbar Trunking 4P+E Dual Circuit Double sided 11 Outlet IP4X	99.25
BBC3251	25A 3m Busbar Trunking 4P+E Dual Circuit Double sided 6 Outlets IP54	94.67
BBC3255	25A 3m Busbar Trunking 4P+E Dual Circuit Double sided 11 Outlet IP54	105.71
BBC340X	25A 0.5m Flexible Length 4P+E Dual Circuit Surface right to left IP4X	63.56
BBC342X	25A 2m Flexible Length 4P+E Dual Circuit Surface right to left IP4X	77.40
BBC34LF	25A Feed Unit Left 4P+E Dual/Cir Surface c/w Right End Stop IP4X	26.07
BBC34RF	25A Feed Unit Right 4P+E Dual/Cir Surface c/w Left End Stop IP4X	26.07
BBC350X	25A 0.5m Flexible Length 4P+E Dual Circuit Surface right to left IP54	70.12
BBC352X	25A 2m Flexible Length 4P+E Dual Circuit Surface right to left IP54	82.65
BBC35LF	25A Feed Unit Left 4P+E Dual/Cir Surface c/w Right End Stop IP54	26.07
BBC35RF	25A Feed Unit Right 4P+E Dual/Cir Surface c/w Left End Stop IP54	26.07
BBC44F	25A Centre Feed Unit 4P+E Dual/Cir Susp c/w Left & Right End Stop IP4X	71.76
CCC140X	40A 0.5m Flexible Length 4P+E Dual Cir Suspended right to left IP4X	65.77
CCC142X	40A 2m Flexible Length 4P+E Dual /Cir Suspended right to left IP4X	80.01
CCC14LF	40A Feed Unit Left 4P+E Dual/Cir Suspended c/w Right End Stop IP4X	26.07
CCC14RF	40A Feed Unit Right 4P+E Dual/Cir Suspended c/w Left End Stop IP4X	26.07
CCC150X	40A 0.5m Flexible Length 4P+E Dual /Cir Suspended right to left IP54	69.65
CCC152X	40A 2m Flexible Length 4P+E Dual /Cir Suspended right to left IP54	83.48
CCC15LF	40A Feed Unit Left 4P+E Dual/Cir Suspended c/w Right End Stop IP54	26.07
CCC15RF	40A Feed Unit Right 4P+E Dual/Cir Suspended c/w Left End Stop IP54	26.07
CCC2141	40A 2m Busbar Trunking 4P+E Dual Circuit 2 Outlets IP4X	46.64
CCC2145	40A 2m Busbar Trunking 4P+E Dual Circuit 4 Outlets IP4X	49.51
CCC2151	40A 2m Busbar Trunking 4P+E Dual Circuit 2 Outlets IP54	50.72
CCC2155	40A 2m Busbar Trunking 4P+E Dual Circuit 4 Outlets IP54	54.86
CCC2241	40A 2m Busbar Trunking 4P+E Dual Circuit Double sided 4 Outlets IP4X	82.36
CCC2245	40A 2m Busbar Trunking 4P+E Dual Circuit Double sided 7 Outlets IP4X	87.12
CCC2251	40A 2m Busbar Trunking 4P+E Dual Circuit Double sided 4 Outlets IP54	87.44
CCC2255	40A 2m Busbar Trunking 4P+E Dual Circuit Double sided 7 Outlets IP54	93.57
CCC240X	40A 0.5m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP4X	101.68
CCC242X	40A 2m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP4X	129.34
CCC24LF	40A Feed Unit Left 4P+E Dual/Cir D/S Susp c/w Right End Stop IP4X	48.66
CCC24RF	40A Feed Unit Right 4P+E Dual/Cir D/S Susp c/w Left End Stop IP4X	48.66
CCC250X	40A 0.5m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP54	107.55
CCC252X	40A 2m Flexible Length 4P+E Dual /Cir D/S Susp right to left IP54	135.21
CCC25LF	40A Feed Unit Left 4P+E Dual/Cir D/S Susp c/w Right End Stop IP54	48.66
CCC25RF	40A Feed Unit Right 4P+E Dual/Cir D/S Susp c/w Left End Stop IP54	48.66
CCC3141	40A 3m Busbar Trunking 4P+E Dual Circuit 3 Outlets IP4X	61.65
CCC3145	40A 3m Busbar Trunking 4P+E Dual Circuit 6 Outlets IP4X	65.57
CCC3151	40A 3m Busbar Trunking 4P+E Dual Circuit 3 Outlets IP54	66.08
CCC3155	40A 3m Busbar Trunking 4P+E Dual Circuit 6 Outlets IP54	72.24
CCC3241	40A 3m Busbar Trunking 4P+E Dual Circuit Double sided 6 Outlets IP4X	109.50
CCC3245	40A 3m Busbar Trunking 4P+E Dual Circuit Double sided 11Outlets IP4X	118.24
CCC3251	40A 3m Busbar Trunking 4P+E Dual Circuit Double sided 6 Outlets IP54	111.48
CCC3255	40A 3m Busbar Trunking 4P+E Dual Circuit Double sided 11Outlets IP54	119.69
CCC340X	40A 0.5m Flexible Length 4P+E Dual Circuit Surface right to left IP4X	67.40
CCC342X	40A 2m Flexible Length 4P+E Dual Circuit Surface right to left IP4X	79.56
CCC34LF	40A Feed Unit Left 4P+E Dual/Cir Surface c/w Right End Stop IP4X	26.07
CCC34RF	40A Feed Unit Right 4P+E Dual/Cir Surface c/w Left End Stop IP4X	26.07
CCC350X	40A 0.5m Flexible Length 4P+E Dual Circuit Surface right to left IP54	69.20
CCC352X	40A 2m Flexible Length 4P+E Dual Circuit Surface right to left IP54	83.02
CCC35LF	40A Feed Unit Left 4P+E Dual/Cir Surface c/w Right End Stop IP54	26.07
CCC35RF	40A Feed Unit Right 4P+E Dual/Cir Surface c/w Left End Stop IP54	26.07
CCC44F	40A Centre Feed Unit 4P+E Dual/Cir Susp c/w Left & Right End Stop IP54	73.25

Electrak 33 4P+E 3 Phase Busbar Trunking - Power Only

Cat no.	Description	Trade Price 2011
BBD140X	25A 0.5m Flexible Length 4P+E Suspended right to left IP4X	62.72
BBD142X	25A 2m Flexible Length 4P+E Suspended right to left IP4X	70.47
BBD14LF	25A Feed Unit Left 4P+E Suspended c/w Right End Stop IP4X	26.07
BBD14RF	25A Feed Unit Right 4P+E Suspended c/w Left End Stop IP4X	26.07
BBD150X	25A 0.5m Flexible Length 4P+E Suspended right to left IP54	67.90
BBD152X	25A 2m Flexible Length 4P+E Suspended right to left IP54	81.74
BBD15LF	25A Feed Unit Left 4P+E Suspended c/w Right End Stop IP54	26.07
BBD15RF	25A Feed Unit Right 4P+E Suspended c/w Left End Stop IP54	26.07
BBD2141	25A 2m Busbar Trunking 4P+E 2 Outlets IP4X	37.79
BBD2145	25A 2m Busbar Trunking 4P+E 4 Outlets IP4X	40.48
BBD2151	25A 2m Busbar Trunking 4P+E 2 Outlets IP54	41.54
BBD2155	25A 2m Busbar Trunking 4P+E 4 Outlets IP54	45.35

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

BBD2241	25A 2m Busbar Trunking 4P+E Double sided 4 Outlets IP4X	69.80
BBD2245	25A 2m Busbar Trunking 4P+E Double sided 7 Outlets IP4X	74.60
BBD2251	25A 2m Busbar Trunking 4P+E Double sided 4 Outlets IP54	72.09
BBD2255	25A 2m Busbar Trunking 4P+E Double sided 7 Outlets IP54	78.04
BBD240X	25A 0.5m Flexible Length 4P+E D/S Suspended right to left IP4X	94.45
BBD242X	25A 2m Flexible Length 4P+E D/S Suspended right to left IP4X	122.13
BBD24LF	25A Feed Unit Left 4P+E D/S Suspended c/w Right End Stop IP4X	48.66
BBD24RF	25A Feed Unit Right 4P+E D/S Suspended c/w Left End Stop IP4X	48.66
BBD250X	25A 0.5m Flexible Length 4P+E D/S Suspended right to left IP54	99.58
BBD252X	25A 2m Flexible Length 4P+E D/S Suspended right to left IP54	127.24
BBD25LF	25A Feed Unit Left 4P+E D/S Suspended c/w Right End Stop IP54	48.66
BBD25RF	25A Feed Unit Right 4P+E D/S Suspended c/w Left End Stop IP54	48.66
BBD3141	25A 3m Busbar Trunking 4P+E 3 Outlets IP4X	49.08
BBD3145	25A 3m Busbar Trunking 4P+E 6 Outlets IP4X	52.87
BBD3151	25A 3m Busbar Trunking 4P+E 3 Outlets IP54	53.15
BBD3155	25A 3m Busbar Trunking 4P+E 6 Outlets IP54	58.81
BBD3241	25A 3m Busbar Trunking 4P+E Double sided 6 Outlets IP4X	91.15
BBD3245	25A 3m Busbar Trunking 4P+E Double sided 11 Outlets IP4X	99.70
BBD3251	25A 3m Busbar Trunking 4P+E Double sided 6 Outlets IP54	94.67
BBD3255	25A 3m Busbar Trunking 4P+E Double sided 11 Outlets IP54	105.71
BBD340X	25A 0.5m Flexible Length 4P+E Surface right to left IP4X	61.29
BBD342X	25A 2m Flexible Length 4P+E Surface right to left IP4X	69.03
BBD34LF	25A Feed Unit Left 4P+E Surface c/w Right End Stop IP4X	33.96
BBD34RF	25A Feed Unit Right 4P+E Surface c/w Left End Stop IP4X	26.07
BBD350X	25A 0.5m Flexible Length 4P+E Surface right to left IP54	67.45
BBD352X	25A 2m Flexible Length 4P+E Surface right to left IP54	81.28
BBD35LF	25A Feed Unit Left 4P+E Surface c/w Right End Stop IP54	26.07
BBD35RF	25A Feed Unit Right 4P+E Surface c/w Left End Stop IP54	26.07
BBD44F	25A Centre Feed Unit 4P+E Suspended c/w Left and Right End Stop IP4X	72.20
CCD140X	40A 0.5m Flexible Length 4P+E Suspended right to left IP4X	65.45
CCD142X	40A 2m Flexible Length 4P+E Suspended right to left IP4X	79.12
CCD14LF	40A Feed Unit Left 4P+E Suspended c/w Right End Stop IP4X	26.07
CCD14RF	40A Feed Unit Right 4P+E Suspended c/w Left End Stop IP4X	26.07
CCD150X	40A 0.5m Flexible Length 4P+E Suspended right to left IP54	70.11
CCD152X	40A 2m Flexible Length 4P+E Suspended right to left IP54	83.95
CCD15LF	40A Feed Unit Left 4P+E Suspended c/w Right End Stop IP54	26.07
CCD15RF	40A Feed Unit Right 4P+E Suspended c/w Left End Stop IP54	26.07
CCD2141	40A 2m Busbar Trunking 4P+E 2 Outlets IP4X	46.82
CCD2145	40A 2m Busbar Trunking 4P+E 4 Outlets IP4X	49.84
CCD2151	40A 2m Busbar Trunking 4P+E 2 Outlets IP54	50.74
CCD2155	40A 2m Busbar Trunking 4P+E 4 Outlets IP54	54.89
CCD2241	40A 2m Busbar Trunking 4P+E Double sided 4 Outlets IP4X	82.77
CCD2245	40A 2m Busbar Trunking 4P+E Double sided 7 Outlets IP4X	87.78
CCD2251	40A 2m Busbar Trunking 4P+E Double sided 4 Outlets IP54	87.44
CCD2255	40A 2m Busbar Trunking 4P+E Double sided 7 Outlets IP54	93.57
CCD240X	40A 0.5m Flexible Length 4P+E D/S Suspended right to left IP4X	100.80
CCD242X	40A 2m Flexible Length 4P+E D/S Suspended right to left IP4X	124.35
CCD24LF	40A Feed Unit Left 4P+E D/S Suspended c/w Right End Stop IP4X	48.66
CCD24RF	40A Feed Unit Right 4P+E D/S Suspended c/w Left End Stop IP4X	48.66
CCD250X	40A 0.5m Flexible Length 4P+E D/S Suspended right to left IP54	79.00
CCD252X	40A 2m Flexible length 4P+E D/S Suspended right to left IP54	106.66
CCD25LF	40A Feed Unit Left 4P+E D/S Suspended c/w Right End Stop IP54	48.66
CCD25RF	40A Feed Unit Right 4P+E D/S Suspended c/w Left End Stop IP54	48.66
CCD3141	40A 3m Busbar Trunking 4P+E 3 Outlets IP4X	61.92
CCD3145	40A 3m Busbar Trunking 4P+E 6 Outlets IP4X	66.07
CCD3151	40A 3m Busbar Trunking 4P+E 3 Outlets IP54	66.10
CCD3155	40A 3m Busbar Trunking 4P+E 6 Outlets IP54	72.25
CCD3241	40A 3m Busbar Trunking 4P+E Double sided 6 Outlets IP4X	110.07
CCD3245	40A 3m Busbar Trunking 4P+E Double sided 11 Outlets IP4X	119.22
CCD3251	40A 3m Busbar Trunking 4P+E Double sided 6 Outlets IP54	111.48
CCD3255	40A 3m Busbar Trunking 4P+E Double sided 11 Outlets IP54	119.69
CCD340X	40A 0.5m Flexible Length 4P+E Surface right to left IP4X	65.00
CCD342X	40A 2m Flexible Length 4P+E Surface right to left IP4X	81.49
CCD34LF	40A Feed Unit Left 4P+E Surface c/w Right End Stop IP4X	26.07
CCD34RF	40A Feed Unit Right 4P+E Surface c/w Left End Stop IP4X	26.07
CCD350X	40A 0.5m Flexible Length 4P+E Surface right to left IP54	69.66
CCD352X	40A 2m Flexible Length 4P+E Surface right to left IP54	84.34
CCD35LF	40A Feed Unit Left 4P+E Surface c/w Right End Stop IP54	26.07
CCD35RF	40A Feed Unit Right 4P+E Surface c/w Left End Stop IP54	26.07
CCD44F	40A Centre Feed Unit 4P+E Suspended c/w Left and Right End Stop IP4X	73.93

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

Electrak Busbar Trunking - Power Only Tap-Offs

Cat no.	Description	Trade Price 2011
DDE408	0.8m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP4X	8.35
DDE408F	0.8m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP4X	10.35
DDE42	2m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP4X	10.21
DDE42F	2m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP4X	12.22
DDE43	3m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP4X	11.83
DDE43F	3m 13A Fused Tap Off L1 2P+E 1.5mm ² Cable IP4X	13.83
DDE45	5m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP4X	14.90
DDE45F	5m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP4X	16.91
DDE508	0.8m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP54	9.84
DDE508F	0.8m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP54	11.84
DDE52	2m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP54	11.69
DDE52F	2m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP54	13.70
DDE53	3m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP54	13.30
DDE53F	3m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP54	15.30
DDE55	5m 16A Tap Off L1 2P+E, 1.5mm ² Cable IP54	16.37
DDE55F	5m 13A Fused Tap Off L1 2P+E, 1.5mm ² Cable IP54	18.39
DDF4	16A Tap Off L1 2P+E, Rewirable IP4X	7.89
DDF4F	13A Fused Tap Off L1 2P+E, Rewirable IP4X	9.49
DDF5	16A Tap Off L1 2P+E, Rewirable IP54	8.89
DDF5F	13A Fused Tap Off L1 2P+E, Rewirable IP54	10.51
DDG408	0.8m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	9.30
DDG408F	0.8m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	11.31
DDG42	2m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	11.49
DDG42F	2m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	13.49
DDG43	3m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	13.36
DDG43F	3m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	15.51
DDG45	5m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	17.49
DDG45F	5m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP4X	19.67
DDG508	0.8m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	10.78
DDG508F	0.8m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	12.80
DDG52	2m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	12.97
DDG52F	2m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	14.97
DDG53	3m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	14.85
DDG53F	3m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	16.84
DDG55	5m 16A Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	18.45
DDG55F	5m 13A Fused Tap Off L1L2 3P+E, 1.5mm ² Cable IP54	20.46
DDH4	16A Tap Off L1L2 3P+E, Rewirable IP4X	8.64
DDH4F	13A Fused Tap Off L1L2 3P+E, Rewirable IP4X	10.63
DDH5	16A Tap Off L1L2 3P+E, Rewirable IP54	9.65
DDH5F	13A Fused Tap Off L1L2 3P+E, Rewirable IP54	11.63
DDJ408	0.8m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP4X	8.43
DDJ408F	0.8m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP4X	10.43
DDJ42	2m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP4X	10.28
DDJ42F	2m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP4X	12.30
DDJ43	3m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP4X	11.90
DDJ43F	3m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP4X	13.90
DDJ45	5m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP4X	14.96
DDJ45F	5m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP4X	16.98
DDJ508	0.8m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP54	9.92
DDJ508F	0.8m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP54	11.75
DDJ52	2m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP54	11.76
DDJ52F	2m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP54	13.79
DDJ53	3m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP54	13.38
DDJ53F	3m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP54	15.39
DDJ55	5m 16A Tap Off L2 2P+E, 1.5mm ² Cable IP54	16.46
DDJ55F	5m 13A Fused Tap Off L2 2P+E, 1.5mm ² Cable IP54	18.46
DDK4	16A Tap Off L2 2P+E, Rewirable IP4X	8.14
DDK4F	13A Fused Tap Off L2 2P+E, Rewirable IP4X	9.74
DDK5	16A Tap Off L2 2P+E, Rewirable IP54	9.14
DDK5F	13A Fused Tap Off L2 2P+E, Rewirable IP54	10.76
DDM408L1	0.8m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	8.52
DDM408L1F	0.8m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	10.14
DDM408L2	0.8m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	8.59
DDM408L2F	0.8m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	10.21
DDM408L3	0.8m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	8.68
DDM408L3F	0.8m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	10.32
DDM42L1	2m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	10.31

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

DDM42L1F	2m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	11.99
DDM42L2	2m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	10.38
DDM42L2F	2m 13A Grey Fused Tap Off L2 2P+E, 1.5mm ² Cable IP4X	12.09
DDM42L3	2m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	10.48
DDM42L3F	2m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	12.17
DDM43L1	3m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	11.91
DDM43L1F	3m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	13.61
DDM43L2	3m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	11.99
DDM43L2F	3m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	13.68
DDM43L3	3m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	12.10
DDM43L3F	3m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	13.80
DDM45L1	5m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	14.99
DDM45L1F	5m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP4X	16.70
DDM45L2	5m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	15.06
DDM45L2F	5m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP4X	16.76
DDM45L3	5m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	15.17
DDM45L3F	5m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP4X	16.87
DDM508L1	0.8m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	9.92
DDM508L1F	0.8m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	11.62
DDM508L2	0.8m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	10.01
DDM508L2F	0.8m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	11.71
DDM508L3	0.8m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	10.10
DDM508L3F	0.8m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	11.80
DDM52L1	2m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	11.79
DDM52L1F	2m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	13.48
DDM52L2	2m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	11.87
DDM52L2F	2m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	13.57
DDM52L3	2m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	11.97
DDM52L3F	2m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	13.67
DDM53L1	3m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	13.41
DDM53L1F	3m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	15.08
DDM53L2	3m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	13.41
DDM53L2F	3m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	14.27
DDM53L3	3m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	13.58
DDM53L3F	3m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	15.27
DDM55L1	5m 16A Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	16.46
DDM55L1F	5m 13A Fused Grey Tap Off L1 2P+E, 1.5mm ² Cable IP54	18.17
DDM55L2	5m 16A Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	16.49
DDM55L2F	5m 13A Fused Grey Tap Off L2 2P+E, 1.5mm ² Cable IP54	18.18
DDM55L3	5m 16A Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	16.65
DDM55L3F	5m 13A Fused Grey Tap Off L3 2P+E, 1.5mm ² Cable IP54	18.34
DDN4L1	16A Grey Tap Off L1 2P+E, Rewirable IP4X	7.69
DDN4L1F	13A Fused Grey Tap Off L1 2P+E, Rewirable IP4X	9.58
DDN4L2	16A Grey Tap Off L2 2P+E, Rewirable IP4X	7.95
DDN4L2F	13A Fused Grey Tap Off L2 2P+E, Rewirable IP4X	9.84
DDN4L3	16A Grey Tap Off L3 2P+E, Rewirable IP4X	8.15
DDN4L3F	13A Fused Grey Tap Off L3 2P+E, Rewirable IP4X	9.69
DDN5L1	16A Grey Tap Off L1 2P+E, Rewirable IP54	8.97
DDN5L1F	13A Fused Grey Tap Off L1 2P+E, Rewirable IP54	10.59
DDN5L2	16A Grey Tap Off L2 2P+E, Rewirable IP54	9.22
DDN5L2F	13A Fused Grey Tap Off L2 2P+E, Rewirable IP54	10.84
DDN5L3	16A Grey Tap Off L3 2P+E, Rewirable IP54	9.16
DDN5L3F	13A Fused Grey Tap Off L3 2P+E, Rewirable IP54	10.70
DDP4S	16A Grey Tap Off 2P+E, Phase Selection Rewirable IP4X	11.31
DDP4SF	13A Fused Grey Tap Off 2P+E, Phase Selection Rewirable IP4X	14.54
DDP5S	16A Grey Tap Off 2P+E, Phase Selection Rewirable IP54	12.32
DDP5SF	13A Fused Grey Tap Off 2P+E, Phase Selection Rewirable IP54	15.55
DDR408	0.8m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP4X	12.60
DDR42	2m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP4X	16.87
DDR43	3m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP4X	20.45
DDR45	5m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP4X	26.68
DDR508	0.8m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP54	14.32
DDR52	2m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP54	18.40
DDR53	3m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP54	21.22
DDR55	5m 16A Grey Tap Off 4P+E, 1.5mm ² Cable IP54	29.09

Electrak 30 2P+E+Comms Busbar Trunking - Power & Communications Bus

Cat no.	Description	Trade Price 2011
BBA140XC	25A 0.5m Flexible Length 2P+E+Comms Suspended right to left IP4X	63.50
BBA142XC	25A 2m Flexible Length 2P+E+Comms Suspended right to left IP4X	73.33

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

BBA14LFC	25A Feed Unit Left 2P+E+Comms Suspended c/w Right End Stop IP4X	31.76
BBA14RFC	25A Feed Unit Right 2P+E+Comms Suspended c/w Left End Stop IP4X	31.76
BBA2141C	25A 2m Busbar Trunking 2P+E+Comms 2 Outlets IP4X	47.43
BBA2145C	25A 2m Busbar Trunking 2P+E+Comms 4 Outlets IP4X	54.74
BBA2241C	25A 2m Busbar Trunking 2P+E+Comms Double sided 4 Outlets IP4X	64.46
BBA2245C	25A 2m Busbar Trunking 2P+E+Comms Double sided 7 Outlets IP4X	74.25
BBA240XC	25A 0.5m Flexible length 2P+E+Comms D/S Suspended right to left IP4X	81.86
BBA242XC	25A 2m Flexible Length 2P+E+Comms D/S Suspended right to left IP4X	100.07
BBA24LFC	25A Feed Unit Left 2P+E+Comms D/S Suspended c/w Right End Stop IP	47.65
BBA24RFC	25A Feed Unit Right 2P+E+Comms D/S Suspended c/w Right End Stop IP4X	47.65
BBA3141C	25A 3m Busbar Trunking 2P+E+Comms 3 Outlets IP4X	61.32
BBA3145C	25A 3m Busbar Trunking 2P+E+Comms 6 Outlets IP4X	72.14
BBA3241C	25A 3m Busbar Trunking 2P+E+Comms Double sided 6 Outlets IP4X	84.28
BBA3245C	25A 3m Busbar Trunking 2P+E+Comms Double sided 11 Outlets IP4X	98.35
BBA340XC	25A 0.5m Flexible Length 2P+E+Comms Surface right to left IP4X	57.65
BBA342XC	25A 2m Flexible Length 2P+E+Comms Surface right to left IP4X	67.47
BBA34LFC	25A Feed Unit Left 2P+E+Comms Surface c/w Right End Stop IP4X	31.76
BBA34RFC	25A Feed Unit Right 2P+E+Comms Surface c/w Left End Stop IP4X	31.76
BBA44FC	25A Centre Feed Unit 2P+E+Comms Sp c/w Left and Right End Stop IP4X	89.20
CCA140XC	40A 0.5m Flexible Length 2P+E+Comms Suspended right to left IP4X	68.19
CCA142XC	40A 2m Flexible Length 2P+E+Comms Suspended right to left IP4X	79.94
CCA14LFC	40A Feed Unit Left 2P+E+Comms Suspended c/w Right End Stop IP4X	33.67
CCA14RFC	40A Feed Unit Right 2P+E+Comms Suspended c/w Left End Stop IP4X	33.67
CCA2141C	40A 2m Busbar Trunking 2P+E+Comms 2 Outlets IP4X	50.89
CCA2145C	40A 2m Busbar Trunking 2P+E+Comms 4 Outlets IP4X	58.33
CCA2241C	40A 2m Busbar Trunking 2P+E+Comms Double sided 4 Outlets IP4X	72.00
CCA2245C	40A 2m Busbar Trunking 2P+E+Comms Double sided 7 Outlets IP4X	82.31
CCA240XC	40A 0.5m Flexible Length 2P+E+Comm D/S Suspended right to left IP4X	74.05
CCA242XC	40A 2m Flexible Length 2P+E+Comms D/S Suspended right to left IP4X	85.79
CCA24LFC	40A Feed Unit Left 2P+E+Comms D/S Suspended c/w Right End Stop IP4X	50.19
CCA24RFC	40A Feed Unit Right 2P+E+Comms D/S Suspended c/w Left End Stop IP4X	50.19
CCA3141C	40A 3m Busbar Trunking 2P+E+Comms 3 Outlets IP4X	66.39
CCA3145C	40A 3m Busbar Trunking 2P+E+Comms 6 Outlets IP4X	77.26
CCA3241C	40A 3m Busbar Trunking 2P+E+Comms Double sided 6 Outlets IP4X	95.32
CCA3245C	40A 3m Busbar Trunking 2P+E+Comms Double sided 11 Outlets IP4X	109.86
CCA340XC	40A 0.5m Flexible Length 2P+E+Comms Surface right to left IP4X	69.09
CCA342XC	40A 2m Flexible Length 2P+E+Comms Surface right to left IP4X	76.10
CCA34LFC	40A Feed Unit Left 2P+E+Comms Surface c/w Right End Stop IP4X	33.67
CCA34RFC	40A Feed Unit Right 2P+E+Comms Surface c/w Left End Stop IP4X	33.67
CCA44FC	40A Centre Feed Unit 2P+E+Comms Sp c/w Left and Right End Stop IP4X	69.85

Electrak 31 3P+E+Comms Busbar Trunking - Power & Communications Bus

Cat no.	Description	Trade Price 2011
BBB140XC	25A 0.5m Flexible Length 3P+E+Comms Suspended right to left IP4X	68.37
BBB142XC	25A 2m Flexible Length 3P+E+Comms Suspended right to left IP4X	81.80
BBB14LFC	25A Feed Unit Left 3P+E+Comms Suspended c/w Right End Stop IP4X	33.03
BBB14RFC	25A Feed Unit Right 3P+E+Comms Suspended c/w Left End Stop IP4X	33.03
BBB2141C	25A 2m Busbar Trunking 3P+E+Comms 2 Outlets IP4X	52.16
BBB2145C	25A 2m Busbar Trunking 3P+E+Comms 4 Outlets IP4X	59.50
BBB2241C	25A 2m Busbar Trunking 3P+E+Comms Double sided 4 Outlets IP4X	74.18
BBB2245C	25A 2m Busbar Trunking 3P+E+Comms Double sided 7 Outlets IP4X	85.33
BBB240XC	25A 0.5m Flexible Length 3P+E+Comms D/S Suspended right to left IP4X	99.06
BBB242XC	25A 2m Flexible Length 3P+E+Comms D/S Suspended right to left IP4X	125.76
BBB24LFC	25A Feed Unit Left 3P+E+Comms D/S Suspended c/w Right End Stop IP4X	50.51
BBB24RFC	25A Feed Unit Right 3P+E+Comms D/S Suspended c/w Left End Stop IP4X	50.51
BBB3141C	25A 3m Busbar Trunking 3P+E+Comms 3 Outlets IP4X	67.81
BBB3145C	25A 3m Busbar Trunking 3P+E+Comms 6 Outlets IP4X	78.65
BBB3241C	25A 3m Busbar Trunking 3P+E+Comms Double sided 6 Outlets IP4X	97.69
BBB3245C	25A 3m Busbar Trunking 3P+E+Comms Double sided 11 Outlets IP4X	111.94
BBB340XC	25A 0.5m Flexible Length 3P+E+Comms Surface right to left IP4X	62.98
BBB342XC	25A 2m Flexible Length 3P+E+Comms Surface right to left IP4X	81.63
BBB34LFC	25A Feed Unit Left 3P+E+Comms Surface c/w Right End Stop IP4X	33.03
BBB34RFC	25A Feed Unit Right 3P+E+Comms Surface c/w Left End Stop IP4X	33.03
BBB44FC	25A Centre Feed Unit 3P+E+Comms Sp c/w Left and Right End Stop IP4X	70.41
CCB140XC	40A 0.5m Flexible Length 3P+E+Comms Suspended right to left IP4X	70.95
CCB142XC	40A 2m Flexible Length 3P+E+Comms Suspended right to left IP4X	79.10
CCB14LFC	40A Feed Unit left 3P+E+Comms Suspended c/w Right End Stop IP4X	35.57
CCB14RFC	40A Feed Unit Right 3P+E+Comms Suspended c/w Left End Stop IP4X	35.57
CCB2141C	40A 2m Busbar Trunking 3P+E+Comms 2 Outlets IP4X	57.27
CCB2145C	40A 2m Busbar Trunking 3P+E+Comms 4 Outlets IP4X	64.67

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

CCB2241C	40A 2m Busbar Trunking 3P+E+Comms Double sided 4 Outlets IP4X	85.20
CCB2245C	40A 2m Busbar Trunking 3P+E+Comms Double sided 7 Outlets IP4X	95.89
CCB240XC	40A 0.5m Flexible Length 3P+E+Comms D/S Suspended right to left IP4X	106.71
CCB242XC	40A 2m Flexible Length 3P+E+Comms D/S Suspended right to left IP4X	133.41
CCB24LFC	40A Feed Unit Left 3P+E+Comms D/S Suspended c/w Right End Stop IP4X	54.00
CCB24RFC	40A Feed Unit Right 3P+E+Comms D/S Suspended c/w Left End Stop IP4X	54.00
CCB3141C	40A 3m Busbar Trunking 3P+E+Comms 3 outlets IP4X	75.55
CCB3145C	40A 3m Busbar Trunking 3P+E+Comms 6 Outlets IP4X	86.26
CCB3241C	40A 3m Busbar Trunking 3P+E+Comms Double sided 6 Outlets IP4X	114.04
CCB3245C	40A 3m Busbar Trunking 3P+E+Comms Double sided 11 Outlets IP4X	128.74
CCB340XC	40A 0.5m Flexible Length 3P+E+Comms Surface right to left IP4X	73.51
CCB342XC	40A 2m Flexible Length 3P+E+Comms Surface right to left IP4X	81.67
CCB34LFC	40A Feed Unit left 3P+E+Comms Surface c/w Right End Stop IP4X	35.57
CCB34RFC	40A Feed Unit Right 3P+E+Comms Surface c/w Left End Stop IP4X	35.57
CCB44FC	40A Centre Feed Stop 3P+E+Comms Sp c/w Left and Right End Stop IP4X	93.49

Electrak 32 4P+E+Comms Dual Circuit Busbar Trunking - Power & Communications Bus

Cat no.	Description	Trade Price 2011
BBC140XC	25A 0.5m Flexible Length 4P+E+Comms Dual/Cir Susp right to left IP4X	73.76
BBC142XC	25A 2m Flexible length 4P+E+Comms Dual/Cir Susp right to left IP4X	90.16
BBC14LFC	25A Feed Unit Left 4P+E+Comms Dual /Cir Susp c/w Right End Stop IP4X	35.57
BBC14RFC	25A Feed Unit Right 4P+E+Comms Dual /Cir Susp c/w Left End Stop IP4X	35.57
BBC2141C	25A 2m Busbar Trunking 4P+E+Comms Dual Circuit 2 Outlets IP4X	57.06
BBC2145C	25A 2m Busbar Trunking 4P+E+Comms Dual Circuit 4 Outlets IP4X	64.44
BBC2241C	25A 2m Busbar Trunking 4P+E+Comms Dual Circuit D/S 4 Outlets IP4X	84.30
BBC2245C	25A 2m Busbar Trunking 4P+E+Comms Dual Circuit D/S 7 Outlets IP4X	94.64
BBC240XC	25A 0.5m Flexible Length 4P+E+Comm Dual/Cir D/S Sp right to left IP4X	109.81
BBC242XC	25A 2m Flexible Length 4P+E+Comms Dual/Cir D/S Sp right to left IP4X	139.94
BBC24LFC	25A Feed Unit Left 4P+E+Comms Dual /Cir D/S Sp c/w Right End Stop IP4X	54.00
BBC24RFC	25A Feed Unit Right 4P+E+Comms Dual /Cir D/S Sp c/w Left End Stop IP4X	54.00
BBC3141C	25A 3m Busbar Trunking 4P+E+Comms Dual Circuit 3 Outlets IP4X	74.47
BBC3145C	25A 3m Busbar Trunking 4P+E+Comms Dual Circuit 6 Outlets IP4X	85.38
BBC3241C	25A 3m Busbar Trunking 4P+E+Comms Dual Circuit D/S 6 Outlets IP4X	111.57
BBC3245C	25A 3m Busbar Trunking 4P+E+Comms Dual Circuit D/S 11 Outlets IP4X	126.03
BBC340XC	25A 0.5m Flexible Length 4P+E+Comms Dual/Cir Surface right to left IP4X	73.27
BBC342XC	25A 2m Flexible Length 4P+E+Comms Dual/Cir Surface right to left IP4X	89.67
BBC34LFC	25A Feed Unit Left 4P+E+Comms Dual/ Cir Surface c/w Right End Stop IP4X	35.57
BBC34RFC	25A Feed Unit Right 4P+E+Comms Dual /Cir Surface c/w Left End Stop IP4X	35.57
BBC44FC	25A Centre Feed Unit 4P+E+Comm Dual /Cir Susp c/w L & R End Stop IP4X	74.68
CCC140XC	40A 0.5m Flexible Length 4P+E+Comms Dual/Cir Susp right to left IP4X	79.91
CCC142XC	40A 2m Flexible Length 4P+E+Comms Dual/Cir Susp right to left IP4X	96.30
CCC14LFC	40A Feed Unit Left 4P+E+Comms Dual /Cir Susp c/w Right End Stop IP4X	37.42
CCC14RFC	40A Feed Unit Right 4P+E+Comms Dual /Cir Susp c/w Left End Stop IP4X	37.42
CCC2141C	40A 2m Busbar Trunking 4P+E+Comms Dual Circuit 2 Outlets IP4X	63.97
CCC2145C	40A 2m Busbar Trunking 4P+E+Comms Dual Circuit 4 Outlets IP4X	71.42
CCC2241C	40A 2m Busbar Trunking 4P+E+Comms Dual Circuit D/S 4 Outlets IP4X	98.73
CCC2245C	40A 2m Busbar Trunking 4P+E+Comms Dual Circuit D/S 7 Outlets IP4X	109.94
CCC240XC	40A 0.5m Flexible Length 4P+E+Comms Dual/Cir D/S Sp right to left IP4X	115.21
CCC242XC	40A 2m Flexible Length 4P+E+Comms Dual/Cir D/S Sp right to left IP4X	147.05
CCC24LFC	40A Feed Unit Left 4P+E+Comms Dual /Cir D/S Sp c/w Right End Stop IP4X	58.58
CCC24RFC	40A Feed Unit Right 4P+E+Comms Dual /Cir D/S Sp c/w Left End Stop IP4X	58.58
CCC3141C	40A 3m Busbar Trunking 4P+E+Comms Dual Circuit 3 Outlets IP4X	84.57
CCC3145C	40A 3m Busbar Trunking 4P+E+Comms Dual Circuit 6 Outlets IP4X	95.56
CCC3241C	40A 3m Busbar Trunking 4P+E+Comms Dual Circuit D/S 6 Outlets IP4X	133.10
CCC3245C	40A 3m Busbar Trunking 4P+E+Comms Dual Circuit D/S 11 Outlets IP4X	148.21
CCC340XC	40A 0.5m Flexible Length 4P+E+Comms Dual/Cir Surface right to left IP4X	80.58
CCC342XC	40A 2m Flexible Length 4P+E+Comms Dual/Cir Surface right to left IP4X	96.72
CCC34LFC	40A Feed Unit Left 4P+E+Comms Dual /Cir Surface c/wRight End Stop IP4X	37.42
CCC34RFC	40A Feed Unit Right 4P+E+Comms Dual /Cir Surface c/w Left End Stop IP4X	37.42
CCC44FC	40A Centre Feed Unit 4P+E+Comms Dual/Cir Sp c/w L & R End Stop IP4X	99.08

Electrak 33 4P+E+Comms 3 Phase Busbar Trunking - Power & Communications Bus

Cat no.	Description	Trade Price 2011
BBD140XC	25A 0.5m Flexible Length 4P+E+Comms Suspended right to left IP4X	75.44
BBD142XC	25A 2m Flexible Length 4P+E+Comms Suspended right to left IP4X	91.85
BBD14LFC	25A Feed Unit Left 4P+E+Comms Suspended c/w Right End Stop IP4X	35.57
BBD14RFC	25A Feed Unit Right 4P+E+Comms Suspended c/w Left End Stop IP4X	35.57
BBD2141C	25A 2m Busbar Trunking 4P+E+Comms 2 Outlets IP4X	56.95
BBD2145C	25A 2m Busbar Trunking 4P+E+Comms 4 Outlets IP4X	64.52

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

BBD2241C	25A 2m Busbar Trunking 4P+E+Comms Double sided 4 Outlets IP4X	84.15
BBD2245C	25A 2m Busbar Trunking 4P+E+Comms Double sided 7 Outlets IP4X	94.74
BBD240XC	25A 0.5m Flexible Length 4P+E+Comms D/S Suspended right to left IP4X	109.92
BBD242XC	25A 2m Flexible Length 4P+E+Comms D/S Suspended right to left IP4X	141.27
BBD24LFC	25A Feed Unit Left 4P+E+Comms D/S Suspended c/w Right End Stop IP4X	54.00
BBD24RFC	25A Feed Unit Right 4P+E+Comms D/S Suspended c/w Left End Stop IP4X	54.00
BBD3141C	25A 3m Busbar Trunking 4P+E+Comms 3 Outlets IP4X	74.47
BBD3145C	25A 3m Busbar Trunking 4P+E+Comms 6 Outlets IP4X	85.63
BBD3241C	25A 3m Busbar Trunking 4P+E+Comms Double sided 6 Outlets IP4X	111.60
BBD3245C	25A 3m Busbar Trunking 4P+E+Comms Double sided 11 Outlets IP4X	126.49
BBD340XC	25A 0.5m Flexible Length 4P+E+Comms Surface right to left IP4X	73.91
BBD342XC	25A 2m Flexible Length 4P+E+Comms Surface right to left IP4X	91.37
BBD34LFC	25A Feed Unit Left 4P+E+Comms Surface c/w Right End Stop IP4X	35.57
BBD34RFC	25A Feed Unit Right 4P+E+Comms Surface c/w Left End Stop IP4X	35.57
BBD44FC	25A Centre Feed Unit 4P+E+Comms Suspended c/w L and R End Stop IP4X	75.24
CCD140XC	40A 0.5m Flexible Length 4P+E+Comms Suspended right to left IP4X	76.65
CCD142XC	40A 2m Flexible Length 4P+E+Comms Suspended right to left IP4X	93.05
CCD14LFC	40A Feed Unit Left 4P+E+Comms Suspended c/w Right End Stop IP4X	37.42
CCD14RFC	40A Feed Unit Right 4P+E+Comms Suspended c/w Left End Stop IP4X	37.42
CCD2141C	40A 2m Busbar Trunking 4P+E+Comms 2 Outlets IP4X	63.86
CCD2145C	40A 2m Busbar Trunking 4P+E+Comms 4 Outlets IP4X	71.56
CCD2241C	40A 2m Busbar Trunking 4P+E+Comms Double sided 4 Outlets IP4X	98.91
CCD2245C	40A 2m Busbar Trunking 4P+E+Comms Double sided 7 Outlets IP4X	110.38
CCD240XC	40A 0.5m Flexible Length 4P+E+Comms D/S Suspended right to left IP4X	115.03
CCD242XC	40A 2m Flexible Length 4P+E+Comms D/S Suspended right to left IP4X	147.49
CCD24LFC	40A Feed Unit Left 4P+E+Comms D/S Susp c/w Right End Stop IP4X	58.58
CCD24RFC	40A Feed Unit Right 4P+E+Comms D/S Susp c/w Left End Stop IP4X	58.58
CCD3141C	40A 3m Busbar Trunking 4P+E+Comms 3 Outlets IP4X	89.08
CCD3145C	40A 3m Busbar Trunking 4P+E+Comms 6 Outlets IP4X	95.88
CCD3241C	40A 3m Busbar Trunking 4P+E+Comms Double sided 6 Outlets IP4X	133.10
CCD3245C	40A 3m Busbar Trunking 4P+E+Comms Double sided 11 Outlets IP4X	149.00
CCD340XC	40A 0.5m Flexible Length 4P+E+Comms Surface right to left IP4X	75.51
CCD342XC	40A 2m Flexible Length 4P+E+Comms Surface right to left IP4X	84.92
CCD34LFC	40A Feed Unit Left 4P+E+Comms Surface c/w Right End Stop IP4X	37.41
CCD34RFC	40A Feed Unit Right 4P+E+Comms Surface c/w Left End Stop IP4X	37.41
CCD44FC	40A Centre Feed Unit 4P+E+Comms Susp c/w Left and R End Stop IP4X	76.34

Electrak Busbar Trunking - Power and Communications Tap-Offs

Cat no.	Description	Trade Price 2011
DDE408C	0.8m 16A Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	11.47
DDE408FC	0.8m 13A Fused Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	13.77
DDE42C	2m 16A Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	14.57
DDE42FC	2m 13A Fused Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	16.87
DDE43C	3m 16A Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	17.14
DDE43FC	3m 13A Fused Tap Off L1 2P+E+Comms, 1.5mm cable IP4X	19.44
DDE45C	5m 16A Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	22.27
DDE45FC	5m 13A Fused Tap Off L1 2P+E+Comms, 1.5mm ² cable IP4X	24.57
DDG408C	0.8m 16A Tap Off L1L2 3P+E+Comms 1.5mm ² Cable IP4X	12.55
DDG408FC	0.8m 13A Fused Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	14.85
DDG42C	2m 16A Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	16.01
DDG42FC	2m 13A Fused Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	18.31
DDG43C	3m 16A Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	18.89
DDG43FC	3m 13A Fused Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	21.17
DDG45C	5m 16A Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	24.60
DDG45FC	5m 13A Fused Tap Off L1L2 3P+E+Comms, 1.5mm ² Cable IP4X	26.90
DDJ408C	0.8m 16A Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	11.56
DDJ408FC	0.8m 13A Fused Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	13.86
DDJ42C	2m 16A Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	14.64
DDJ42FC	2m 13A Fused Tap-Off L2 2P+E+Comms, 1.5mm ² Cable IP54	16.95
DDJ43C	3m 16A Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	17.20
DDJ43FC	3m 13A Fused Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	19.52
DDJ45C	5m 16A Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	22.33
DDJ45FC	5m 13A Fused Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP54	24.66
DDM408L1C	0.8m 16A Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	11.66
DDM408L1FC	0.8m 13A Fused Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	13.51
DDM408L2C	0.8m 16A Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	11.74
DDM408L2FC	0.8m 13A Fused Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	13.61
DDM408L3C	0.8m 16A Grey Tap-Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	11.85
DDM408L3FC	0.8m 13A Fused Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	13.72
DDM42L1C	2m 16A Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	14.68

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

DDM42L1FC	2m 13A Fused Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	16.62
DDM42L2C	2m 16A Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	14.76
DDM42L2FC	2m 13A Fused Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	16.72
DDM42L3C	2m 16A Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	14.88
DDM42L3FC	2m 13A Fused Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	16.82
DDM43L1C	3m 16A Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	17.25
DDM43L1FC	3m 13A Fused Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	19.19
DDM43L2C	3m 16A Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	17.33
DDM43L2FC	3m 13A Fused Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	19.28
DDM43L3C	3m 16A Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	17.46
DDM43L3FC	3m 13A Fused Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	19.40
DDM45L1C	5m 16A Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	22.39
DDM45L1FC	5m 13A Fused Grey Tap Off L1 2P+E+Comms, 1.5mm ² Cable IP4X	24.34
DDM45L2C	5m 16A Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	22.47
DDM45L2FC	5m 13A Fused Grey Tap Off L2 2P+E+Comms, 1.5mm ² Cable IP4X	24.40
DDM45L3C	5m 16A Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	22.60
DDM45L3FC	5m 13A Fused Grey Tap Off L3 2P+E+Comms, 1.5mm ² Cable IP4X	24.53

General Parts for Busbar Trunking - Electrak 30, 31, 32 and 33

Cat no.	Description	Trade Price 2011
EEA304	25&40A Busbar Trunking 57mm Edge Surface Mounting Fixing Bracket	1.01
EEA308	25&40A Busbar Trunking Suspended Fixing Bracket	1.76
EEA312	25&40A Busbar Trunking Suspended Fixing Bracket & Cable Duct Stirrup	2.10
EEA324	25&40A Busbar Trunking Luminaire Suspension Fixing Bracket	1.71
EEA328	25&40A Bus/Trunking Luminaire 45mm Edge Suspension Fixing Bracket	0.85
EEA332	25&40A Bus/Trunking Luminaire 57mm Edge Suspension Fixing Bracket	0.93
EEB340	25&40A Busbar Trunking Open Hook Luminaire Suspended Bracket	2.15
EEB344	25&40A Busbar Trunking Closed Ring on Luminaire Bracket	0.95
EEC348	25&40A Busbar Trunking 3m Cable Duct c/w Joining Screws	6.88
EEC352	25&40A Busbar Trunking Cable Duct Fixing Bracket	1.70
EEC356	2m Bus/Trunking Empty Length for adjusting the length at end of run	18.35
EEC357	25&40A Busbar Trunking Joining Bracket for Cable Duct EEC348	0.67
EEC360	25&40A Busbar Trunking IP54 Outlet Cover, Spare or replacement	0.54
EEC364	25&40A Busbar Trunking Joint Sleeve	4.69
EEC366	25A & 40A Busbar Trunking End Stop Left Hand IP4X & IP54 (Spares)	4.08
EEC368	25A & 40A Busbar Trunking End Stop Right Hand IP4X & IP54 (Spares)	3.08

Electrak Accessories

Cat no.	Description	Trade Price 2011
AP13-WH	Electrak 13A Fused Plug - White	3.30
AZ0010	Electrak Unswitched Twin Socket Outlet - White	9.83
AZ0050	Electrak Socket Converter Electrak to BS1363 Plug -White	11.42
CZ9010	Electrak Unswitched Twin Socket Outlet Clean Earth - Red	11.09
EP13RED	Electrak 13A Fused Plug Clean Earth - Red	4.05
EP2000	Electrak EPOS 5A Fused Plug - Red	4.05
ES6000	Electrak EPOS Pack, Unswitched Twin Socket & 2 x 5A Fused Plugs - Red	18.70
ES6005	Electrak EPOS Pack, Unswitched Twin Socket & 1 x 5A Fused Plug - Red	13.76
UPS200	Electrak UPS 3A Fused Plug - Blue	4.05
UPS600	Electrak UPS Pack, Unswitched Twin Socket & 2 x 3A Fused Plugs - Blue	18.70
UPS615	Electrak UPS Pack, Unswitched Twin Socket & 1 x 3A Fused Plug - Blue	13.76

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

Zucchini LB lighting busbar

Cat no.	Description	Trade Price 2011
70101351	LB RH end cover	3.95
70102054	Low power range - Plug Outlet Cover	1.93
70105016	LB GRY 10 Amp SP & N Unfusedc/w 1m	10.99
70105017	LB ORA 10 Amp SP & N Unfusedc/w 1m	10.99
70105018	LB BLU 10 Amp SP & N Unfusedc/w 1m	10.99
70105030	LB GRY 16 Amp SP & N Fusible 6.3A Fuse fitted	13.52
70105031	LB GRY 16 Amp SP & N Unfused	13.52
70105035	LB GRY 16 Amp TP & N Fusible Excluding fuses	79.18
70105063	LB BLK 10 Amp SP & N Unfusedc/w 1m	11.84
70105116	LB GRY 10 Amp SP & N Unfusedc/w 3m	16.07
70105117	LB ORA 10 Amp SP & N Unfusedc/w 3m	16.07
70105118	LB BLU 10 Amp SP & N Unfusedc/w 3m	16.07
70105141	LB GRY 16 Amp TP & N Unfused	21.41
70105163	LB BLK 10 Amp SP & N Unfusedc/w 3m	17.35
70160101	LB 4 pole 25A 3.0 Metre length	29.02
70160102	LB 4 pole 25A 3.0 Metre length	30.43
70160111	LB 4 pole 25A 1.5 Metre length	27.62
70161001	LB RH 4 pole 25A End Feed unit	24.79
70161002	LB LH 4 pole 25A End Feed unit	26.49
70161261	LB 4 pole 25A Flexible Joint	69.88
70161352	LB LH 4 pole End Cover	7.05
70180101	LB 4 pole 40A 3.0 Metre length	36.91
70180102	LB 4 pole 40A 3.0 Metre length (6 Outlets)	38.88
70180111	LB 4 pole 40A 1.5 Metre length	34.09
70181001	LB 4 pole 40A End Feed unit RH	26.21
70181002	LB 4 pole 40A End Feed unit LH	27.90
70181261	LB 4 pole 40A Flexible Joint	76.64
70250101	LB 6 pole 25A 3.0 Metre length	57.29
70250102	LB 6 pole 25A 3.0 Metre length (6 Outlets)	60.30
70250111	LB 6 pole 25A 1.5 Metre length	45.72
70260101	LB 6 pole 40A 3.0 Metre length	68.75
70260102	LB 6 pole 40A 3.0 Metre length (6 Outlets)	72.42
70260111	LB 6 pole 40A 1.5 Metre length	51.28
70261101	LB 6 pole End Feed unit RH	38.04
70261102	LB 6 pole End Feed unit LH	42.26
70263102	LB 6 pole End Cover LH	7.33
70263201	LB 6 pole Flexible Joint	90.73
70265001	LB ORA 10 Amp SP & N Unfusedc/w 1m	10.99
70265002	LB256/406 16 Amp SP&N Orange Tap off 6.3A Fuse fitted	13.52
70265003	LB256/406 16A SP&N Un-fused Orange Tap off unit	12.40
70265101	LB ORA 10 Amp SP & N Unfusedc/w 3m	16.07
70265111	LB ORA 10 Amp SP & N Unfusedc/w 5m	22.86
LB2559	LB 4 pole 25A Centre Feed	285.15
LB4055	LB GRY 16 Amp SP & N Fusible c/w 1.5m	22.03
LB40553L1	LB 16A Sp&n L1 3.0mtr Pre-wired Tap off	25.34
LB40553L2	LB 16A Sp&n L2 3.0m Pre-wired Tap off	25.34
LB40553L3	LB 16A Sp&n L3 3.0mtr Pre-wired Tap off	25.34
LB40553OR	LB256/406 Orange Tap off c/w 3mtr	28.37
LB40554C15	LB 16A Dp&n (L1+L3) 1.5m Tap off 4core Sihf Cable	28.92
LB40554C3	LB 16A DP+N Tap off c/w 3.0m 4Core SIHF Cable L1+L3	35.78
LB4055L1	LB 16A L1&N 1.5m Tap off c/w 1.5m 3Core Sihf Cable - 6.3A Fuse fitted	22.03
LB4055L2	LB 16A L2&N 1.5mtr Tap off c/w 1.5m 3core Sihf Cable - 6.3A Fuse fitted	22.03
LB4055L3	LB 16A L3&N 1.5mtr Tap off c/w 1.5m 3Core SIHF Cable - 6.3A Fuse fitted	22.03
LB4055OR	LB256/406 Orange Tap off c/w 1.5mtr SIHF Cable	22.03
LB4059	LB 4 pole 40A Centre Feed	287.69
LB40659	LB 6 pole Centre Feed	304.33

Zucchini HL lighting busbar

Cat no.	Description	Trade Price 2011
71005030	HL 16 Amp SP & N Fusible 6.3A Fuse fitted	13.52
71005031	HL 16 Amp SP & N Unfused	12.12
71005035	HL 16 Amp TP & N Fusible Tap off Excluding fuses.	80.59
71015030	HL 16 Amp SP & N Fusible Blue L1+N	13.52
71020151	HL 4 pole 25A 3.0 Metre length	53.98
71020161	HL 4 pole 25A 1.5 Metre length	42.14
71040151	HL 4 pole 40A 3.0 Metre length	61.42

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

71040161	HL 4 pole 40A 1.5 Metre length	47.92
71041001	HL 4 pole End Feed unit RH	40.29
71041002	HL 4 pole End Feed unit LH	44.52
71041261	HL 4 pole Flexible Joint	97.21
71041301	HL 4 pole End Cover RH	9.30
71041302	HL 4 pole End Cover LH	25.92
71505030	HL 16 Amp SP & N Fusible 6.3A Fuse fitted	13.52
71505031	HL 16 Amp SP & N Unfused	11.57
71505035	HL 16 Amp TP & N Fusible Tap off excluding fuses.	80.02
71515030	HL 16 Amp SP & N Fusible Blue L1+N 6.3A Fuse fitted	14.37
71520151	HL 6 pole 25A 3.0 Metre length	78.22
71520161	HL 6 pole 25A 1.5 Metre length	58.11
71530151	HL 8 pole 25A 3.0 Metre length	82.07
71530161	HL 8 pole 25A 1.5 Metre length	60.04
71550151	HL 6 pole 40A 3.0 Metre length	89.23
71550161	HL 6 pole 40A 1.5 Metre length	65.82
71560151	HL 8 pole 40A 3.0 Metre length	96.67
71560161	HL 8 pole 40A 1.5 Metre length	71.61
71561001	HL 6 & 8 pole End Feed unit RH	65.09
71561002	HL 6 & 8 pole End Feed unit LH	76.92
71561261	HL 6 & 8 pole Flexible Joint	171.03
71561301	HL 6 & 8 pole End Cover RH	7.61
71561302	HL 6 & 8 pole End Cover LH	28.46
HL4007	HL 6 & 8 pole Centre Feed	350.24
HL40407	HL 4 pole Centre Feed	299.81
HL4045234C	HL SS DP+N (L1+L3) T/O c/w 3m SIHF cbl & 2 No. 5x20 6.3A fuseholders	35.25
HL404523L1	HL SS 16A SP+N (L1) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.44
HL404523L2	HL SS 16A SP+N (L2) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.44
HL404523L3	HL SS 16A SP+N (L3) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.44
HL404524C	HL SS DP+N(L1+L3) T/O c/w 1.5m SIHF cbl & 2 No. 5x20 6.3A fuseholders	30.02
HL40452L1	HL SS 16A SP+N (L1) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL40452L2	HL SS 16A SP+N (L2) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL40452L3	HL SS 16A SP+N (L3) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL40455	HL SS 16 Amp SP & N Fusible c/w 1.5m	23.13
HL405234C	HL DS DP+N(L1+L3) T/O c/w 3m SIHF cbl & 2 No. 5x20 6.3A fuseholders	35.25
HL40523BL	HL DS BL 16A SP+N (L1) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.72
HL40523L1	HL DS 16A SP+N (L1) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.72
HL40523L2	HL DS 16A SP+N (L2) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.72
HL40523L3	HL DS 16A SP+N (L3) T/O c/w 3m SIHF cbl & 5x20 6.3A fuseholder	26.72
HL40524C	HL DS DP+N(L1+L3) T/O c/w 1.5m SIHF cbl & 2 No. 5x20 6.3A fuseholders	30.30
HL4052BL	HL DS BL 16A SP+N (L1) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL4052L1	HL DS 16A SP+N (L1) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL4052L2	HL DS 16A SP+N (L2) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL4052L3	HL DS 16A SP+N (L3) T/O c/w 1.5m SIHF cbl & 5x20 6.3A fuseholder	23.13
HL4055	HL DS 16 Amp SP & N Fusible c/w 1.5m	23.13

Zucchini SL low power busbar

Cat no.	Description	Trade Price 2011
70400102	SL 4 pole 40 & 63A 1.5 Metre length	73.81
70400111	SL 4 pole 40A 3.0 Metre length (6 Outlets)	108.51
70600111	SL 4 pole 63A 3.0 Metre length (6 Outlets)	117.05
70601061	SL 4 pole End Feed unit RH IP55	34.94
70601062	SL 4 pole End Feed unit LH IP55	42.55
70601261	SL 4 pole Flexible Joint	90.73
70605051	SL 32 Amp TP & N Unfused	20.00
70605052	SL 32 Amp TP & N Fusible	24.79
70605053	SL 32 Amp 4 Modular Tap off	95.52
70605054	SL 32 Amp Empty Modular Tapoff	73.81
70605055	SL 32 Amp Transparent Tap off	52.88
71001351	SL 4 pole End Cover IP55	13.81
71002051	SL 4 pole Joint Cover	27.27
71002062	SL 4 pole Plug Outlet Cover	5.78
71003018	SL 4 pole Zucchini Floor Bracket	2.81
SL07	SL 4 pole Centre Feed	260.36
SL1432	SL 4 pole 32 Amp SP&N Un-fused Tapoff 3mtr	75.19
SL1432/5	SL 4 pole 32 Amp SP&N Fusible Tapoff 5mtr	90.28

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

Zucchini - Low power busbar accessories

Cat no.	Description	Trade Price 2011
71000104	Low power range - 3.0mtr PVC CableChannel	15.78
71003001	Low power range - Simple Suspension	2.26
71003003	Low power range - Snap clamp	1.93
71003006	Low power range - Channel Suspension Brkt	1.97
71003007	Low power range - PVC Spacer Bracket	0.85
71003008	Low power range - Wall Bracket	3.10
71003009	Low power range - Wall Bracket	7.33
71005002	Low power range - Lamp Suspension Hook	2.20
71005015	Low power range - Lamp Suspension loop	2.54
71005028	Low power range - Fused contact pin	3.66
71005029	Low power range - Unfused contact pin	3.66
71503006	Low power range - Channel Suspension Brkt	1.69
M10758	Low power range - Snap Clamp Adaptor M10	5.92

Zucchini MS busbar

Cat no.	Description	Trade Price 2011
51002002	MS HGR Bracket	5.07
51500151	MS Joint Gasket	DISC.
51500160	MS Plug Outlet CoverIP55	3.38
51500161	MS Joint Cover IP55	9.58
51500361	MS 100A 4 pole AL RH Horizontal Elbow IP55	182.87
51500362	MS 100A 4 pole AL LH Horizontal Elbow IP55	182.87
51500461	MS 100A 4 pole AL RH Vertical Elbow IP55	164.70
51500462	MS 100A 4 pole AL LH Vertical Elbow IP55	208.23
51500561	MS 100A 4 pole AL RH 1 Tee IP55	355.03
51500562	MS 100A 4 pole AL LH 1 Tee IP55	355.31
51500563	MS 100A 4 pole AL RH 2 Tee IP55	355.31
51500564	MS 100A 4 pole AL LH 2 Tee IP55	355.31
51500661	MS 100A 4 pole AL Fourway IP55	380.67
51501351	MS End Cover IP55	12.96
51510101	MS 100A 4 pole AL 3.0 Metre length	130.18
51510112	MS 100A 4 pole AL <1.5 Metre bespoke length	80.97
51510113	MS 100A 4 pole AL >1.5 Metre bespoke length	113.20
51510114	MS 100A 4 pole AL 1.0 Metre length	77.21
51510115	MS 100A 4 pole AL 1.5 Metre length	82.56
51510116	MS 100A 4 pole AL 2.0 Metre length	109.33
51510131	MS 100A 4 pole AL 3.0 Metre length with fire barrier	POA
51510141	MS 100A 4 pole AL 3.0 Metre length with thrust unit	POA
51511051	MS 63 & 100A 4 pole AL RH End feedunit IP55	65.37
51511052	MS 63 & 100A 4 pole AL LH End feedunit IP55	81.71
51511151	MS 63 & 100A 4 pole AL Centre feedIP55	123.42
51511261	MS 63 & 100A 4 pole AL Flexible Elbow IP55	215.65
51515051	MS 16 Amp TP&N Fusible tap off	47.05
51515052	MS 50 Amp TP&N Fusible tap off	69.31
51515056	MS 63 Amp TP&N 4 Module tap off with door	117.21
51515057	MS 63 Amp TP&N tap off with transparent cover	77.12
51515058	MS 63 Amp TP&N 16 Module tap off with door	100.59
51515067	MS 63 Amp TP&N Modular tap off 7 module	78.61
51515071	MS 32 Amp TP&N Modular tap off 4 module	40.49
51515072	MS 32A TP+N 4Module Empty Tap off	49.59
51515073	MS 32 Amp TP&N Modular tap off 8 module	43.79
51515074	MS 63A 4 pole AL 32 Amp TP&N Modular tap off 4 module	47.90
51515075	MS 32 Amp TP&N Modular tap off 8 module long version	47.37
51515076	MS 32 Amp TP&N Fusible tap off	66.93
51515077	MS 16 Amp TP&N with D01 fuseholder	76.57
51515078	MS 32 Amp TP&N with D02 fuseholder	83.73
51520101	MS 160A 4 pole CU 3.0 Metre length	182.58
51520112	MS 160A 4 pole CU <1.5 Metre bespoke length	103.28
51520113	MS 160A 4 pole CU >1.5 Metre bespoke length	166.07
51520114	MS 160A 4 pole CU 1.0 Metre length	92.42
51520115	MS 160A 4 pole CU 1.5 Metre length	107.92
51520116	MS 160A 4 pole CU 2.0 Metre length	120.88
51520131	MS 160A 4 pole CU 3.0 Metre length with fire barrier	POA
51520141	MS 160A 4 pole CU 3.0 Metre lengthwith thrust unit	POA
51520351	MS 160A 4 pole CU RH Horizontal Elbow IP55	175.82
51520361	MS 160A 4 pole CU LH Horizontal Elbow IP55	175.82

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

51520451	MS 160A 4 pole CU RH Vertical Elbow IP55	175.26
51520461	MS 160A 4 pole CU LH Vertical Elbow IP55	175.26
51520551	MS 160A 4 pole CU RH 1 Tee IP55	306.57
51520561	MS 160A 4 pole CU LH 1 Tee IP55	306.57
51520571	MS 160A 4 pole CU RH 2 Tee IP55	306.57
51520581	MS 160A 4 pole CU LH 2 Tee IP55	306.57
51520651	MS 160A 4 pole CU Fourway IP55	342.64
51521051	MS 160A 4 pole CU RH End feed unitIP55	85.94
51521052	MS 160A 4 pole CU LH End feed unitIP55	102.85
51521151	MS 160A 4 pole CU Centre feed IP55	239.51
51521261	MS 160A 4 pole CU Flexible Elbow IP55	225.01
51530101	MS 63A 4 pole AL 3.0 Metre length	119.47
51530112	MS 63A 4 pole AL <1.5 Metre bespoke length	82.90
51530113	MS 63A 4 pole AL >1.5 Metre bespoke length	110.17
51530114	MS 63A 4 pole AL 1.0 Metre length	68.75
51530115	MS 63A 4 pole AL 1.5 Metre length	95.52
51530116	MS 63A 4 pole AL 2.0 Metre length	98.62
51530131	MS 63A 4 pole AL 3.0 Metre length with fire barrier	POA
51530141	MS 63A 4 pole AL 3.0 Metre lengthwith thrust unit	POA
51530351	MS 63A 4 pole AL RH Horizontal Elbow IP55	167.09
51530361	MS 63A 4 pole AL LH Horizontal Elbow IP55	166.80
51530451	MS 63A 4 pole AL RH Vertical ElbowIP55	161.18
51530461	MS 63A 4 pole AL LH Vertical ElbowIP55	160.89
51530551	MS 63A 4 pole AL RH 1 Tee IP55	310.23
51530561	MS 63A 4 pole AL LH 1 Tee IP55	310.23
51530571	MS 63A 4 pole AL RH 2 Tee IP55	310.23
51530581	MS 63A 4 pole AL LH 2 Tee IP55	310.23
51530651	MS 63A 4 pole AL Fourway IP55	335.31

Zucchini MR medium rating busbar - 160A Aluminium

Cat no.	Description	Trade Price 2011
50400101	MR 160A 4 pole AL 3.0m length 3+3outlets	266.05
50400111	MR 160A 4 pole AL 0.6 to 1.5m length No outlets	337.38
50400121	MR 160A AL 4P+PE 1501-2999mm Feeder Length	374.56
50400141	MR 160A 4 pole AL 1.0 to 1.5m length 1+1outlets	350.33
50400151	MR 160A 4 pole AL 1.5 to 2.0m length 2+2outlets	395.77
50400241	MR 160A 4 pole AL 3.0m length No outlets	275.14
50400251	MR 160A 4 pole AL 3.0m length 5 outlets	294.14
50400301	MR 160A 4 pole AL RH Horizontal Elbow	409.26
50400311	MR 160A 4 pole AL LH Horizontal Elbow	409.26
50400321	MR 160A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	642.54
50400331	MR 160A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	642.54
50400341	MR 160A 4 pole AL RH + LH Horizontal Elbow	703.68
50400351	MR 160A 4 pole AL LH + RH Horizontal Elbow	703.68
50400361	MR 160A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	773.09
50400371	MR 160A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	773.09
50400401	MR 160A 4 pole AL RH Vertical Elbow	339.59
50400411	MR 160A 4 pole AL LH Vertical Elbow	339.31
50400421	MR 160A 4 pole AL RH Vertical Elbow Bespoke Dimensions	483.63
50400431	MR 160A 4 pole AL LH Vertical Elbow Bespoke Dimensions	482.52
50400441	MR 160A 4 pole AL RH + LH Vertical Elbow	731.22
50400451	MR 160A 4 pole AL LH + RH Vertical Elbow	731.22
50400461	MR 160A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	771.43
50400471	MR 160A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	771.43
50400501	MR 160A 4 pole AL Vertical + Horizontal Elbow RH + RH	769.23
50400511	MR 160A 4 pole AL Vertical + Horizontal Elbow RH + LH	741.14
50400521	MR 160A 4 pole AL Vertical + Horizontal Elbow LH + RH	741.14
50400531	MR 160A 4 pole AL Vertical + Horizontal Elbow LH + LH	741.14
50400541	MR 160A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	897.30
50400551	MR 160A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	897.30
50400561	MR 160A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	869.21
50400571	MR 160A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	897.30
50400601	MR 160A 4 pole AL Horizontal + Vertical Elbow RH + RH	797.32
50400611	MR 160A 4 pole AL Horizontal + Vertical Elbow RH + LH	797.32
50400621	MR 160A 4 pole AL Horizontal + Vertical Elbow LH + RH	797.32
50400631	MR 160A 4 pole AL Horizontal + Vertical Elbow LH + LH	797.32
50400641	MR 160A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	812.75
50400651	MR 160A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	897.30
50400661	MR 160A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	897.30
50400671	MR 160A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	897.30

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400701	MR 160A 4 pole AL RH female Horizontal Tee	493.27
50400711	MR 160A 4 pole AL RH male female Horizontal Tee	565.15
50400721	MR 160A 4 pole AL LH female Horizontal Tee	565.15
50400731	MR 160A 4 pole AL LH male Horizontal Tee	493.27
50400741	MR 160A 4 pole AL RH female Horizontal Tee bespoke dimensions	741.41
50400751	MR 160A 4 pole AL RH male female Horizontal Tee bespoke dimensions	823.76
50400761	MR 160A 4 pole AL LH female Horizontal Tee bespoke dimensions	823.21
50400771	MR 160A 4 pole AL LH male Horizontal Tee bespoke dimensions	741.41
50401001	MR 160A 4 pole AL RH Flange feed	209.36
50401011	MR 160A 4 pole AL LH Flange feed	279.55
50401101	MR 160A 4 pole AL RH Small End feed unit	181.74
50401111	MR 160A 4 pole AL LH Small End feed unit	252.83
50401121	MR 160A 4 pole AL RH End feed unit	379.80
50401131	MR 160A 4 pole AL LH End feed unit Unswitched	451.68
50401201	MR 160A 4 pole AL Centre feed	693.77
50401701	MR 160A 4 pole AL RH Up In Line section isolator	POA
50401721	MR 160A 4 pole AL LH Up In Line section isolator	POA
50403001	MR 160A 4 pole AL Fourway	1025.09
50403401	MR 160A 4 pole AL RH Up Switched end feed	1538.19
50403411	MR 160A 4 pole AL RH Down Switchedend feed	1538.19
50403421	MR 160A 4 pole AL LH Up Switched end feed	1609.52
50403431	MR 160A 4 pole AL LH Down Switchedend feed	1609.52

Zucchini MR medium rating busbar - 250A Aluminium

Cat no.	Description	Trade Price 2011
50400102	MR 250A 4 pole AL 3.0m length 3+3outlets	275.41
50400112	MR 250A 4 pole AL 0.6 to 1.5m length No outlets	340.69
50400122	MR 250A AL 4P+PE 1501-2999mm Feeder Length	382.27
50400142	MR 250A 4 pole AL 1.0 to 1.5m length 1+1outlets	353.63
50400152	MR 250A 4 pole AL 1.5 to 2.0m length 2+2outlets	403.48
50400242	MR 250A 4 pole AL 3.0m length No outlets	285.88
50400252	MR 250A 4 pole AL 3.0m length 5 outlets	304.61
50400302	MR 250A 4 pole AL RH Horizontal Elbow	410.92
50400312	MR 250A 4 pole AL LH Horizontal Elbow	410.92
50400322	MR 250A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	647.22
50400332	MR 250A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	647.22
50400342	MR 250A 4 pole AL RH + LH Horizontal Elbow	706.71
50400352	MR 250A 4 pole AL LH + RH Horizontal Elbow	706.71
50400362	MR 250A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	750.23
50400372	MR 250A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	778.32
50400402	MR 250A 4 pole AL RH Vertical Elbow	341.51
50400412	MR 250A 4 pole AL LH Vertical Elbow	340.96
50400422	MR 250A 4 pole AL RH Vertical Elbow Bespoke Dimensions	488.58
50400432	MR 250A 4 pole AL LH Vertical Elbow Bespoke Dimensions	487.21
50400442	MR 250A 4 pole AL RH + LH Vertical Elbow	734.25
50400452	MR 250A 4 pole AL LH + RH Vertical Elbow	734.25
50400462	MR 250A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	776.94
50400472	MR 250A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	776.94
50400502	MR 250A 4 pole AL Vertical + Horizontal Elbow RH + RH	744.44
50400512	MR 250A 4 pole AL Vertical + Horizontal Elbow RH + LH	744.44
50400522	MR 250A 4 pole AL Vertical + Horizontal Elbow LH + RH	744.44
50400532	MR 250A 4 pole AL Vertical + Horizontal Elbow LH + LH	744.44
50400542	MR 250A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	930.62
50400552	MR 250A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	930.62
50400562	MR 250A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	874.44
50400572	MR 250A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	902.53
50400602	MR 250A 4 pole AL Horizontal + Vertical Elbow RH + RH	800.63
50400612	MR 250A 4 pole AL Horizontal + Vertical Elbow RH + LH	800.63
50400622	MR 250A 4 pole AL Horizontal + Vertical Elbow LH + RH	800.63
50400632	MR 250A 4 pole AL Horizontal + Vertical Elbow LH + LH	800.63
50400642	MR 250A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	818.25
50400652	MR 250A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	930.62
50400662	MR 250A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	902.53
50400672	MR 250A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	930.62
50400702	MR 250A 4 pole AL RH female Horizontal Tee	570.38
50400712	MR 250A 4 pole AL RH male female Horizontal Tee	641.71
50400722	MR 250A 4 pole AL LH female Horizontal Tee	641.71
50400732	MR 250A 4 pole AL LH male Horizontal Tee	570.38
50400742	MR 250A 4 pole AL RH female Horizontal Tee bespoke dimensions	746.37
50400752	MR 250A 4 pole AL RH male female Horizontal Tee bespoke dimensions	828.17

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400762	MR 250A 4 pole AL LH female Horizontal Tee bespoke dimensions	828.17
50400772	MR 250A 4 pole AL LH male Horizontal Tee bespoke dimensions	746.37
50401002	MR 250A 4 pole AL RH Flange feed	210.48
50401012	MR 250A 4 pole AL LH Flange feed	280.65
50401102	MR 250A 4 pole AL RH Small End feed unit	182.87
50401112	MR 250A 4 pole AL LH Small End feed unit	253.66
50401122	MR 250A 4 pole AL RH End feed unit	381.45
50401132	MR 250A 4 pole AL LH End feed unit	452.78
50401202	MR 250A 4 pole AL Centre feed	693.22
50401702	MR 250A 4 pole AL RH Up In Line section isolator	POA
50401722	MR 250A 4 pole AL LH Up In Line section isolator	POA
50403002	MR 250A 4 pole AL Fourway	900.33
50403402	MR 250A 4 pole AL RH Up Switched end feed	1465.48
50403412	MR 250A 4 pole AL RH Down Switchedend feed	1465.48
50403422	MR 250A 4 pole AL LH Up Switched end feed	1536.53
50403432	MR 250A 4 pole AL LH Down Switchedend feed	1536.53

Zucchini MR medium rating busbar - 250A Copper

Cat no.	Description	Trade Price 2011
55400102	MR 250A 4 pole CU 3.0m length 3+3outlets	432.95
55400112	MR 250A 4 pole CU 0.6 to 1.5m length No outlets	374.84
55400122	MR 250A 4 pole CU 1.5 to 3m length No outlets	469.86
55400142	MR 250A 4 pole CU 1.0 to 1.5m length 1+1outlets	387.23
55400152	MR 250A 4 pole CU 1.5 to 3.0m length 2+2outlets	490.79
55400242	MR 250A 4 pole CU 3.0m length No outlets	409.54
55400252	MR 250A 4 pole CU 3.0m length 5 outlets	427.72
55400302	MR 250A 4 pole CU RH Horizontal Elbow	425.51
55400312	MR 250A 4 pole CU LH Horizontal Elbow	425.51
55400322	MR 250A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	602.33
55400332	MR 250A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	439.56
55400342	MR 250A 4 pole CU RH + LH Horizontal Elbow	635.66
55400352	MR 250A 4 pole CU LH + RH Horizontal Elbow	635.66
55400362	MR 250A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	720.21
55400372	MR 250A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	720.21
55400402	MR 250A 4 pole CU RH Vertical Elbow	360.24
55400412	MR 250A 4 pole CU LH Vertical Elbow	358.04
55400422	MR 250A 4 pole CU RH Vertical Elbow Bespoke Dimensions	472.06
55400432	MR 250A 4 pole CU LH Vertical Elbow Bespoke Dimensions	467.65
55400442	MR 250A 4 pole CU RH + LH Vertical Elbow	660.44
55400452	MR 250A 4 pole CU LH + RH Vertical Elbow	660.44
55400462	MR 250A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	721.58
55400472	MR 250A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	721.58
55400502	MR 250A 4 pole CU Vertical + Horizontal Elbow RH + RH	672.01
55400512	MR 250A 4 pole CU Vertical + Horizontal Elbow LH + LH	672.01
55400522	MR 250A 4 pole CU Vertical + Horizontal Elbow LH + RH	672.01
55400532	MR 250A 4 pole CU Vertical + Horizontal Elbow LH + LH	672.01
55400542	MR 250A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	827.34
55400552	MR 250A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	827.34
55400562	MR 250A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	827.34
55400572	MR 250A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	827.34
55400602	MR 250A 4 pole CU Horizontal + Vertical Elbow RH + RH	719.66
55400612	MR 250A 4 pole CU Horizontal + Vertical Elbow RH + LH	719.66
55400622	MR 250A 4 pole CU Horizontal + Vertical Elbow LH + RH	719.66
55400632	MR 250A 4 pole CU Horizontal + Vertical Elbow LH + LH	719.66
55400642	MR 250A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	827.34
55400652	MR 250A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	374.01
55400662	MR 250A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	827.34
55400672	MR 250A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	374.01
55400702	MR 250A 4 pole CU RH1 Horizontal Tee	525.76
55400712	MR 250A 4 pole CU RH Horizontal Tee	595.72
55400722	MR 250A 4 pole CU LH1 Horizontal Tee	595.72
55400732	MR 250A 4 pole CU LH2 Horizontal Tee	525.76
55400742	MR 250A 4 pole CU RH female Horizontal Tee bespoke dimensions	691.01
55400752	MR 250A 4 pole CU RH male female Horizontal Tee bespoke dimensions	760.69
55400762	MR 250A 4 pole CU LH female Horizontal Tee bespoke dimensions	760.69
55400772	MR 250A 4 pole CU LH male Horizontal Tee bespoke dimensions	691.01
55401002	MR 250A 4 pole CU RH Flange feed	231.05
55401012	MR 250A 4 pole CU LH Flange feed	290.84
55401102	MR 250A 4 pole CU RH Small End feed unit	201.46
55401112	MR 250A 4 pole CU LH Small End feed unit	263.02

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

55401122	MR 250A 4 pole CU RH End feed unit	395.33
55401132	MR 250A 4 pole CU LH End feed unit	457.74
55401202	MR 250A 4 pole CU Centre feed	651.63
55401702	MR 250A 4 pole CU RH Up In Line section isolator	POA
55401722	MR 250A 4 pole CU LH Up In Line section isolator	POA
55403002	MR 250A 4 pole CU Fourway	925.39
55403402	MR 250A 4 pole CU RH Up Switched end feed	1475.34
55403412	MR 250A 4 pole CU RH Down Switchedend feed	1475.06
55403422	MR 250A 4 pole CU LH Up Switched end feed	1524.42
55403432	MR 250A 4 pole CU LH Down Switchedend feed	1524.42

Zucchini MR medium rating busbar - 315A Aluminium

Cat no.	Description	Trade Price 2011
50400103	MR 315A 4 pole AL 3.0m length 3+3outlets	299.93
50400113	MR 315A 4 pole AL 0.6 to 1.5m length No outlets	347.85
50400123	MR 315A AL 4P+PE 1501-2999mm Feeder Length	398.52
50400143	MR 315A 4 pole AL 1.0 to 1.5m length 1+1outlets	362.72
50400153	MR 315A 4 pole AL 1.5 to 2.0m length 2+2outlets	423.59
50400243	MR 315A 4 pole AL 3.0m length No outlets	307.64
50400253	MR 315A 4 pole AL 3.0m length 5 outlets	331.05
50400303	MR 315A 4 pole AL RH Horizontal Elbow	415.32
50400313	MR 315A 4 pole AL LH Horizontal Elbow	415.32
50400323	MR 315A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	657.41
50400333	MR 315A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	657.41
50400343	MR 315A 4 pole AL RH + LH Horizontal Elbow	713.32
50400353	MR 315A 4 pole AL LH + RH Horizontal Elbow	713.32
50400363	MR 315A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	789.34
50400373	MR 315A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	789.34
50400403	MR 315A 4 pole AL RH Vertical Elbow	346.20
50400413	MR 315A 4 pole AL LH Vertical Elbow	345.37
50400423	MR 315A 4 pole AL RH Vertical Elbow Bespoke Dimensions	499.05
50400433	MR 315A 4 pole AL LH Vertical Elbow Bespoke Dimensions	497.12
50400443	MR 315A 4 pole AL RH + LH Vertical Elbow	740.86
50400453	MR 315A 4 pole AL LH + RH Vertical Elbow	740.86
50400463	MR 315A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	788.51
50400473	MR 315A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	788.51
50400503	MR 315A 4 pole AL Vertical + Horizontal Elbow RH + RH	751.88
50400513	MR 315A 4 pole AL Vertical + Horizontal Elbow RH + LH	751.88
50400523	MR 315A 4 pole AL Vertical + Horizontal Elbow LH + RH	751.88
50400533	MR 315A 4 pole AL Vertical + Horizontal Elbow LH + LH	751.88
50400543	MR 315A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	914.37
50400553	MR 315A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	914.37
50400563	MR 315A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	914.37
50400573	MR 315A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	942.47
50400603	MR 315A 4 pole AL Horizontal + Vertical Elbow RH + RH	808.34
50400613	MR 315A 4 pole AL Horizontal + Vertical Elbow RH + LH	808.34
50400623	MR 315A 4 pole AL Horizontal + Vertical Elbow LH + RH	808.34
50400633	MR 315A 4 pole AL Horizontal + Vertical Elbow LH + LH	808.34
50400643	MR 315A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	829.82
50400653	MR 315A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	914.37
50400663	MR 315A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	914.37
50400673	MR 315A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	942.47
50400703	MR 315A 4 pole AL RH female Horizontal Tee	503.73
50400713	MR 315A 4 pole AL RH male female Horizontal Tee	648.87
50400723	MR 315A 4 pole AL LH female Horizontal Tee	575.06
50400733	MR 315A 4 pole AL LH male Horizontal Tee	503.73
50400743	MR 315A 4 pole AL RH female Horizontal Tee bespoke dimensions	757.11
50400753	MR 315A 4 pole AL RH male female Horizontal Tee bespoke dimensions	838.64
50400763	MR 315A 4 pole AL LH female Horizontal Tee bespoke dimensions	838.64
50400773	MR 315A 4 pole AL LH male Horizontal Tee bespoke dimensions	757.11
50401003	MR 315A 4 pole AL RH Flange feed	213.01
50401013	MR 315A 4 pole AL LH Flange feed	283.68
50401123	MR 315A 4 pole AL RH End feed unit	384.48
50401133	MR 315A 4 pole AL LH End feed unit	455.81
50401203	MR 315A 4 pole AL Centre feed	690.46
50401703	MR 315A 4 pole AL RH Up In Line section isolator	POA
50401723	MR 315A 4 pole AL LH Up In Line section isolator	POA
50403003	MR 315A 4 pole AL Fourway	908.59
50403403	MR 315A 4 pole AL RH Up Switched end feed	2047.70
50403413	MR 315A 4 pole AL RH Down Switchedend feed	2104.44

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50403423	MR 315A 4 pole AL LH Up Switched end feed	2119.31
50403433	MR 315A 4 pole AL LH Down Switchedend feed	2552.26

Zucchini MR medium rating busbar - 315A Copper

Cat no.	Description	Trade Price 2011
55400103	MR 315A 4 pole CU 3.0m length 3+3outlets	489.96
55400113	MR 315A 4 pole CU 0.6 to 1.5m length No outlets	393.57
55400123	MR 315A 4 pole CU 1.5 to 3m length No outlets	512.82
55400143	MR 315A 4 pole CU 1.0 to 1.5m length 1+1outlets	405.96
55400153	MR 315A 4 pole CU 1.5 to 3.0m length 2+2outlets	533.48
55400243	MR 315A 4 pole CU 3.0m length No outlets	466.55
55400253	MR 315A 4 pole CU 3.0m length 5 outlets	485.00
55400303	MR 315A 4 pole CU RH Horizontal Elbow	436.53
55400313	MR 315A 4 pole CU LH Horizontal Elbow	436.53
55400323	MR 315A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	624.91
55400333	MR 315A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	624.91
55400343	MR 315A 4 pole CU RH + LH Horizontal Elbow	650.80
55400353	MR 315A 4 pole CU LH + RH Horizontal Elbow	650.80
55400363	MR 315A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	745.82
55400373	MR 315A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	745.82
55400403	MR 315A 4 pole CU RH Vertical Elbow	372.36
55400413	MR 315A 4 pole CU LH Vertical Elbow	369.33
55400423	MR 315A 4 pole CU RH Vertical Elbow Bespoke Dimensions	496.57
55400433	MR 315A 4 pole CU LH Vertical Elbow Bespoke Dimensions	490.79
55400443	MR 315A 4 pole CU RH + LH Vertical Elbow	676.42
55400453	MR 315A 4 pole CU LH + RH Vertical Elbow	676.42
55400463	MR 315A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	748.02
55400473	MR 315A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	748.02
55400503	MR 315A 4 pole CU Vertical + Horizontal Elbow RH + RH	688.81
55400513	MR 315A 4 pole CU Vertical + Horizontal Elbow RH + LH	688.81
55400523	MR 315A 4 pole CU Vertical + Horizontal Elbow LH + RH	688.81
55400533	MR 315A 4 pole CU Vertical + Horizontal Elbow LH + LH	688.81
55400543	MR 315A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	853.78
55400553	MR 315A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	853.78
55400563	MR 315A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	853.78
55400573	MR 315A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	853.78
55400603	MR 315A 4 pole CU Horizontal + Vertical Elbow RH + RH	736.73
55400613	MR 315A 4 pole CU Horizontal + Vertical Elbow RH + LH	736.73
55400623	MR 315A 4 pole CU Horizontal + Vertical Elbow LH + RH	736.73
55400633	MR 315A 4 pole CU Horizontal + Vertical Elbow LH + LH	736.73
55400643	MR 315A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	853.78
55400653	MR 315A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	400.18
55400663	MR 315A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	400.18
55400673	MR 315A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	400.18
55400703	MR 315A 4 pole CU RH1 Horizontal Tee	544.49
55400713	MR 315A 4 pole CU RH Horizontal Tee	613.90
55400723	MR 315A 4 pole CU LH1 Horizontal Tee	613.90
55400733	MR 315A 4 pole CU LH2 Horizontal Tee	544.49
55400743	MR 315A 4 pole CU RH female Horizontal Tee bespoke dimensions	715.53
55400753	MR 315A 4 pole CU RH male female Horizontal Tee bespoke dimensions	784.93
55400763	MR 315A 4 pole CU LH female Horizontal Tee bespoke dimensions	784.93
55400773	MR 315A 4 pole CU LH male Horizontal Tee bespoke dimensions	715.53
55401003	MR 315A 4 pole CU RH Flange feed	239.51
55401013	MR 315A 4 pole CU LH Flange feed	298.55
55401123	MR 315A 4 pole CU RH End feed unit	403.78
55401133	MR 315A 4 pole CU LH End feed unit	465.45
55401203	MR 315A 4 pole CU Centre feed	651.35
55401703	MR 315A 4 pole CU RH Up In Line section isolator	POA
55401723	MR 315A 4 pole CU LH Up In Line section isolator	POA
55403003	MR 315A 4 pole CU Fourway	947.15
55403403	MR 315A 4 pole CU RH Up Switched end feed	2016.86
55403413	MR 315A 4 pole CU RH Down Switchedend feed	2111.05
55403423	MR 315A 4 pole CU LH Up Switched end feed	2058.99
55403433	MR 315A 4 pole CU LH Down Switchedend feed	2180.45

Zucchini MR medium rating busbar - 400A Aluminium

Cat no.	Description	Trade Price 2011
50400104	MR 400A 4 pole AL 3.0m length 3+3outlets	POA
50400114	MR 400A 4 pole AL 0.6 to 1.5m length No outlets	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400124	MR 400A AL 4P+PE 1501-2999mm Feeder Length	POA
50400144	MR 400A 4 pole AL 1.0 to 1.5m length 1+1outlets	POA
50400154	MR 400A 4 pole AL 1.5 to 2.0m length 2+2outlets	POA
50400244	MR 400A 4 pole AL 3.0m length No outlets	POA
50400254	MR 400A 4 pole AL 3.0m length 5 outlets	POA
50400304	MR 400A 4 pole AL RH Horizontal Elbow	POA
50400314	MR 400A 4 pole AL LH Horizontal Elbow	POA
50400324	MR 400A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	POA
50400334	MR 400A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	POA
50400344	MR 400A 4 pole AL RH + LH Horizontal Elbow	POA
50400354	MR 400A 4 pole AL LH + RH Horizontal Elbow	POA
50400364	MR 400A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	POA
50400374	MR 400A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	POA
50400404	MR 400A 4 pole AL RH Vertical Elbow	POA
50400414	MR 400A 4 pole AL LH Vertical Elbow	POA
50400424	MR 400A 4 pole AL RH Vertical Elbow Bespoke Dimensions	POA
50400434	MR 400A 4 pole AL LH Vertical Elbow Bespoke Dimensions	POA
50400444	MR 400A 4 pole AL RH + LH Vertical Elbow	POA
50400454	MR 400A 4 pole AL LH + RH Vertical Elbow	POA
50400464	MR 400A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	POA
50400474	MR 400A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	POA
50400504	MR 400A 4 pole AL Vertical + Horizontal Elbow RH + RH	POA
50400514	MR 400A 4 pole AL Vertical + Horizontal Elbow RH + LH	POA
50400524	MR 400A 4 pole AL Vertical + Horizontal Elbow LH + RH	POA
50400534	MR 400A 4 pole AL Vertical + Horizontal Elbow LH + LH	POA
50400544	MR 400A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
50400554	MR 400A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
50400564	MR 400A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
50400574	MR 400A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
50400604	MR 400A 4 pole AL Horizontal + Vertical Elbow RH + RH	POA
50400614	MR 400A 4 pole AL Horizontal + Vertical Elbow RH + LH	POA
50400624	MR 400A 4 pole AL Horizontal + Vertical Elbow LH + RH	POA
50400634	MR 400A 4 pole AL Horizontal + Vertical Elbow LH + LH	POA
50400644	MR 400A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
50400654	MR 400A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
50400664	MR 400A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
50400674	MR 400A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
50400704	MR 400A 4 pole AL RH female Horizontal Tee	POA
50400714	MR 400A 4 pole AL RH male female Horizontal Tee	POA
50400724	MR 400A 4 pole AL LH female Horizontal Tee	POA
50400734	MR 400A 4 pole AL LH male Horizontal Tee	POA
50400744	MR 400A 4 pole AL RH female Horizontal Tee bespoke dimensions	POA
50400754	MR 400A 4 pole AL RH male female Horizontal Tee bespoke dimensions	POA
50400764	MR 400A 4 pole AL LH female Horizontal Tee bespoke dimensions	POA
50400774	MR 400A 4 pole AL LH male Horizontal Tee bespoke dimensions	POA
50401004	MR 400A 4 pole AL RH Flange feed	POA
50401014	MR 400A 4 pole AL LH Flange feed	POA
50401124	MR 400A 4 pole AL RH End feed unit	POA
50401134	MR 400A 4 pole AL LH End feed unit	POA
50401204	MR 400A 4 pole AL Centre feed	POA
50401704	MR 400A 4 pole AL RH Up In Line section isolator	POA
50401724	MR 400A 4 pole AL LH Up In Line section isolator	POA
50403004	MR 400A 4 pole AL Fourway	POA
50403404	MR 400A 4 pole AL RH Up Switched end feed	POA
50403414	MR 400A 4 pole AL RH Down Switchedend feed	POA
50403424	MR 400A 4 pole AL LH Up Switched end feed	POA
50403434	MR 400A 4 pole AL LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 400A Copper

Cat no.	Description	Trade Price 2011
55400104	MR 400A 4 pole CU 3.0m length 3+3outlets	703.96
55400114	MR 400A 4 pole CU 0.6 to 1.5m length No outlets	462.70
55400124	MR 400A 4 pole CU 1.5 to 3m length No outlets	668.70
55400144	MR 400A 4 pole CU 1.0 to 1.5m length 1+1outlets	477.02
55400154	MR 400A 4 pole CU 1.5 to 3.0m length 2+2outlets	693.22
55400244	MR 400A 4 pole CU 3.0m length No outlets	675.04
55400254	MR 400A 4 pole CU 3.0m length 5 outlets	697.90
55400304	MR 400A 4 pole CU RH Horizontal Elbow	477.84
55400314	MR 400A 4 pole CU LH Horizontal Elbow	477.84
55400324	MR 400A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	708.09

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

55400334	MR 400A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	708.09
55400344	MR 400A 4 pole CU RH + LH Horizontal Elbow	706.71
55400354	MR 400A 4 pole CU LH + RH Horizontal Elbow	706.71
55400364	MR 400A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	815.50
55400374	MR 400A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	815.50
55400404	MR 400A 4 pole CU RH Vertical Elbow	417.25
55400414	MR 400A 4 pole CU LH Vertical Elbow	411.47
55400424	MR 400A 4 pole CU RH Vertical Elbow Bespoke Dimensions	586.63
55400434	MR 400A 4 pole CU LH Vertical Elbow Bespoke Dimensions	575.61
55400444	MR 400A 4 pole CU RH + LH Vertical Elbow	734.25
55400454	MR 400A 4 pole CU LH + RH Vertical Elbow	734.25
55400464	MR 400A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	844.97
55400474	MR 400A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	844.97
55400504	MR 400A 4 pole CU Vertical + Horizontal Elbow RH + RH	775.29
55400514	MR 400A 4 pole CU Vertical + Horizontal Elbow RH + LH	751.60
55400524	MR 400A 4 pole CU Vertical + Horizontal Elbow LH + RH	751.60
55400534	MR 400A 4 pole CU Vertical + Horizontal Elbow LH + LH	751.60
55400544	MR 400A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	949.90
55400554	MR 400A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	949.90
55400564	MR 400A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	949.90
55400574	MR 400A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	949.90
55400604	MR 400A 4 pole CU Horizontal + Vertical Elbow RH + RH	799.25
55400614	MR 400A 4 pole CU Horizontal + Vertical Elbow RH + LH	799.25
55400624	MR 400A 4 pole CU Horizontal + Vertical Elbow LH + RH	799.25
55400634	MR 400A 4 pole CU Horizontal + Vertical Elbow LH + LH	799.25
55400644	MR 400A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	949.90
55400654	MR 400A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	496.57
55400664	MR 400A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	496.57
55400674	MR 400A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	496.57
55400704	MR 400A 4 pole CU RH1 Horizontal Tee	613.62
55400714	MR 400A 4 pole CU RH Horizontal Tee	682.75
55400724	MR 400A 4 pole CU LH1 Horizontal Tee	682.75
55400734	MR 400A 4 pole CU LH2 Horizontal Tee	613.62
55400744	MR 400A 4 pole CU RH female Horizontal Tee bespoke dimensions	805.59
55400754	MR 400A 4 pole CU RH male female Horizontal Tee bespoke dimensions	874.44
55400764	MR 400A 4 pole CU LH female Horizontal Tee bespoke dimensions	874.44
55400774	MR 400A 4 pole CU LH male Horizontal Tee bespoke dimensions	805.59
55401004	MR 400A 4 pole CU RH Flange feed	269.93
55401014	MR 400A 4 pole CU LH Flange feed	326.92
55401124	MR 400A 4 pole CU RH End feed unit	437.02
55401134	MR 400A 4 pole CU LH End feed unit	493.82
55401204	MR 400A 4 pole CU Centre feed	637.03
55401704	MR 400A 4 pole CU RH Up In Line section isolator	POA
55401724	MR 400A 4 pole CU LH Up In Line section isolator	POA
55403004	MR 400A 4 pole CU Fourway	1027.57
55403404	MR 400A 4 pole CU RH Up Switched end feed	2152.63
55403414	MR 400A 4 pole CU RH Down Switchedend feed	2153.46
55403424	MR 400A 4 pole CU LH Up Switched end feed	2221.76
55403434	MR 400A 4 pole CU LH Down Switchedend feed	2222.59

Zucchini MR medium rating busbar - 500A Aluminium

Cat no.	Description	Trade Price 2011
50400108	MR 500A 4 pole AL 3.0m length 3+3outlets	POA
50400118	MR 500A 4 pole AL 0.6 to 1.5m length No outlets	POA
50400128	MR 500A AL 4P+PE 1501-2999mm Feeder Length	POA
50400148	MR 500A 4 pole AL 1.0 to 1.5m length 1+1outlets	POA
50400158	MR 500A 4 pole AL 1.5 to 2.0m length 2+2outlets	POA
50400248	MR 500A 4 pole AL 3.0m length No outlets	POA
50400258	MR 500A 4 pole AL 3.0m length 5 outlets	POA
50400308	MR 500A 4 pole AL RH Horizontal Elbow	POA
50400318	MR 500A 4 pole AL LH Horizontal Elbow	POA
50400328	MR 500A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	POA
50400338	MR 500A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	POA
50400348	MR 500A 4 pole AL RH + LH Horizontal Elbow	POA
50400358	MR 500A 4 pole AL LH + RH Horizontal Elbow	POA
50400368	MR 500A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	POA
50400378	MR 500A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	POA
50400408	MR 500A 4 pole AL RH Vertical Elbow	POA
50400418	MR 500A 4 pole AL LH Vertical Elbow	POA
50400428	MR 500A 4 pole AL RH Vertical Elbow Bespoke Dimensions	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400438	MR 500A 4 pole AL LH Vertical Elbow Bespoke Dimensions	POA
50400448	MR 500A 4 pole AL RH + LH Vertical Elbow	POA
50400458	MR 500A 4 pole AL LH + RH Vertical Elbow	POA
50400468	MR 500A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	POA
50400478	MR 500A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	POA
50400508	MR 500A 4 pole AL Vertical + Horizontal Elbow RH + RH	POA
50400518	MR 500A 4 pole AL Vertical + Horizontal Elbow RH + LH	POA
50400528	MR 500A 4 pole AL Vertical + Horizontal Elbow LH + RH	POA
50400538	MR 500A 4 pole AL Vertical + Horizontal Elbow LH + LH	POA
50400548	MR 500A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
50400558	MR 500A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
50400568	MR 500A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
50400578	MR 500A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
50400608	MR 500A 4 pole AL Horizontal + Vertical Elbow RH + RH	POA
50400618	MR 500A 4 pole AL Horizontal + Vertical Elbow RH + LH	POA
50400628	MR 500A 4 pole AL Horizontal + Vertical Elbow LH + RH	POA
50400638	MR 500A 4 pole AL Horizontal + Vertical Elbow LH + LH	POA
50400648	MR 500A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
50400658	MR 500A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
50400668	MR 500A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
50400678	MR 500A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
50400708	MR 500A 4 pole AL RH female Horizontal Tee	POA
50400718	MR 500A 4 pole AL RH male female Horizontal Tee	POA
50400728	MR 500A 4 pole AL LH female Horizontal Tee	POA
50400738	MR 500A 4 pole AL LH male Horizontal Tee	POA
50400748	MR 500A 4 pole AL RH female Horizontal Tee bespoke dimensions	POA
50400758	MR 500A 4 pole AL RH male female Horizontal Tee bespoke dimensions	POA
50400768	MR 500A 4 pole AL LH female Horizontal Tee bespoke dimensions	POA
50400778	MR 500A 4 pole AL LH male Horizontal Tee bespoke dimensions	POA
50401008	MR 500A 4 pole AL RH Flange feed	POA
50401018	MR 500A 4 pole AL LH Flange feed	POA
50401128	MR 500A 4 pole AL RH End feed unit	POA
50401138	MR 500A 4 pole AL LH End feed unit	POA
50401208	MR 500A 4 pole AL Centre feed	POA
50401708	MR 500A 4 pole AL RH Up In Line section isolator	POA
50401728	MR 500A 4 pole AL LH Up In Line section isolator	POA
50403008	MR 500A 4 pole AL Fourway	POA
50403408	MR 500A 4 pole AL RH Up Switched end feed	POA
50403418	MR 500A 4 pole AL RH Down Switchedend feed	POA
50403428	MR 500A 4 pole AL LH Up Switched end feed	POA
50403438	MR 500A 4 pole AL LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 630A Aluminium

Cat no.	Description	Trade Price 2011
50400105	MR 630A 4 pole AL 3.0m length 3+3outlets	POA
50400115	MR 630A 4 pole AL 0.6 to 1.5m length No outlets	POA
50400125	MR 630A AL 4P+PE 1501-2999mm Feeder Length	POA
50400145	MR 630A 4 pole AL 1.0 to 1.5m length 1+1outlets	POA
50400155	MR 630A 4 pole AL 1.5 to 2.0m length 2+2outlets	POA
50400245	MR 630A 4 pole AL 3.0m length No outlets	POA
50400255	MR 630A 4 pole AL 3.0m length 5 outlets	POA
50400305	MR 630A 4 pole AL RH Horizontal Elbow	POA
50400315	MR 630A 4 pole AL LH Horizontal Elbow	POA
50400325	MR 630A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	POA
50400335	MR 630A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	POA
50400345	MR 630A 4 pole AL RH + LH Horizontal Elbow	POA
50400355	MR 630A 4 pole AL LH + RH Horizontal Elbow	POA
50400365	MR 630A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	POA
50400375	MR 630A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	POA
50400405	MR 630A 4 pole AL RH Vertical Elbow	POA
50400415	MR 630A 4 pole AL LH Vertical Elbow	POA
50400425	MR 630A 4 pole AL RH Vertical Elbow Bespoke Dimensions	POA
50400435	MR 630A 4 pole AL LH Vertical Elbow Bespoke Dimensions	POA
50400445	MR 630A 4 pole AL RH + LH Vertical Elbow	POA
50400455	MR 630A 4 pole AL LH + RH Vertical Elbow	POA
50400465	MR 630A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	POA
50400475	MR 630A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	POA
50400505	MR 630A 4 pole AL Vertical + Horizontal Elbow RH + RH	POA
50400515	MR 630A 4 pole AL Vertical + Horizontal Elbow RH + LH	POA
50400525	MR 630A 4 pole AL Vertical + Horizontal Elbow LH + RH	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400535	MR 630A 4 pole AL Vertical + Horizontal Elbow LH + LH	POA
50400545	MR 630A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
50400555	MR 630A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
50400565	MR 630A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
50400575	MR 630A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
50400605	MR 630A 4 pole AL Horizontal + Vertical Elbow RH + RH	POA
50400615	MR 630A 4 pole AL Horizontal + Vertical Elbow RH + LH	POA
50400625	MR 630A 4 pole AL Horizontal + Vertical Elbow LH + RH	POA
50400635	MR 630A 4 pole AL Horizontal + Vertical Elbow LH + LH	POA
50400645	MR 630A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
50400655	MR 630A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
50400665	MR 630A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
50400675	MR 630A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
50400705	MR 630A 4 pole AL RH female Horizontal Tee	POA
50400715	MR 630A 4 pole AL RH male female Horizontal Tee	POA
50400725	MR 630A 4 pole AL LH female Horizontal Tee	POA
50400735	MR 630A 4 pole AL LH male Horizontal Tee	POA
50400745	MR 630A 4 pole AL RH female Horizontal Tee bespoke dimensions	POA
50400755	MR 630A 4 pole AL RH male female Horizontal Tee bespoke dimensions	POA
50400765	MR 630A 4 pole AL LH female Horizontal Tee bespoke dimensions	POA
50400775	MR 630A 4 pole AL LH male Horizontal Tee bespoke dimensions	POA
50401005	MR 630A 4 pole AL RH Flange feed	POA
50401015	MR 630A 4 pole AL LH Flange feed	POA
50401125	MR 630A 4 pole AL RH End feed unit	POA
50401135	MR 630A 4 pole AL LH End feed unit	POA
50401205	MR 630A 4 pole AL Centre feed	POA
50401705	MR 630A 4 pole AL RH Up In Line section isolator	POA
50401725	MR 630A 4 pole AL LH Up In Line section isolator	POA
50403005	MR 630A 4 pole AL Fourway	POA
50403405	MR 630A 4 pole AL RH Up Switched end feed	POA
50403415	MR 630A 4 pole AL RH Down Switchedend feed	POA
50403425	MR 630A 4 pole AL LH Up Switched end feed	POA
50403435	MR 630A 4 pole AL LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 630A Copper

Cat no.	Description	Trade Price 2011
55400105	MR 630A 4 pole CU 3.0m length 3+3outlets	POA
55400115	MR 630A 4 pole CU 0.6 to 1.5m length No outlets	POA
55400125	MR 630A 4 pole CU 1.5 to 3m length No outlets	POA
55400145	MR 630A 4 pole CU 1.0 to 1.5m length 1+1outlets	POA
55400155	MR 630A 4 pole CU 1.5 to 3.0m length 2+2outlets	POA
55400245	MR 630A 4 pole CU 3.0m length No outlets	POA
55400255	MR 630A 4 pole CU 3.0m length 5 outlets	POA
55400305	MR 630A 4 pole CU RH Horizontal Elbow	POA
55400315	MR 630A 4 pole CU LH Horizontal Elbow	POA
55400325	MR 630A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	POA
55400335	MR 630A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	POA
55400345	MR 630A 4 pole CU RH + LH Horizontal Elbow	POA
55400355	MR 630A 4 pole CU LH + RH Horizontal Elbow	POA
55400365	MR 630A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	POA
55400375	MR 630A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	POA
55400405	MR 630A 4 pole CU RH Vertical Elbow	POA
55400415	MR 630A 4 pole CU LH Vertical Elbow	POA
55400425	MR 630A 4 pole CU RH Vertical Elbow Bespoke Dimensions	POA
55400435	MR 630A 4 pole CU LH Vertical Elbow Bespoke Dimensions	POA
55400445	MR 630A 4 pole CU RH + LH Vertical Elbow	POA
55400455	MR 630A 4 pole CU LH + RH Vertical Elbow	POA
55400465	MR 630A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	POA
55400475	MR 630A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	POA
55400505	MR 630A 4 pole CU Vertical + Horizontal Elbow RH + RH	POA
55400515	MR 630A 4 pole CU Vertical + Horizontal Elbow RH + LH	POA
55400525	MR 630A 4 pole CU Vertical + Horizontal Elbow LH + RH	POA
55400535	MR 630A 4 pole CU Vertical + Horizontal Elbow LH + LH	POA
55400545	MR 630A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
55400555	MR 630A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
55400565	MR 630A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
55400575	MR 630A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
55400605	MR 630A 4 pole CU Horizontal + Vertical Elbow RH + RH	POA
55400615	MR 630A 4 pole CU Horizontal + Vertical Elbow RH + LH	POA
55400625	MR 630A 4 pole CU Horizontal + Vertical Elbow LH + RH	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

55400635	MR 630A 4 pole CU Horizontal + Vertical Elbow LH + LH	POA
55400645	MR 630A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
55400655	MR 630A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
55400665	MR 630A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
55400675	MR 630A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
55400705	MR 630A 4 pole CU RH1 Horizontal Tee	POA
55400715	MR 630A 4 pole CU RH Horizontal Tee	POA
55400725	MR 630A 4 pole CU LH1 Horizontal Tee	POA
55400735	MR 630A 4 pole CU LH2 Horizontal Tee	POA
55400745	MR 630A 4 pole CU RH female Horizontal Tee bespoke dimensions	POA
55400755	MR 630A 4 pole CU RH male female Horizontal Tee bespoke dimensions	POA
55400765	MR 630A 4 pole CU LH female Horizontal Tee bespoke dimensions	POA
55400775	MR 630A 4 pole CU LH male Horizontal Tee bespoke dimensions	POA
55401005	MR 630A 4 pole CU RH Flange feed	POA
55401015	MR 630A 4 pole CU LH Flange feed	POA
55401125	MR 630A 4 pole CU RH End feed unit	POA
55401135	MR 630A 4 pole CU LH End feed unit	POA
55401205	MR 630A 4 pole CU Centre feed	POA
55401705	MR 630A 4 pole CU RH Up In Line section isolator	POA
55401725	MR 630A 4 pole CU LH Up In Line section isolator	POA
55403005	MR 630A 4 pole CU Fourway	POA
55403405	MR 630A 4 pole CU RH Up Switched end feed	POA
55403415	MR 630A 4 pole CU RH Down Switchedend feed	POA
55403425	MR 630A 4 pole CU LH Up Switched end feed	POA
55403435	MR 630A 4 pole CU LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 800A Aluminium

Cat no.	Description	Trade Price 2011
50400106	MR 800A 4 pole AL 3.0m length 3+3outlets	POA
50400116	MR 800A 4 pole AL 0.6 to 1.5m length No outlets	POA
50400126	MR 800A AL 4P+PE 1501-2999mm Feeder Length	POA
50400146	MR 800A 4 pole AL 1.0 to 1.5m length 1+1outlets	POA
50400156	MR 800A 4 pole AL 1.5 to 2.0m length 2+2outlets	POA
50400246	MR 800A 4 pole AL 3.0m length No outlets	POA
50400256	MR 800A 4 pole AL 3.0m length 5 outlets	POA
50400306	MR 800A 4 pole AL RH Horizontal Elbow	POA
50400316	MR 800A 4 pole AL LH Horizontal Elbow	POA
50400326	MR 800A 4 pole AL RH Horizontal Elbow Bespoke Dimensions	POA
50400336	MR 800A 4 pole AL LH Horizontal Elbow Bespoke Dimensions	POA
50400346	MR 800A 4 pole AL RH + LH Horizontal Elbow	POA
50400356	MR 800A 4 pole AL LH + RH Horizontal Elbow	POA
50400366	MR 800A 4 pole AL RH + LH Horizontal Elbow Bespoke Dimensions	POA
50400376	MR 800A 4 pole AL LH + RH Horizontal Elbow Bespoke Dimensions	POA
50400406	MR 800A 4 pole AL RH Vertical Elbow	POA
50400416	MR 800A 4 pole AL LH Vertical Elbow	POA
50400426	MR 800A 4 pole AL RH Vertical Elbow Bespoke Dimensions	POA
50400436	MR 800A 4 pole AL LH Vertical Elbow Bespoke Dimensions	POA
50400446	MR 800A 4 pole AL RH + LH Vertical Elbow	POA
50400456	MR 800A 4 pole AL LH + RH Vertical Elbow	POA
50400466	MR 800A 4 pole AL RH + LH Vertical Elbow Bespoke Dimensions	POA
50400476	MR 800A 4 pole AL LH + RH Vertical Elbow Bespoke Dimensions	POA
50400506	MR 800A 4 pole AL Vertical + Horizontal Elbow RH + RH	POA
50400516	MR 800A 4 pole AL Vertical + Horizontal Elbow RH + LH	POA
50400526	MR 800A 4 pole AL Vertical + Horizontal Elbow LH + RH	POA
50400536	MR 800A 4 pole AL Vertical + Horizontal Elbow LH + LH	POA
50400546	MR 800A 4 pole AL Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
50400556	MR 800A 4 pole AL Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
50400566	MR 800A 4 pole AL Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
50400576	MR 800A 4 pole AL Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
50400606	MR 800A 4 pole AL Horizontal + Vertical Elbow RH + RH	POA
50400616	MR 800A 4 pole AL Horizontal + Vertical Elbow RH + LH	POA
50400626	MR 800A 4 pole AL Horizontal + Vertical Elbow LH + RH	POA
50400636	MR 800A 4 pole AL Horizontal + Vertical Elbow LH + LH	POA
50400646	MR 800A 4 pole AL Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
50400656	MR 800A 4 pole AL Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
50400666	MR 800A 4 pole AL Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
50400676	MR 800A 4 pole AL Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
50400706	MR 800A 4 pole AL RH female Horizontal Tee	POA
50400716	MR 800A 4 pole AL RH male female Horizontal Tee	POA
50400726	MR 800A 4 pole AL LH female Horizontal Tee	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50400736	MR 800A 4 pole AL LH male Horizontal Tee	POA
50400746	MR 800A 4 pole AL RH female Horizontal Tee bespoke dimensions	POA
50400756	MR 800A 4 pole AL RH male female Horizontal Tee bespoke dimensions	POA
50400766	MR 800A 4 pole AL LH female Horizontal Tee bespoke dimensions	POA
50400776	MR 800A 4 pole AL LH male Horizontal Tee bespoke dimensions	POA
50401006	MR 800A 4 pole AL RH Flange feed	POA
50401016	MR 800A 4 pole AL LH Flange feed	POA
50401126	MR 800A 4 pole AL RH End feed unit	POA
50401136	MR 800A 4 pole AL LH End feed unit	POA
50401206	MR 800A 4 pole AL Centre feed	POA
50401706	MR 800A 4 pole AL RH Up In Line section isolator	POA
50401726	MR 800A 4 pole AL LH Up In Line section isolator	POA
50403006	MR 800A 4 pole AL Fourway	POA
50403406	MR 800A 4 pole AL RH Up Switched end feed	POA
50403416	MR 800A 4 pole AL RH Down Switchedend feed	POA
50403426	MR 800A 4 pole AL LH Up Switched end feed	POA
50403436	MR 800A 4 pole AL LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 800A Copper

Cat no.	Description	Trade Price 2011
55400106	MR 800A 4 pole CU 3.0m length 3+3outlets	POA
55400116	MR 800A 4 pole CU 0.6 to 1.5m length No outlets	POA
55400126	MR 800A 4 pole CU 1.5 to 3m length No outlets	POA
55400146	MR 800A 4 pole CU 1.0 to 1.5m length 1+1outlets	POA
55400156	MR 800A 4 pole CU 1.5 to 3.0m length 2+2outlets	POA
55400246	MR 800A 4 pole CU 3.0m length No outlets	POA
55400256	MR 800A 4 pole CU 3.0m length 5 outlets	POA
55400306	MR 800A 4 pole CU RH Horizontal Elbow	POA
55400316	MR 800A 4 pole CU LH Horizontal Elbow	POA
55400326	MR 800A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	POA
55400336	MR 800A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	POA
55400346	MR 800A 4 pole CU RH + LH Horizontal Elbow	POA
55400356	MR 800A 4 pole CU LH + RH Horizontal Elbow	POA
55400366	MR 800A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	POA
55400376	MR 800A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	POA
55400406	MR 800A 4 pole CU RH Vertical Elbow	POA
55400416	MR 800A 4 pole CU LH Vertical Elbow	POA
55400426	MR 800A 4 pole CU RH Vertical Elbow Bespoke Dimensions	POA
55400436	MR 800A 4 pole CU LH Vertical Elbow Bespoke Dimensions	POA
55400446	MR 800A 4 pole CU RH + LH Vertical Elbow	POA
55400456	MR 800A 4 pole CU LH + RH Vertical Elbow	POA
55400466	MR 800A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	POA
55400476	MR 800A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	POA
55400506	MR 800A 4 pole CU Vertical + Horizontal Elbow RH + RH	POA
55400516	MR 800A 4 pole CU Vertical + Horizontal Elbow RH + LH	POA
55400526	MR 800A 4 pole CU Vertical + Horizontal Elbow LH + RH	POA
55400536	MR 800A 4 pole CU Vertical + Horizontal Elbow LH + LH	POA
55400546	MR 800A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
55400556	MR 800A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
55400566	MR 800A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
55400576	MR 800A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
55400606	MR 800A 4 pole CU Horizontal + Vertical Elbow RH + RH	POA
55400616	MR 800A 4 pole CU Horizontal + Vertical Elbow RH + LH	POA
55400626	MR 800A 4 pole CU Horizontal + Vertical Elbow LH + RH	POA
55400636	MR 800A 4 pole CU Horizontal + Vertical Elbow LH + LH	POA
55400646	MR 800A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
55400656	MR 800A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
55400666	MR 800A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
55400676	MR 800A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
55400706	MR 800A 4 pole CU RH1 Horizontal Tee	POA
55400716	MR 800A 4 pole CU RH Horizontal Tee	POA
55400726	MR 800A 4 pole CU LH1 Horizontal Tee	POA
55400736	MR 800A 4 pole CU LH2 Horizontal Tee	POA
55400746	MR 800A 4 pole CU RH female Horizontal Tee bespoke dimensions	POA
55400756	MR 800A 4 pole CU RH male female Horizontal Tee bespoke dimensions	POA
55400766	MR 800A 4 pole CU LH female Horizontal Tee bespoke dimensions	POA
55400776	MR 800A 4 pole CU LH male Horizontal Tee bespoke dimensions	POA
55401006	MR 800A 4 pole CU RH Flange feed	POA
55401016	MR 800A 4 pole CU LH Flange feed	POA
55401126	MR 800A 4 pole CU RH End feed unit	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

55401136	MR 800A 4 pole CU LH End feed unit	POA
55401206	MR 800A 4 pole CU Centre feed	POA
55401706	MR 800A 4 pole CU RH Up In Line section isolator	POA
55401726	MR 800A 4 pole CU LH Up In Line section isolator	POA
55403006	MR 800A 4 pole CU Fourway	POA
55403406	MR 800A 4 pole CU RH Up Switched end feed	POA
55403416	MR 800A 4 pole CU RH Down Switchedend feed	POA
55403426	MR 800A 4 pole CU LH Up Switched end feed	POA
55403436	MR 800A 4 pole CU LH Down Switchedend feed	POA

Zucchini MR medium rating busbar - 1000A Copper

Cat no.	Description	Trade Price 2011
55400107	MR 1000A 4 pole CU 3.0m length 3+3outlets	POA
55400117	MR 1000A 4 pole CU 0.6 to 1.5m length Nooutlets	POA
55400127	MR 1000A 4 pole CU 1.5 to 3m length Nooutlets	POA
55400147	MR 1000A 4 pole CU 1.0 to 1.5m length 1+1outlets	POA
55400158	MR 1000A 4 pole CU 1.5 to 3.0m length 2+2outlets	POA
55400247	MR 1000A 4 pole CU 3.0m length Nooutlets	POA
55400257	MR 1000A 4 pole CU 3.0m length 5 outlets	POA
55400307	MR 1000A 4 pole CU RH Horizontal Elbow	POA
55400317	MR 1000A 4 pole CU LH Horizontal Elbow	POA
55400327	MR 1000A 4 pole CU RH Horizontal Elbow Bespoke Dimensions	POA
55400337	MR 1000A 4 pole CU LH Horizontal Elbow Bespoke Dimensions	POA
55400347	MR 1000A 4 pole CU RH + LH Horizontal Elbow	POA
55400357	MR 1000A 4 pole CU LH + RH Horizontal Elbow	POA
55400367	MR 1000A 4 pole CU RH + LH Horizontal Elbow Bespoke Dimensions	POA
55400377	MR 1000A 4 pole CU LH + RH Horizontal Elbow Bespoke Dimensions	POA
55400407	MR 1000A 4 pole CU RH Vertical Elbow	POA
55400417	MR 1000A 4 pole CU LH Vertical Elbow	POA
55400427	MR 1000A 4 pole CU RH Vertical Elbow Bespoke Dimensions	POA
55400437	MR 1000A 4 pole CU LH Vertical Elbow Bespoke Dimensions	POA
55400447	MR 1000A 4 pole CU RH + LH Vertical Elbow	POA
55400457	MR 1000A 4 pole CU LH + RH Vertical Elbow	POA
55400467	MR 1000A 4 pole CU RH + LH Vertical Elbow Bespoke Dimensions	POA
55400477	MR 1000A 4 pole CU LH + RH Vertical Elbow Bespoke Dimensions	POA
55400507	MR 1000A 4 pole CU Vertical + Horizontal Elbow RH + RH	POA
55400517	MR 1000A 4 pole CU Vertical + Horizontal Elbow RH + LH	POA
55400527	MR 1000A 4 pole CU Vertical + Horizontal Elbow LH + RH	POA
55400537	MR 1000A 4 pole CU Vertical + Horizontal Elbow LH + LH	POA
55400547	MR 1000A 4 pole CU Vertical + Horizontal Elbow RH + RH bespoke dimensions	POA
55400557	MR 1000A 4 pole CU Vertical + Horizontal Elbow RH + LH bespoke dimensions	POA
55400567	MR 1000A 4 pole CU Vertical + Horizontal Elbow LH + RH bespoke dimensions	POA
55400577	MR 1000A 4 pole CU Vertical + Horizontal Elbow LH + LH bespoke dimensions	POA
55400607	MR 1000A 4 pole CU Horizontal + Vertical Elbow RH + RH	POA
55400617	MR 1000A 4 pole CU Horizontal + Vertical Elbow RH + LH	POA
55400627	MR 1000A 4 pole CU Horizontal + Vertical Elbow LH + RH	POA
55400637	MR 1000A 4 pole CU Horizontal + Vertical Elbow LH + LH	POA
55400647	MR 1000A 4 pole CU Horizontal + Vertical Elbow RH + RH bespoke dimensions	POA
55400657	MR 1000A 4 pole CU Horizontal + Vertical Elbow RH + LH bespoke dimensions	POA
55400667	MR 1000A 4 pole CU Horizontal + Vertical Elbow LH + RH bespoke dimensions	POA
55400677	MR 1000A 4 pole CU Horizontal + Vertical Elbow LH + LH bespoke dimensions	POA
55400707	MR 1000A 4 pole CU RH1 Horizontal Tee	POA
55400717	MR 1000A 4 pole CU RH Horizontal Tee	POA
55400727	MR 1000A 4 pole CU LH1 Horizontal Tee	POA
55400737	MR 1000A 4 pole CU LH2 Horizontal Tee	POA
55400747	MR 1000A 4 pole CU RH female Horizontal Tee bespoke dimensions	POA
55400757	MR 1000A 4 pole CU RH male female Horizontal Tee bespoke dimensions	POA
55400767	MR 1000A 4 pole CU LH female Horizontal Tee bespoke dimensions	POA
55400777	MR 1000A 4 pole CU LH male Horizontal Tee bespoke dimensions	POA
55401007	MR 1000A 4 pole CU RH Flange feed	POA
55401017	MR 1000A 4 pole CU LH Flange feed	POA
55401127	MR 1000A 4 pole CU RH End feed unit	POA
55401137	MR 1000A 4 pole CU LH End feed unit - Unswitched	POA
55401207	MR 1000A 4 pole CU Centre feed	POA
55401707	MR 1000A 4 pole CU RH Up In Line section isolator	POA
55401727	MR 1000A 4 pole CU LH Up In Line section isolator	POA
55403007	MR 1000A 4 pole CU Fourway	POA
55403407	MR 1000A 4 pole CU RH Up Switchedend feed	POA
55403417	MR 1000A 4 pole CU RH Down Switched end feed	POA
55403427	MR 1000A 4 pole CU LH Up Switchedend feed	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

55403437	MR 1000A 4 pole CU LH Down Switched end feed	POA
----------	--	-----

Zucchini MR medium rating busbar - End covers and fire barriers

Cat no.	Description	Trade Price 2011
50403101	MR single bar End Cover	33.60
50403102	MR double bar End Cover	POA
554EFB01	MR External Firebarrier type 1	300.48
554EFB02	MR External Firebarrier type 2	POA
554IFB01	MR 160A AL & 250A CU 4 pole Internal Firebarrier	243.73
554IFB02	MR 250A AL & 315A CU 4 pole Internal Firebarrier	230.77
554IFB03	MR 315A 4 pole AL Internal Firebarrier	244.01
554IFB04	MR 400A AL & 630A CU 4 pole Internal Firebarrier	244.01
554IFB05	MR 400A 4 pole CU Internal Firebarrier	240.07
554IFB06	MR 500A AL & 800A CU 4 pole Internal Firebarrier	POA
554IFB07	MR 630A AL & 1000A CU 4 pole Internal Firebarrier	POA
554IFB08	MR 800A 4 pole AL Internal Firebarrier	POA

Zucchini MR medium rating busbar - Accessories

Cat no.	Description	Trade Price 2011
50403711	MR Vertical Bracket for rising main	65.55
50403712	MR Vertical Spring Bracket for rising main	75.74
50630110	MR Triple cable channel 3m	POA
50632001	MR HGR Bracket - Type 1 0	8.26
50632003	MR HGR Bracket - Type 2 0	9.64
50632201	MR Ceiling fixing bracket base	POA
50632202	MR Ceiling fixing bracket strut 500mm	POA
50632203	MR Ceiling fixing bracket strut 1m	POA
50632204	MR Ceiling fixing bracket strut 2m	POA
50632205	MR Wall Spacerbracket 0	4.23
50632210	MR Beam fixing bracket shelf base	7.16
50632211	MR Beam fixing bracket clamp	1.93
50632212	MR Wall fixing bracket 450mm	POA
50632213	MR Wall fixing bracket 550mm	POA
50632214	MR Wall fixing bracket 750mm	POA

Zucchini MR medium rating busbar - Tap-offs

Cat no.	Description	Trade Price 2011
50401801	MR tap-off Metal Bolt-On 630 Amp TP&N Switch Fuse for 630A ALU	2530.23
50401802	MR tap-off Metal Bolt-On 630 Amp TP&N Switch Fuse for 800A ALU	2539.87
50401804	MR tap-off Metal Bolt-On 800 Amp TP&N Switch Fuse for 800A ALU	3021.56
50404004	MR tap-off Plastic 160 Amp TP&N Fusible NH0	173.51
50411601	MR tap-off Metal Plug-In 63 Amp TP&N Switch Fuse	900.88
50411622	MR tap-off Metal Plug-In 125 Amp TP&N Switch Fuse	858.19
50411623	MR tap-off Metal Plug-In 160 Amp TP&N Switch Fuse	877.74
50411624	MR tap-off Metal Plug-In 250 Amp TP&N Switch Fuse	1870.34
50411625	MR tap-off Metal Plug-In 400 Amp TP&N Switch Fuse	2083.51
50411646	MR tap-off Metal Plug-In 630 Amp TP&N Switch Fuse	2648.10
50414001	MR tap-off Metal Plug-In 63 Amp Empty	442.31
50414002	MR tap-off Metal Plug-In 125 Amp Empty	441.76
50414003	MR tap-off Metal Plug-In 160 Amp Empty	442.31
50414004	MR tap-off Metal Plug-In 250 Amp Empty	1511.75
50414005	MR tap-off Metal Plug-In 630 Amp Empty	1706.46
50414021	MR tap-off Metal Plug-In 63 Amp TP&NFusible 22 x 58	546.42
50414022	MR tap-off Metal Plug-In 125 Amp TP&N Fusible NH 00	504.56
50414023	MR tap-off Metal Plug-In 160 Amp TP&N Fusible NH 00	504.56
50414024	MR tap-off Metal Plug-In 250 Amp TP&N Fusible NH 2	1788.81
50414025	MR tap-off Metal Plug-In 630 Amp TP&N Fusible NH 3	2094.52
50414061	MR tap-off Plastic 32A Tp&n DIN rail (8 mod)	POA
50414062	MR tap-off Plastic 32A Tp&n Fusible unit Excluding fuses 10x38mm	73.26
50414063	MR tap-off Plastic 32 Amp 4 Module with window	101.63
50414064	MR tap-off Plastic 32 Amp 8 Module with window	103.28
50414068	MR tap-off Plastic 16A 3xD01 fuseholders & DIN rail (8 mod)	POA
50414069	MR tap-off Plastic 32A 3xD02 fuseholders & DIN rail (8 mod)	POA
50414071	MR tap-off Plastic 32A Tp&n DIN rail (12 mod)	POA
50414075	MR tap-off Plastic 32 Amp 12 Module with window	94.47
50414101	MR tap-off Plastic 10A 3x1P MCB type B, DIN rail (8 mod)	POA
50414102	MR tap-off Plastic 10A 3x1P+N MCB type B, DIN rail (8 mod)	POA
50414103	MR tap-off Plastic 10A 3P MCB type B, DIN rail (8 mod)	POA

The Power Distribution Division of Legrand Electric Ltd. Trade Price List March 2011

Tel: 0845 600 6266 | Fax: 0845 600 6760 | Email: powersales.uk@legrand.co.uk | Web: www.legrand.co.uk

50414123	MR tap-off Plastic 16A 3x1P MCB type B, DIN rail (8 mod), 3N & 3PE terminals	POA
50414124	MR tap-off Plastic 16A 3x1P+N MCB type B, DIN rail (8 mod), 3N & 3PE terminals	POA
50414125	MR tap-off Plastic 16A 3P MCB type B, DIN rail (8 mod), 3N & 3PE terminals	POA
50414126	MR tap-off Plastic 16A 4P MCB type B, DIN rail (8 mod), 3N & 3PE terminals	POA
50414127	MR tap-off Plastic 16A 3P MCB type C, DIN rail (4 mod)	POA
50414128	MR tap-off Plastic 16A 4P MCB type C, DIN rail (4 mod)	POA
50414129	MR tap-off Plastic 16A 3P MCB type B, DIN rail (4 mod)	POA
50414130	MR tap-off Plastic 16A 4P MCB type B, DIN rail (4 mod)	POA
50414141	MR tap-off Plastic 32A 3P MCB type C, DIN rail (8 mod), 3N & 3PE terminals	POA
50414142	MR tap-off Plastic 32A 4P MCB type C, DIN rail (8 mod), 3N & 3PE terminals	POA
50414143	MR tap-off Plastic 32A 3P MCB type C, DIN rail (4 mod)	POA
50414144	MR tap-off Plastic 32A 4P MCB type C, DIN rail (4 mod)	POA
50414161	MR tap-off Plastic 16A 3xD01 fuseholders & DIN rail (8 mod), 2xC EE 3P+N+E 16A	POA
50414162	MR tap-off Plastic 16A 3xD01 fuseholders & DIN rail (8 mod), 1xC EE 3P+N+E 16A	POA
50414171	MR tap-off Plastic 32A 3xD02 fuseholders & DIN rail (8 mod), 1xC EE 3P+N+E 32A	POA
50414181	MR tap-off Plastic 16A 3x1P+N MCB type C & DIN rail (8 mod), 3xC EE 2P+E 16A	POA
50414182	MR tap-off Plastic 16A 3x1P MCB type C, DIN rail (8 mod), 3xC EE 2P+E	POA
50414183	MR tap-off Plastic 16A 3P MCB type C, DIN rail (8 mod), 3xC EE 2P+E	POA
50414184	MR tap-off Plastic 16A 3P MCB type C, DIN rail (8 mod), 2xC EE 3P+N+E	165.25
50414185	MR tap-off Plastic 16A 4P MCB type C, DIN rail (8 mod), 2xC EE 3P+N+E	POA
50414186	MR tap-off Plastic 16A 3P MCB type C, DIN rail (8 mod), 1xC EE 3P+N+E	132.47
50414187	MR tap-off Plastic 16A 4P MCB type C, DIN rail (8 mod), 1xC EE 3P+N+E	POA
50414191	MR tap-off Plastic 32A 3P MCB type C, DIN rail (8 mod), 1xC EE 3P+N+E	POA
50414192	MR tap-off Plastic 32A 4P MCB type C, DIN rail (8 mod), 1xC EE 2P+E	POA
50414241	MR tap-off Plastic 32A, 3xN & 3PE terminals, DIN rail (8 mod)	POA
50414281	MR tap-off Plastic 16A ready for MCB, (8 mod), 3xC EE 2P+E	134.68
50414282	MR tap-off Plastic 16A ready for MCB, (8 mod), 2xC EE 3P+N+E	POA
50414291	MR tap-off Plastic 32A ready for MCB, (8 mod), 2xC EE 3P+N+E	POA
55040024	MR tap-off Plastic 160 Amp 4 Module with window	POA
55055053	MR tap-off Plastic 125 Amp TP&N Fusible NH0	150.38
55055055	MR tap-off Plastic 125 Amp Modular empty	134.95
55055056	MR tap-off Plastic 125 Amp 8 Module with window	155.61
55055057	MR tap-off Plastic 125 Amp TP&N Fusible NH00	POA
55055059	MR tap-off Plastic 400 Amp Modular empty	POA
55055062	MR tap-off Plastic 63 Amp TP&N Fusible BS88	114.57
55055063	MR tap-off Plastic 100 Amp TP&N Fusible BS88	144.04
55055066	MR tap-off Plastic 125 Amp 4 Module with window	201.05
55055068	MR tap-off Metal 125 Amp 11 Module with window	266.05
55055070	MR tap-off Metal 400A 7 Mod with window(50% N)	648.05
55055071	MR tap-off Metal 400A 11+11 Mod + wind(50% N)	783.83
55055086	MR tap-off Plastic 63 Amp 8 Module with window	162.49
55055088	MR tap-off Metal 63 Amp 11 Module with window	268.53
55401801	MR tap-off Metal Bolt-On 630 Amp TP&N Switch Fuse for 630A CU	POA
55401802	MR tap-off Metal Bolt-On 630 Amp TP&N Switch Fuse for 800A CU	POA
55401803	MR tap-off Metal Bolt-On 630 Amp TP&N Switch Fuse for 1000A CU	POA
55401804	MR tap-off Metal Bolt-On 800 Amp TP&N Switch Fuse for 800A CU	POA
55401805	MR tap-off Metal Bolt-On 800 Amp TP&N Switch Fuse for 1000A CU	POA
55401806	MR tap-off Metal Bolt-On 1000 Amp TP&N Switch Fuse for 1000A CU	POA
55655051	MR tap-off Plastic 32 Amp TP&N Fusible 10 x 38	46.82
55655057	MR tap-off Metal 250 Amp TP&N Fusible NH1	470.68
55655058	MR tap-off Metal 400 Amp TP&N Fusible NH2	505.38

Legrand Electric Limited - Power Distribution Division Conditions of Sale

1. GENERAL

In these General Conditions of Sale, the 'Company' means The Power Distribution Division of Legrand Electric Ltd; the 'goods' means any item of whatsoever nature (including any part or component) which is to be sold or supplied by the Company including services; the 'Purchaser' means the person, firm or body corporate which buys or has agreed to buy the goods.

These General Conditions of Sale shall apply to and form part of every contract of sale entered into by the Company. All orders are accepted and executed on the understanding that the Purchaser is bound by these General Conditions of Sale which shall govern the contract to the exclusion of any other terms and conditions subject to which any such order is accepted or purported to be accepted, or any such order is made or purported to be made, by the Purchaser. No contract of sale shall come into being unless and until the Purchaser has accepted these General Conditions of Sale either expressly or by implication.

The Purchaser shall ensure that under all reasonably foreseeable conditions the goods are NOT supplied or made available to consumers for "Do It Yourself" purposes. The goods are for professional use only – see section 28 SAFETY.

Any term or condition within these General Terms and Conditions may be waived with the written approval of the Sales/Commercial Director, National Sales Manager or the Customer Services Manager of The Power Distribution Division of Legrand Electric Ltd.

2. LIMITS OF CONTRACT

The contract includes only such goods, accessories and work as are specified in the quotation or acknowledgement accompanying these General Conditions of Sale. The Company reserves the right to refuse at its discretion any order sent to the Company by the Purchaser.

3. QUOTATIONS

The Company reserves the right to refuse a Purchaser's acceptance of a quotation unless such a quotation is stated to be open for a specific period and is not withdrawn by the Company within such period. When no period is stated, the quotation is only valid for 30 days after its date. A new quotation will be required for any changes requested by the Purchaser to any goods already quoted for.

4. PRICES

- The price payable for goods shall unless otherwise stated by the Company in writing be the trade price of the Company current at the date of despatch and in the case of an order for delivery by instalments the price payable for each instalment shall be the list price of the Company current at the date of despatch of such instalment.
- Unless otherwise expressly stated to be firm for a period the Company's prices are subject to variation to take account of variations in wages, materials and other costs. The Company accordingly reserves the right by giving notice to the Purchaser at any time before delivery to increase the price of the goods by the amount of any increase in such costs after the price is quoted.
- All prices are exclusive of Value Added Tax and this will be charged at the applicable rate and recoverable by the Company in addition to the price.
- All invoiced price discrepancies must be notified by the Purchaser to the Company within 14 working days of the date of invoice.
- The Company does not assume liability in any form for any changes in the Purchaser's valuation of its inventories subsequent to either a price increase or decrease (whether this be through changes in Discount, Trade Prices or any other adjustment) of its product ranges.

5. PAYMENT

- Unless otherwise agreed in writing, payment is due without deduction on or before the last working day of the month following the date of the invoice. Settlement discount may be deducted from a payment made to the Company by the Purchaser only where the Purchaser has the permission of the Company and payment is made within the agreed credit terms.
- Payments shall be made without deduction or set off.
- Where the contract provides for delivery in instalments each instalment shall be considered as a separate contract of sale.
- Time for payment shall be of the essence of the contract.
- Without prejudice to any other rights it may have the Company is entitled to charge interest at 8% above the current Bank of England base rate or such other rate of interest as shall be determined under the Late Payment of Commercial Debts (Interest) Act 1998 on any overdue payments.
- Additionally and without prejudice to its other rights the Company shall be entitled to recover all direct expenses reasonably incurred by the Company in collecting or attempting to collect amounts of the price outstanding.
- If the Purchaser fails to make any payment when due in accordance with these General Conditions of Sale, the Company reserves the right in its absolute discretion and without prejudice to any of its other rights or remedies to suspend all further deliveries until such payment has been made in full, together with any other amounts owing to the Company whether the due date for payment has been reached or not, if so requested by the Company or, at the Company's option, to cancel the balance of the order. In either case the Company shall hold the Purchaser liable for costs incurred in respect of goods in course of manufacture or ready for despatch.
- The Company shall be entitled to bring an action for the price or part thereof whether or not the property in the goods has passed.

6. PAYMENT DISPUTES AND DEBIT NOTES

The Purchaser shall operate a debit note system and apply this in accordance with the Company's disputes procedure. Debit notes shall include the Company's relevant invoice details and be notified to the Company the day they are raised and shall be considered as dated the day that they are received by the Company. Debit notes for disputes more than five days older than the Purchaser's payment terms will not be accepted. Debit notes shall only be raised for the value of goods in dispute, not the whole invoice. Settlement discount will not be allowed on monies incorrectly withheld by debit notes later rejected. Debit notes may be raised for the following items:

- Pricing errors
- Delivery shortages
- Faulty goods
- Damaged goods
- Incorrect goods supplied (i.e. not as ordered).

A returns authorisation number (RAN) must be granted by the Company and must clearly feature on the Purchaser's debit note. All debit notes are only to be sent to Legrand Head Office, Great King St. North, Birmingham B19 2LF. Electronic versions of debit notes will not be accepted.

All requests to return goods must be agreed to in writing with the Company prior to a debit note being raised and a copy of the consent must be submitted with any related debit note.

The Company reserves the right to replace products returned as faulty, in place of issuing a credit note. In circumstances where items claimed as faulty have not been opened, the goods will be returned to the Purchaser and no credit issued.

In no circumstances will consent be given by the Company for the return of special or bespoke products.

Where the Purchaser has a purchase rebate agreement with the Company, the Company reserves the right to deduct from any rebate payment due to the Purchaser, the value of any debit notes deducted from a remittance made by the Purchaser, but subsequently rejected by the Company.

7. CREDIT FACILITIES

Any contract shall be subject to the Company being satisfied as to the Purchaser's credit references, and without prejudice to the generality of the foregoing, the Company may (in its absolute discretion), having informed the Purchaser that the goods are ready for despatch, refrain from delivering the goods until such time as the Purchaser tenders the purchase money to the Company together with any outstanding amounts which may be due to the Company on any account whatsoever.

8. CARRIAGE

- Where the value of any order exceeds £500 nett, the cost of one single delivery of the goods to the Purchaser's premises on the mainland of Great Britain shall be included in the contract price. A Purchaser requiring a delivery to a non mainland destination should contact the Company to obtain details of carriage costs. Off-loading of the equipment is not included.
- Any orders below this £500 (subject to above) minimum order value will attract a £30 (or such value that may be notified to the Purchaser in writing) handling charge.
- For express/overnight shipments a minimum £35 (subject to above) handling charge will be applied. Any costs incurred by the Company of expediting this shipment over and above this amount will be recharged at cost to the purchaser.
- Shipment to site: 'Electrak' brand products will not be delivered to site. 'Zucchini' brand products may be delivered to site with the written approval of the Sales/Commercial Director, National Sales Manager or the Customer Services Manager of The Power Distribution Division of Legrand Electric Ltd. The cost of delivery will only be borne by the Company provided the value of the order exceeds £1,000 nett. Only one mutually agreed delivery will be made. If this is subsequently refused by the Purchaser, all further deliveries to that site will be made at cost. A Purchaser requiring a delivery to a site for an order with a value less than £1,000 should contact the Company to obtain details of carriage costs.
- Where the Company's haulier incurs waiting time greater than one hour at either the Purchaser's premises or site, a carriage charge of £40 per hour will be imposed on the Purchaser.
- Any failure by the Purchaser to communicate their inability to accept a delivery that leads to the Company having to deliver the goods for a second time will incur a handling charge of 25% of the nett value of the order.

9. PACKING

Where it is necessary to despatch goods in crates, cases, pallets, stillages or skids or other such packing, a charge will be made for this. Unless otherwise specified this amount will be credited in full on the return, within one month, of such crates, skids, stillages and pallets etc. in good condition carriage paid. No charge is made for any other form of packaging and no credit will be allowed for its return.

10. LOSS OR DAMAGE IN TRANSIT

When the price quoted includes delivery, the Company shall repair or replace free of charge goods damaged in transit or not delivered in accordance with the Advice Note, provided that the Company is given written notification of such damage or non-delivery within such time (being not more than two days) as will enable the Company to comply with the carrier's conditions of carriage as affecting loss or damage in transit, or, where delivery is made by the Company's own transport, within 10 days after receipt of the Advice Note. Notwithstanding the above undertaking, the Company will only consider claims for alleged shortage if they are received within seven working days of the receipt of the goods by the Purchaser, together with sufficient information to enable the Company properly to identify the shortage including the Advice Note number, case number and condition of case. Where goods are collected by the Purchaser or the Purchaser's staff or agent no claim for shortage or damage will be considered. In the event of an agreed shortage on an order the goods will need to be credited and reordered. The quantity of goods delivered will be assumed to be correct on any Delivery Note signed by the Purchaser and marked "Not checked". Such goods will be invoiced in full by the Company.

11. SAMPLES

Samples will be charged for under the Company's normal terms and credited in full when returned in good condition provided prior written agreement is obtained from the Company.

12. DELIVERY

- Unless accepted by the Company in writing all times or dates for delivery of the goods are given in good faith but are approximate only and shall not be of the essence of the contract.
- All times or dates for delivery shall be calculated from the date of acceptance by the Company of the order of the Purchaser, or from the date of receipt by the Company from the Purchaser or all information, instructions and drawings, or drawing approval confirmation, as shall be necessary to enable the Company to carry out the order whichever shall be the later.
- Unless otherwise stated in writing the Company shall be entitled to make partial deliveries of the goods.

13. VARIATIONS IN WRITING

- The Company shall be under no obligation to alter or vary any part of the contract or any work connected therewith. Any alteration to, or addition to, or amendment or other variation of the specification, including any increase or decrease in the quantity of the goods or any alteration to any drawings or to the quality, performance, weight or measurements of any goods or any alterations or variation of advised delivery schedules, shall, if requested by the Purchaser, be subject to the agreement of the Company, with such alteration or addition to the price and to delivery dates or schedules as may be required by the Company, and shall not be binding upon the Company unless and until accepted by the Company in writing.
- In the event of any variation or suspension of the work by the Purchaser's instructions or lack of instructions the Company shall be entitled to adjust the contract price to reflect any additional costs incurred, and to adjust delivery dates or schedules.

14. STORAGE

If the Company does not receive forwarding instructions sufficient to enable it to despatch the goods within 14 days after notification that the goods are ready for delivery or that they have been tested under Clause 16, the Purchaser shall thereupon take delivery or arrange for storage. If the Purchaser does not take delivery or arrange for storage as aforesaid, the Company shall be entitled to invoice and be paid for the goods as though the goods had been duly delivered in accordance with these General Conditions of Sale and the Company may arrange storage either at the Company's own works or elsewhere on the Purchaser's behalf and all charges incurred by the Company as a result of such delay including storage and insurance shall be payable by the Purchaser.

15. PERFORMANCE

Any data, technical information or performance figures provided by the Company are based on tests performed under standard conditions at the Company's premises or at any other approved site. They are believed to be accurate but cannot be guaranteed under different conditions.

16. INSPECTION AND TESTS

The Company's products are carefully inspected and, where practicable, submitted to its standard tests at the Company's works before despatch. If tests other than those specified or tests in the presence of the Purchaser or its representatives are required, these will be charged for. In the event of any delay on the Purchaser's part in attending tests after the Purchaser has received seven days notice that the Company is ready to perform the tests, the tests will proceed in the Purchaser's absence and the Purchaser accordingly hereby agrees to accept and pay for such tests as if they had been performed in the Purchaser's presence.

17. DESCRIPTIVE MATTER AND ILLUSTRATIONS

All descriptions and illustrations and particulars of weights and dimensions issued by the Company in catalogues, price lists, advertising matter and forwarding specifications are by way of general descriptions and approximate only, and shall not form part of any contract or give rise to any liability on the part of the Company. It is the policy of the Company to endeavour to develop and improve its products, and accordingly the Company reserves the right to change all specifications without prior notification or public announcement pursuant to such policy. Provided that nothing in this Clause shall oblige the Purchaser to accept goods that do not reasonably comply with the contract.

18. WARRANTY

- (a) Except in respect of death or personal injury caused by the Company's negligence, the Company shall not be liable whether in contract, tort or otherwise to the Purchaser by reason of any representation (unless fraudulent) or any implied warranty, condition or other term as to quality or fitness for purpose, or any duty at Common Law or under the express terms of the contract, and will bear no liability for any defect save as stated in this clause. Nor shall the Company bear any liability for any indirect, special, economic or consequential loss or damage (whether for loss of profit, loss of use, loss of production, loss of contract or otherwise) costs, expenses or other claims for compensation whatsoever (whether caused by the negligence of the Company, its employees or agents or otherwise) which arise out of or in connection with supply of the goods or their use or resale by the Purchaser. Provided however that nothing in this Clause shall operate to exclude any warranty or condition implied by law as to the quality of the goods in the event that the goods when sold by the Purchaser or when sold by any person or persons to whom the Purchaser may sell the goods shall become the subject of a consumer sale as defined in the Sale of Goods Act 1979, or any statutory re-enactment or modification thereof except to the extent that any claim under such warranty or condition shall have arisen from any act or omission by the Purchaser or by any other person or persons selling the goods by way of a consumer sale.
- (b) Notwithstanding anything contained in the Conditions or the Contract, the Company's liability to the Purchaser in respect of the Contract, in contract, tort (including negligence or breach of statutory duty) or however otherwise arising shall be limited to the price of Goods specified in the Contract and be limited to one year from date of purchase.
- (c) The warranty given in this Clause is subject to the following provisos, namely:
- (i) That the defects shall not have arisen through fair wear and tear, wilful damage, negligence, abnormal working conditions, misuse, alteration or repair of goods by the Purchaser without the Company's approval;
- (ii) That the Purchaser shall have followed all instructions issued by the Company in relation to the goods;
- (iii) That in the case of defects which would have been reasonably apparent to the Purchaser on reasonable examination of the goods on delivery, the Purchaser shall notify the Company of the defects in writing within 14 working days of delivery;
- (iv) That in the case of any other defects, the Purchaser shall notify the Company of the defects in writing within seven working days of the date when the defect becomes apparent;
- (v) That where in discharge of its obligations under the Warranty given in this Clause the Company agrees that the Purchaser may undertake any repair or remedial work on its behalf, the cost of such work shall be agreed in writing between the Purchaser and the Company before the commencement of any such repair or remedial work.

19. REJECTION

Unless otherwise agreed in writing and subject to Clause 17 hereof, goods rejected as not complying with the contract must be rejected within 14 working days of delivery to the Purchaser's premises or to such other place as the Purchaser shall have specified.

20. CANCELLATIONS

Goods ordered on a firm order cannot be considered cancelled until written consent has been obtained from the Company. Orders for bespoke products for which manufacturing or materials sourcing has already irrevocably commenced will not be accepted for cancellation or return. Should goods be refused at the Purchaser's premises claiming that cancellation has been approved, written evidence must be given of the Company's consent, being a copy of the Company's cancellation acknowledgement document, or the goods will still be charged and no credit will be issued. Storage and re-delivery charges for non-accepted goods will also be applied.

21. RETURN OF GOODS

Under no circumstances will products be accepted for without the Purchaser having first applied for and obtained the written consent of the Company (such consent will not be considered after six months of Purchaser receiving product). A handling charge of at least 25% of the value of goods (or £100 whichever is greater) is chargeable to recover costs of re-stocking and administration, this will be deducted from any credit allowed by the Company. Products that are specialised or modified in any way from standard are not eligible for return or credit.

Debit notes for return of goods must not be raised or deducted before written consent to return said goods has been obtained from the Company. Said consent may only be granted for stocked products specified in the Company price list current at the date of consent. If unauthorised debit notes are raised and monies withheld from payment the Company reserves the right to withdraw supply of goods until the debit note is withdrawn and the monies are paid in full.

The Company will not collect goods from site. Goods returned by the Purchaser's transport or by third party carrier without the prior written consent of the Company will not be received or credited. No credit will be due for goods lost or disposed of without the Company's written consent.

All goods returned must be in a sellable condition with undamaged cartons, must be complete box quantities/minimum sales quantities, and must appear in the Company's current price list.

22. PATENTS AND INTELLECTUAL PROPERTY

- (a) With respect to the goods, the Purchaser agrees and acknowledges:
- (i) that all copyright and other intellectual property rights (including but without limitation, patent, copyright trademark, registered design or other industrial property right) in and relating to the goods supplied by the Company is the property of the Company (or its supplier as applicable) and the Purchaser agrees that it will not carry out or authorise or procure the carrying out of any act that might infringe such copyright or other intellectual property (including reproducing or authorising or procuring the reproduction of howsoever any item supplied by the Company under or by virtue of any order or contract) and;
- (ii) that it is authorised to use and install the goods owned by it only for the purposes defined in the order or contract and for no other purpose whatsoever; and
- (iii) it will take all reasonable precautions to ensure that no unauthorised person may take or copy from the goods any intellectual property rights or technical specifications or copy thereof and that all persons who have access to the goods are made aware of the provision of this paragraph.
- (b) The Purchaser will indemnify the Company against all damage, penalties, costs, losses and expenses suffered by the Company or for which it may become liable in respect of the infringement of any intellectual property including (but without limitation) any patent, copyright, registered design, trade mark, trade name, or know-how arising out of the Company's manufacture of goods in accordance with any specification design drawings or other ideas supplied by the Purchaser or its servants or agents.

23. COPYRIGHT

All drawings, descriptions and other information submitted by the Company, together with the copyright therein shall remain the property of the Company.

24. FORCE MAJEURE AND OTHER CIRCUMSTANCES

The Company shall be entitled without liability on its part and without prejudice to its other rights, to terminate the contract or any unfulfilled part thereof, or at its option to suspend or make partial deliveries or extend the time or times for delivery, if the manufacture of the goods by the Company or the Company's suppliers, or the delivery of the goods or the performance by the Company of any of its obligations under the contract is hindered or delayed whether directly or indirectly by reason of the Purchaser failing to furnish necessary instructions or information, or by war or other hostilities, civil commotion, act of God, government action or legislation, interruption of transport, strike, lock-out or other form of industrial action (including, without limitation, labour disputes with the Company's or any sub-contractor's employees), accidents or stoppages to works, shortage of labour, materials, equipment, fuel or power, breakdown of machinery or any other cause whatsoever beyond the reasonable control of the Company or its subcontractors, whether or not such cause exists at the date of the order.

25. PASSING OF PROPERTY AND RISK

- (a) Risk of damage to or loss of the goods shall pass to the Purchaser in the case of goods to be delivered otherwise than at the Company's premises, at the time of delivery, or, if the Purchaser wrongfully fails to take delivery of the goods, the time when the Company has tendered delivery of the goods.
- (b) Notwithstanding delivery and the passing of risk in the goods, or any other provision of these Conditions the property in the goods shall not pass to the Purchaser until the Company has received in cash or cleared funds payment in full of the price of the goods.
- (c) Until such time as the property in the goods passes to the Purchaser, the Purchaser shall hold the goods as the Company's fiduciary agent and bailee, and shall keep the goods separate from those of the Purchaser and third parties and properly stored, protected and insured and identified as the Company's property, but shall be entitled to resell or use the goods in the ordinary course of its business
- (d) Until such time as the property in the goods passes to the Purchaser (and provided the goods are still in existence and have not been resold), the Company shall be entitled at any time to require the Purchaser to deliver up the goods to the Company and, if the Purchaser fails to do so forthwith, to enter upon any premises of the Purchaser or any third party where the goods are stored and repossess the goods.
- (e) The Purchaser shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the goods which remain the property of the Company, but if the Purchaser does so all moneys owing by the Purchaser to the Company shall (without prejudice to any other right or remedy of the Company) forthwith become due and payable.

26. INSOLVENCY OF PURCHASER

- (a) This Clause applies if:
- (i) The Purchaser becomes insolvent or makes any voluntary arrangement with its creditors or becomes subject to an administration order or (being an individual or firm) becomes bankrupt or (being a Company) goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction); or
- (ii) An encumbrancer takes possession, or a receiver or administrative receiver is appointed, of any of the property or assets of the Purchaser: or
- (iii) The Purchaser ceases, or threatens to cease, to carry on business; or
- (iv) The Company reasonably apprehends that any of the events mentioned above is about to occur in relation to the Purchaser and notifies the Purchaser accordingly.
- (b) If this Clause applies then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to cancel the contract or suspend any further deliveries under the contract without any liability to the Purchaser, and if the goods have been delivered but not paid for, the price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.
- (c) If this Clause applies then the Purchaser shall have a duty to immediately bring to the notice of any receiver, administrator or any such person or persons appointed, the existence of and content of Clause 25 of these General Conditions of Sale (Passing of Property and Risk) and the rights of the Purchaser to use or trade on the Company's goods is immediately terminated and any such receiver administrator or other person or persons appointed will not be entitled to use or to trade in the Company's goods unless so authorised in writing by the Company.

27. ARBITRATION

If at any time any question, dispute or difference whatsoever shall arise between the Purchaser and the Company upon or in relation to or in connection with the contract, either party may give the other notice in writing of the existence of such question, dispute or difference, and the same shall be referred to the arbitration of a person to be mutually agreed upon, or failing agreement within 30 days of receipt of such notice, of some person appointed by the President for the time being of the Chartered Institute of Arbitrators. A submission to arbitration under this Clause shall be deemed to be a submission to a sole arbitrator pursuant to the Arbitration Act 1996 or any statutory modification or re-enactment thereof. Any such arbitration shall be held in London, England.

28. SAFETY

The Purchaser shall ensure that the Goods are installed, commissioned and maintained by suitably qualified personnel in accordance with the latest edition of the IEE Wiring Regulations (BS 7671), the Health and Safety, Electricity at Work Regulations 1989 and any other Code of Practice or Statutory requirement which may be in force from time to time, and in accordance with accepted practice in the industry.

Any information which is required about the potential use or installation of the Goods is available on request and the Purchaser must comply with any such information given. In accordance with the provisions of the Health and Safety at Work etc. Act 1974 the Purchaser must make available any such information to anyone concerned.

29. EXPORTS

The conditions apply to all export sales unless otherwise varied in writing by the Company.

30. CONFIDENTIALITY

Both the Company and the Purchaser shall keep confidential and shall not disclose without the prior written consent of the other any technical and commercial information acquired as a result of any communications between them relating to the Contract or the Goods.

31. COMMUNICATIONS

All communications between the parties in respect of the Contract must be in writing and delivered by hand or sent by pre-paid first class post or sent by facsimile transmission (with a hard copy by post). In case of communications to the Company to its registered office unless otherwise notified to the Purchaser by the Company; and in the case of communications to the Purchaser to its registered office (if a Company) or to its address as set out in the Contract unless otherwise notified to the Company by the Purchaser.

Communications shall be deemed to have been received if sent by pre-paid first class post, two working days (i.e. excluding Saturdays, Sundays and bank and other UK public holidays) after posting; if delivered by hand, on the day of delivery; or if sent by facsimile transmission on a working day prior to 4.00 p.m., at the time of transmission and otherwise on the next working day.

32. HEADINGS

The headings used in these terms and conditions are for convenience only and shall not affect their meaning or construction.

33. GOVERNING LAW

All contracts to which these General Conditions of Sale apply shall be governed by and construed in accordance with English law.

March 2011

Contact details

Quotations and Technical Support:

The Power Distribution Division of
Legrand Electric Ltd.
Arena Park, Dial Lane,
West Bromwich
West Midlands, B70 0EB
Tel: +44 (0) 845 600 6266
Fax: +44 (0) 845 600 6760
E-mail: powersales.uk@legrand.co.uk

Customer Services:

The Power Distribution Division of
Legrand Electric Ltd.
No. 1 Industrial Estate
Medomsley Road, Consett,
County Durham, DH8 6SR
Tel: +44 (0) 845 600 6266
Fax: +44 (0) 845 600 6366
E-mail: powersales.uk@legrand.co.uk

Accounts:

The Power Distribution Division of
Legrand Electric Ltd.
Great King Street North,
Birmingham, B19 2LF
Tel: +44 (0) 870 608 9000
Fax: +44 (0) 870 608 9004

Distributor:



Head Office (UK and Ireland):
Great King Street North,
Birmingham, B19 2LF

Tel: +44 (0) 870 608 9000

Fax: +44 (0) 870 608 9004

Website: www.legrand.co.uk



The Legrand and Electrak logos are registered trademarks of the Legrand group of companies.